

SINCE 1946

ETURE MANUFACTURE OUALITY SINGE 1946

Photo by_Roberto_Ochaa







COLLECTION 2022



BUYER'S GUIDE WHO WE ARE OUR DNA Join the Cressi Family 6 Branding 8 B2B & PMI 10 E-Learning Social Media Headquarters 11 12 Ambassadors

SCUBA



WATCHES 14 Scuba Watches 15 15 16 20



DIVE COMPUTERS Watch-Style Dive Computers 29 Big-Screen Dive Computers 38 52 Interfaces

27

183

279

280



DIGITAL CONSOLES

Digital Gauges

ANALOGIC GAUGES 55



ACCESSORIES SPARE PARTS Dive Computer Acc Console Spare Parts



SCUBA FINS Scuba Fins Fins Spare Parts



History

Territory

Net

SCUBA MASKS 120 Scuba Mask 136 Comparison Chart

169 Mask Spare Parts 170 Scuba Mask Optical Lenses 172 Scuba Mask Accessories 173



SCUBA COMBOS

Scuba Combos



Scuba Torches

189



191

192

291

300

302

303

305

306

307



194 195 196 204 207 Skin Protections





FREEDIVING FINS Long Blade Fins Fin Accessories



FREEDIVING MASKS 252 264 266 Masks Combos



138

FREEDIVING WETSUITS & NEOPRENE Freediving Wetsuits Rash Guards Gloves Socks

SCUBA SNORKELS

Snorkel Spare Parts

Snorkels



Buoys Weight Belts 278



FREEDIVING BAGS 282 284



Scuba Knives

Clean-Up Tools

SPEARFISHING

SLING SPEARGUNS

Sling Spearguns

Elastic Bands

Accessories

Shafts

Tips

Reels

Bags



SCUBA WETSUITS Drysuits Drysuits Undersuits Full Wetsuits Short Wetsuits







TORCHES & Torches knives Knives Spare Parts



175

185



BUOYS & Weightbelts 269 275 277



Dry Bags Bags

236

250

Snorkels



S	&			
es	sori	es	6	D
5			6	2



REGULATORS

First Stag	ges & Second	Stage	66
Octopuse	25		82
Comparis	son Chart		84
Regulato	r Parts		86
Regulato	r Tools		90



B.C.D

Scuba B0	D'S		93
Compari	son C	hart	110
Scuba Pa	ackag	es	113
B.C.D Acc	esso	ries	115
B.C.D Too	ols		117







Bags

219

222

225

228



FI Ci																													
Fr	26	c	liv	/i	n	E	5	C	0	D	n	n	F	D	J	t	e	r	2	5					2	2	3	C	J
																							ļ						



KNI	VE	S
		321
5		323 331



BRAND SUPPORT Product Displays 333 336 Flags



Spare Parts 339 Dimension Chart 340

CRESSI

••••••	•••••
360 REGULATOR BAG	
Α	
A1	145
AC2 / COMPACT	78
AC2 / COMPACT + OCTOPUS COMPACT	80
COMPACT AC2 / X52	
AC25G / COMPACT	76
••••••	
AC25M	
AC25M / MASTER CROMO	•••••
AIR	152
AIR CRYSTAL	152 192
ALLIGATOR	192 178
ALUMINIUM POLE SPEARE	317
AMERICA	267
ANTI-FOGS	173
ANTI-SLIP SOCKS 2.5 MM	217
APACHE	299
APNEA 3.5 MM	272
APNEA 5 MM	272
APNEA 7 MM	272
AQUARIDE	104
AQUAWING	97
AQUAWING PLUS	96
AVIATOR	99
В	•••••
	201
BAHIA FLEX 3 MM	••••
BALEARI MD PHS 3 MM	214
	717
BALEARI PHS 6 MM	212
BAND RUBBER TUBING	303
BAND RUBBER TUBING BCD ACCESSORIES	303 115
BAND RUBBER TUBING BCD ACCESSORIES BCD SPARE PARTS	303 115 117
BAND RUBBER TUBING BCD ACCESSORIES BCD SPARE PARTS BCD TOOLS	303 115 117 118
BAND RUBBER TUBING BCD ACCESSORIES BCD SPARE PARTS BCD TOOLS BEANIE UNISEX	303 115 117 118 210
BAND RUBBER TUBING BCD ACCESSORIES BCD SPARE PARTS BCD TOOLS BEANIE UNISEX BIG EYES	303 115 117 118 210 165
BAND RUBBER TUBING BCD ACCESSORIES BCD SPARE PARTS BCD TOOLS BEANIE UNISEX BIG EYES BIG EYES & SUPERNOVA DRY	303 115 117 118 210
BAND RUBBER TUBING BCD ACCESSORIES BCD SPARE PARTS BCD TOOLS BEANIE UNISEX BIG EYES BIG EYES & SUPERNOVA DRY BIG EYES EVO & ALPHA ULTRA	303 115 117 118 210 165 184
BAND RUBBER TUBING BCD ACCESSORIES BCD SPARE PARTS BCD TOOLS BEANIE UNISEX BIG EYES BIG EYES & SUPERNOVA DRY BIG EYES EVO & ALPHA ULTRA DRY BIG EYES EVOLUTION	303 115 117 118 210 165 184 184 184
BAND RUBBER TUBING BCD ACCESSORIES BCD SPARE PARTS BCD TOOLS BEANIE UNISEX BIG EYES BIG EYES & SUPERNOVA DRY BIG EYES EVO & ALPHA ULTRA DRY BIG EYES EVOLUTION BIG EYES EVOLUTION BIG EYES EVOLUTION CRYSTAL	303 115 117 118 210 165 184 184 184 151 148
BAND RUBBER TUBING BCD ACCESSORIES BCD SPARE PARTS BCD TOOLS BEANIE UNISEX BIG EYES BIG EYES & SUPERNOVA DRY BIG EYES EVO & ALPHA ULTRA DRY BIG EYES EVOLUTION BIG EYES EVOLUTION BIG EYES EVOLUTION CRYSTAL BORG	303 115 117 118 210 165 184
BAND RUBBER TUBING BCD ACCESSORIES BCD SPARE PARTS BCD TOOLS BEANIE UNISEX BIG EYES BIG EYES & SUPERNOVA DRY BIG EYES EVO & ALPHA ULTRA DRY BIG EYES EVOLUTION BIG EYES EVOLUTION BIG EYES EVOLUTION BIG EYES EVOLUTION CRYSTAL BORG BORG BLUNT TIP	303 115 117 118 210 165 184 184 184 184 184 184 324 191
BAND RUBBER TUBING BCD ACCESSORIES BCD SPARE PARTS BCD TOOLS BEANIE UNISEX BIG EYES BIG EYES & SUPERNOVA DRY BIG EYES EVO & ALPHA ULTRA DRY BIG EYES EVOLUTION BIG EYES EVOLUTION BIG EYES EVOLUTION CRYSTAL BORG BORG BLUNT TIP	303 115 117 118 210 165 184 184 184 184 184 184 324 191
BAND RUBBER TUBING BCD ACCESSORIES BCD SPARE PARTS BCD TOOLS BEANIE UNISEX BIG EYES BIG EYES & SUPERNOVA DRY BIG EYES EVO & ALPHA ULTRA DRY BIG EYES EVOLUTION BIG EYES EVOLUTION BIG EYES EVOLUTION BIG EYES EVOLUTION CRYSTAL BORG BORG BLUNT TIP C	303 115 117 118 210 165 184 184 184 184 184 184 324 191
BAND RUBBER TUBING BCD ACCESSORIES BCD SPARE PARTS BCD TOOLS BEANIE UNISEX BIG EYES BIG EYES & SUPERNOVA DRY BIG EYES EVO & ALPHA ULTRA DRY BIG EYES EVOLUTION BIG EYES EVOLUTION BIG EYES EVOLUTION BIG EYES EVOLUTION CRYSTAL BORG BORG BLUNT TIP C CALIBRO	303 115 117 118 210 165 184 184 184 184 151 148 324 191
BAND RUBBER TUBING BCD ACCESSORIES BCD SPARE PARTS BCD TOOLS BEANIE UNISEX BIG EYES BIG EYES & SUPERNOVA DRY BIG EYES EVOLUTION BIG EYES EVOLUTION BIG EYES EVOLUTION BIG EYES EVOLUTION CRYSTAL BORG BORG BLUNT TIP C CALIBRO CALIBRO CALIBRO & CORSICA	303 115 117 118 210 165 184 184 184 184 184 184 324 191
BAND RUBBER TUBING BCD ACCESSORIES BCD SPARE PARTS BCD TOOLS BEANIE UNISEX BIG EYES BIG EYES & SUPERNOVA DRY BIG EYES EVO & ALPHA ULTRA DRY BIG EYES EVOLUTION BIG EYES EVOLUTION BIG EYES EVOLUTION BIG EYES EVOLUTION CRYSTAL BORG BORG BLUNT TIP C CALIBRO CALIBRO CALIBRO & CORSICA CALIBRO +	303 115 117 118 210 165 184 184 184 184 184 324 191 144 264 142
BAND RUBBER TUBING BCD ACCESSORIES BCD SPARE PARTS BCD TOOLS BEANIE UNISEX BIG EYES BIG EYES & SUPERNOVA DRY BIG EYES EVO & ALPHA ULTRA DRY BIG EYES EVOLUTION BIG EYES EVOLUTION BIG EYES EVOLUTION CRYSTAL BORG BORG BLUNT TIP C CALIBRO CALIBRO CALIBRO & CORSICA CALIBRO+ CARBON	303 115 117 118 210 165 184 184 184 184 151 148 324 191 144 264 142 94
BAND RUBBER TUBING BCD ACCESSORIES BCD SPARE PARTS BCD TOOLS BEANIE UNISEX BIG EYES BIG EYES & SUPERNOVA DRY BIG EYES EVO & ALPHA ULTRA DRY BIG EYES EVOLUTION BIG EYES EVOLUTION BIG EYES EVOLUTION CRYSTAL BORG BORG BLUNT TIP C CALIBRO CALIBRO CALIBRO CALIBRO CARBEN CARBON CARTESIO	303 115 117 118 210 165 184 184 184 151 148 324 191 144 264 142 94
BAND RUBBER TUBING BCD ACCESSORIES BCD SPARE PARTS BCD TOOLS BEANIE UNISEX BIG EYES BIG EYES & SUPERNOVA DRY BIG EYES & SUPERNOVA DRY BIG EYES EVO & ALPHA ULTRA DRY BIG EYES EVOLUTION BIG EYES EVOLUTION BIG EYES EVOLUTION BIG EYES EVOLUTION CRYSTAL BORG BORG BLUNT TIP C CALIBRO CALIBRO CALIBRO CARTESIO CARTESIO CHEROKEE EXO	303 115 117 118 210 165 184 184 184 151 148 324 191 144 264 142 94 30 294
BAND RUBBER TUBING BCD ACCESSORIES BCD SPARE PARTS BCD TOOLS BEANIE UNISEX BIG EYES BIG EYES & SUPERNOVA DRY BIG EYES & SUPERNOVA DRY BIG EYES EVOLUTION BIG EYES EVOLUTION BIG EYES EVOLUTION BIG EYES EVOLUTION CRYSTAL BORG BORG BLUNT TIP C CALIBRO CALIBRO CALIBRO CARBON CARTESIO CHEROKEE EXO CHEROKEE FAST	303 115 117 118 210 165 184 184 184 184 151 148 324 191 144 264 191 142 94 30 294 292
BAND RUBBER TUBING BCD ACCESSORIES BCD SPARE PARTS BCD TOOLS BEANIE UNISEX BIG EYES BIG EYES & SUPERNOVA DRY BIG EYES & SUPERNOVA DRY BIG EYES EVOLUTION BIG EYES EVOLUTION BIG EYES EVOLUTION BIG EYES EVOLUTION CRYSTAL BORG BORG BLUNT TIP C CALIBRO CALIBRO CALIBRO CALIBRO CARBON CARTESIO CHEROKEE EXO CHEROKEE FAST CHEROKEE POWER	303 115 117 118 210 165 184 184 184 184 151 148 324 191 144 264 142 94 30 294 292 291
BAND RUBBER TUBING BCD ACCESSORIES BCD SPARE PARTS BCD TOOLS BEANIE UNISEX BIG EYES BIG EYES & SUPERNOVA DRY BIG EYES & SUPERNOVA DRY BIG EYES EVO & ALPHA ULTRA DRY BIG EYES EVOLUTION BIG EYES EVOLUTION BIG EYES EVOLUTION BIG EYES EVOLUTION CALIBRO CALIBRO CALIBRO CALIBRO CALIBRO CALIBRO CARESIO CHEROKEE EXO CHEROKEE FAST CHEROKEE FAST CHEROKEE POWER CIRCULAR BAND Ø 13 MM	303 115 117 118 210 165 184 184 184 184 184 184 184 184 184 184
BAND RUBBER TUBING BCD ACCESSORIES BCD SPARE PARTS BCD TOOLS BEANIE UNISEX BIG EYES BIG EYES & SUPERNOVA DRY BIG EYES & SUPERNOVA DRY BIG EYES EVOLUTION BIG EYES EVOLUTION BIG EYES EVOLUTION BIG EYES EVOLUTION CAUBRO CALIBRO CARTESIO CHEROKEE FAST CHEROKEE POWER CIRCULAR BAND Ø 13 MM CIRCULAR BAND Ø 14 MM W/ WISHBONE	303 115 117 118 210 165 184 184 184 151 148 324 191 144 324 191 144 264 142 94 30 294 292 291 304 304
BAND RUBBER TUBING BCD ACCESSORIES BCD SPARE PARTS BCD TOOLS BEANIE UNISEX BIG EYES BIG EYES & SUPERNOVA DRY BIG EYES & SUPERNOVA DRY BIG EYES EVOLUTION BIG EYES EVOLUTION BIG EYES EVOLUTION BIG EYES EVOLUTION CAUBRO CALIBRO CARTESIO CHEROKEE FAST CHEROKEE POWER CIRCULAR BAND Ø 13 MM CIRCULAR BAND Ø 14 MM W/ WISHBONE	303 115 117 118 210 165 184 184 184 151 148 324 191 144 324 191 144 264 142 94 30 294 292 291 304 304
BAND RUBBER TUBING BCD ACCESSORIES BCD SPARE PARTS BCD TOOLS BEANIE UNISEX BIG EYES BIG EYES & SUPERNOVA DRY BIG EYES & SUPERNOVA DRY BIG EYES EVOLUTION BIG EYES EVOLUTION BIG EYES EVOLUTION BIG EYES EVOLUTION CRYSTAL BORG BORG BLUNT TIP C CALIBRO CALIBR	303 115 117 118 210 165 184 184 184 184 324 191 148 324 191 144 264 142 94 30 294 292 291 304 304 303
BAND RUBBER TUBING BCD ACCESSORIES BCD SPARE PARTS BCD TOOLS BEANIE UNISEX BIG EYES BIG EYES & SUPERNOVA DRY BIG EYES & SUPERNOVA DRY BIG EYES EVOLUTION BIG EYES EVOLUTION BIG EYES EVOLUTION BIG EYES EVOLUTION CAUBRO CALIB	303 115 117 118 210 165 184 184 184 151 148 324 191 144 324 191 144 264 142 94 300 292 291 304 304 303
BAND RUBBER TUBING BCD ACCESSORIES BCD SPARE PARTS BCD TOOLS BEANIE UNISEX BIG EYES BIG EYES & SUPERNOVA DRY BIG EYES & SUPERNOVA DRY BIG EYES EVOLUTION BIG EYES EVOLUTION BIG EYES EVOLUTION BIG EYES EVOLUTION CRYSTAL BORG BORG BLUNT TIP C CALIBRO CIRCULAR BAND Ø 13 MM CIRCULAR BAND Ø 15 MM CIRCULAR BAND Ø 16 MM W/ WISHBONE CIRCULAR BAND Ø 16 MM W/ WISHBONE CIRCULAR BAND Ø 18 MM W/ WISHBONE CIRCULAR BAND Ø 18 MM W/	303 115 117 118 210 165 184 184 184 184 184 184 184 184 184 184
BAND RUBBER TUBING BCD ACCESSORIES BCD SPARE PARTS BCD TOOLS BEANIE UNISEX BIG EYES BIG EYES & SUPERNOVA DRY BIG EYES & SUPERNOVA DRY BIG EYES EVOLUTION BIG EYES EVOLUTION BIG EYES EVOLUTION BIG EYES EVOLUTION CRYSTAL BORG BORG BLUNT TIP C CALIBRO CIRCULAR BAND Ø 13 MM CIRCULAR BAND Ø 15 MM CIRCULAR BAND Ø 16 MM W/ WISHBONE CIRCULAR BAND Ø 16 MM W/ WISHBONE CIRCULAR BAND Ø 18 MM W/ WISHBONE CIRCULAR BAND Ø 18 MM W/	303 115 117 118 210 165 184 184 184 151 148 324 191 144 264 142 94 300 294 292 291 304 304 303 303 303


COMBO BAG	228	GARA MODULAR
COMMANDER EVO	93	GARA MODULAR
COMPASS	59	GARA MODULAR
COMPETITION THREADS	306	GARA MODULAR
CONCH DYFIBER	277	
CONSOLE CP2	58	GARA PREMIUM
CONSOLE CPD3	58	GARA PROFESSIO
CONSOLE PD2	58	GARA PROFESSIO
CONSOLE SPARE PARTS	62	GARA TURBO CAR
CORFLI	175	GENIUS DIVE CON
CORSICA	266	GIANT
CUMMERBUNDS	116	GIOTTO
_	···•·	GIOTTO CONSOLE
D	10.6	GOA
DESERT	194	GORGONA
DIGI		GORILLA PRO XL
DIGI2	56	GRINGO
DIN ASSEMBLY		GRIP BLUNT TIP
DIVE COMPUTER ACCESSORIES	· · • · · · · · · ·	GRIP SPEAR BLAC
DONATELLO		GRIP SPEAR TITA
DONATELLO CONSOLE 2		н
DONATELLO CONSOLE 3	45	HAND PUMP
DRY BAG	224	HANDEX HOOD
DRY GARA BACKPACK	284	HEX GRIP
DRY GUN BAG	307	HIGH STRETCH 2.
DRYSUIT UNDERSUITS	195	HIGH STRETCH 3.
E		HIGH STRETCH 5
ELETTRA	98	HIGH-TENACITY
ELITE PROTECTIVE CASE	60	HUNTER GLOVES
EYES EVOLUTION	257	HUNTER RASH G
EYES EVOLUTION CRYSTAL	150	HUNTER SOCKS
F	·····	HUNTER SWIVEL
·		1
F-DUAL	155	I
F-DUAL & SUPERNOVA DRY	183	IBIZA 3 MM
FAST 3 MM	198	INT ADAPTOR
FAST 7 MM	196	INTERFACE
FG1	316	INTERFACE BT
FG3		ISLA 5 MM
FIN BUCKLES	136	ISLA 7 MM
FIN SOCKS	217	ITACA ULTRA DR
FIN STRAP		1
FINESTRA DRY BAG	224	JUMBO TROLLEY
FINISHER	324	K
FISTERRA 8 MM	269	KAI
FLAG CRESSI	336	KAI MINI
FLOAT ROPE	279	KILLER
FOCUS	166	KING
FREE FROG	135	
.		
FREEDIVING TRAINING BUOY	279	KNIVES SPARE PA
FREEDIVING TRAINING BUOY	279 126	KNIVES SPARE PA
FREEDIVING TRAINING BUOY	279 126 124	KNIVES SPARE PA
FREEDIVING TRAINING BUOY FROG FROG PLUS G	279 126 124	KNIVES SPARE PA
FREEDIVING TRAINING BUOY FROG FROG PLUS G GARA 2000 HF	279 126 124 246	KNIVES SPARE PA
FREEDIVING TRAINING BUOY FROG FROG PLUS G GARA 2000 HF GARA 3000 LD	279 126 124 246 245	KNIVES SPARE PA L LAMPUGA 3 MM LAMPUGA 5 MM LEONARDO
FREEDIVING TRAINING BUOY FROG FROG PLUS G GARA 2000 HF GARA 3000 LD GARA MODULAR	279 126 124 246 245 241	KNIVES SPARE PA L LAMPUGA 3 MM LAMPUGA 5 MM LEONARDO LEONARDO CONS
FREEDIVING TRAINING BUOY FROG FROG PLUS G GARA 2000 HF GARA 3000 LD GARA MODULAR GARA MODULAR	279 126 124 246 245 241 243	KNIVES SPARE PA L LAMPUGA 3 MM LAMPUGA 5 MM LEONARDO LEONARDO CONS LIBERTY DUO SPE
FREEDIVING TRAINING BUOY FROG FROG PLUS G GARA 2000 HF GARA 3000 LD GARA MODULAR GARA MODULAR ASSEMBLY KIT	279 126 124 246 245 241 243	KNIVES SPARE PA L LAMPUGA 3 MM LAMPUGA 5 MM LEONARDO LEONARDO CONS LIBERTY DUO SPE LIBERTY QUATTR LIBERTY SPE
FREEDIVING TRAINING BUOY FROG FROG PLUS G GARA 2000 HF GARA 3000 LD GARA MODULAR GARA MODULAR ASSEMBLY KIT GARA MODULAR BLADES	279 126 124 246 245 241 243 243	KNIVES SPARE P/ L LAMPUGA 3 MM LAMPUGA 5 MM LEONARDO LEONARDO CONS LIBERTY DUO SPE LIBERTY QUATTR LIBERTY SPE LIBERTY TRISIDE
FREEDIVING TRAINING BUOY FROG FROG PLUS G GARA 2000 HF GARA 3000 LD GARA MODULAR GARA MODULAR GARA MODULAR BLADES GARA MODULAR FOOT POCKET	279 126 124 246 245 241 243 243 243	KNIVES SPARE PA L LAMPUGA 3 MM LAMPUGA 5 MM LEONARDO LEONARDO CONS LIBERTY DUO SPE LIBERTY QUATTR LIBERTY SPE LIBERTY TRISIDE LIBRA BALLAST V
FREEDIVING TRAINING BUOY FROG FROG PLUS G GARA 2000 HF GARA 3000 LD GARA MODULAR GARA MODULAR ASSEMBLY KIT GARA MODULAR BLADES	279 126 124 246 245 241 243 243 243 243 243	KNIVES SPARE PA L LAMPUGA 3 MM LAMPUGA 5 MM LEONARDO LEONARDO CONS LIBERTY DUO SPE LIBERTY DUO SPE LIBERTY SPE LIBERTY TRISIDE

R SET	242	LIDO LONG 2 MM
R SPRINT	132	LIGHTWING
R SPRINT TURBO	130	LINCE
R TURBO FOOT	243	LINE CUTTER
	286	LONG FIN SET BAG
1 BAG	247	LUMIA+
	247	
IONAL SET 3.0	•••••	M
ARBON		MACH SPEAR HEAI
DNSOLE BAG	60 	
		MANTA
	46	MARSEILLAISE WE
LE 2	47	MASK SPARE PART
	34	MATRIX
	227	MAUI SAF
L	283	MAYA 2.5 MM
	267 191	MC9 / COMPACT
	•••••	MC9-SC
ACK	329	MC9-SC / COMPAC
ANIUM	328	MED X 2.5 MM METIS
	312	MICHELANGELO
	210	MICHELANGELO CO
	277	MICHELANGELO CO
2.5 MM	211	MINI SPEAR HEAD
3.5 MM		MINI SPG
5.5 MM		MINICONSOLE 2
	305	MINIMA
5	277	MINORCA LONG 3
GUARD	276	MINORCA SHORT 3
	278	MOBY
	279	MOBY 5 HYDRO
	•••••	MOREA 3 MM
	214	N
	87	NANO
	53	NEON
	52	NEPTO
		NEREUS
	213	NET BAG
• • • • • • • • • • • • • • • • • • • •		NIKITA
RY		NIKITA XL
		NORGE
Y	219	NVI ON WEIGHT BE
		PLASTIC BUCKLE
	326	BUCKLE
	326	0
	327	OCTOPUS BALANC
	230	OCTOPUS COMPAC
PARTS	331	OCTOPUS COMPAC
		OCTOPUS DRY
Λ	270	OCTOPUS XS2
ии		OPTICAL LENSES
	48	ORCA
150LE 2		OTTERFLEX 5 MM
PE		OUTDOOR FEATHE
RO SPE		P
		PACIFICO
E SPE	•••••	••••••
e spe Weight Belt	115	PALMA LT 3 MM
	206	PALMA ST 3 MM PARALLEL BAND Ø
		PARALLEL DAND U

LIDO LONG 2 MM	202
LIGHTWING	101
LINCE	164
LINE CUTTER	192
LONG FIN SET BAG	286
LUMIA+	189
Μ	.
MACH SPEAR HEAD	311
MAGNETIC OCTOPUS HOLDER	88
MANTA	28
MARSEILLAISE WEIGHT BELT	280
MASK SPARE PARTS	170
MATRIX	163
MAUI SAF	128
••••••••••••••••••••••••••••••••••••••	200
MC9 / COMPACT	77
•••••••••••••••••••••••••••••••••••••••	
MC9-SC	74
MC9-SC / COMPACT PRO	•••••
MED X 2.5 MM	203
METIS	260
MICHELANGELO	38
MICHELANGELO CONSOLE 2	40
MICHELANGELO CONSOLE 3	41
MINI SPEAR HEAD	311
MINI SPG	59
MINICONSOLE 2	59
MINIMA	168
MINORCA LONG 3 MM	215
MINORCA SHORT 3 MM	215
••••••	220
MOBY	.
MOBY 5 HYDRO	220
MOBY 5 HYDRO	220
MOBY 5 HYDRO MOREA 3 MM N	220
MOBY 5 HYDRO MOREA 3 MM NANO	220
MOBY 5 HYDRO MOREA 3 MM N NANO NEON	220 199
MOBY 5 HYDRO MOREA 3 MM NANO	220 199 146
MOBY 5 HYDRO MOREA 3 MM N NANO NEON NEPTO	220 199 146 32
MOBY 5 HYDRO MOREA 3 MM N NANO NEON NEPTO NEREUS	220 199 146 32 232
MOBY 5 HYDRO MOREA 3 MM N NANO NEON NEPTO NEREUS NET BAG	220 199 146 32 232 28 228
MOBY 5 HYDRO MOREA 3 MM N NANO NEON NEPTO NEREUS NET BAG NIKITA	220 199 146 32 232 232 28 228 307
MOBY 5 HYDRO MOREA 3 MM N NANO NEON NEEDN NEEUS NET BAG NIKITA NIKITA XL	220 199 146 32 232 28 228 307 307
MOBY 5 HYDRO MOREA 3 MM N NANO NEON NEPTO NEREUS NET BAG NIKITA NIKITA XL NORGE	220 199 146 32 232 232 28 228 307 307 325
MOBY 5 HYDRO MOREA 3 MM N NANO NEON NEPTO NEREUS NET BAG NIKITA NIKITA XL NORGE	220 199 146 32 232 28 228 307 307 325
MOBY 5 HYDRO MOREA 3 MM N NANO NEON NEPTO NEREUS NET BAG NIKITA NIKITA XL NORGE NYLON WEIGHT BELT W/ HARD PLASTIC BUCKLE NYLON WEIGHT BELT W/ METAL	220 199 146 32 232 28 228 307 307 325
MOBY 5 HYDRO MOREA 3 MM N NANO NEON NEPTO NEREUS NET BAG NIKITA NIKITA XL NORGE NYLON WEIGHT BELT W/ HARD PLASTIC BUCKLE NYLON WEIGHT BELT W/ METAL BUCKLE	220 199 146 32 232 28 228 307 307 325
MOBY 5 HYDRO MOREA 3 MM N NANO NEON NEPTO NEREUS NET BAG NIKITA NIKITA XL NORGE NYLON WEIGHT BELT W/ HARD PLASTIC BUCKLE NYLON WEIGHT BELT W/ METAL	220 199 146 32 232 28 228 307 307 325 116 116
MOBY 5 HYDRO MOREA 3 MM N NANO NEON NEPTO NEREUS NET BAG NIKITA NIKITA XL NORGE NYLON WEIGHT BELT W/ HARD PLASTIC BUCKLE NYLON WEIGHT BELT W/ METAL BUCKLE O O	220 199 146 32 232 28 307 307 325 116 116 116
MOBY 5 HYDRO MOREA 3 MM N NANO NEON NEPTO NEREUS NET BAG NIKITA NIKITA XL NORGE NYLON WEIGHT BELT W/ HARD PLASTIC BUCKLE NYLON WEIGHT BELT W/ METAL BUCKLE O OCTOPUS BALANCED MG OCTOPUS COMPACT	220 199 146 32 232 28 228 307 307 325 116 116
MOBY 5 HYDRO MOREA 3 MM N NANO NEON NEPTO NEREUS NET BAG NIKITA NIKITA XL NORGE NYLON WEIGHT BELT W/ HARD PLASTIC BUCKLE NYLON WEIGHT BELT W/ METAL BUCKLE O OCTOPUS BALANCED MG OCTOPUS COMPACT OCTOPUS COMPACT PRO	220 199 146 32 232 28 228 307 307 325 116 116 116
MOBY 5 HYDRO MOREA 3 MM N NANO NEON NEFTO NEREUS NET BAG NIKITA NIKITA XL NORGE NYLON WEIGHT BELT W/ HARD PLASTIC BUCKLE NYLON WEIGHT BELT W/ MATAL BUCKLE O OCTOPUS BALANCED MG OCTOPUS COMPACT OCTOPUS COMPACT PRO OCTOPUS DRY	220 199 146 32 232 28 228 307 307 325 116 116 116 116 82 82 82 82 82
MOBY 5 HYDRO MOREA 3 MM N NANO NEON NEFTO NEREUS NET BAG NIKITA NIKITA XL NORGE NYLON WEIGHT BELT W/ HARD PLASTIC BUCKLE NYLON WEIGHT BELT W/ MATAL BUCKLE O OCTOPUS BALANCED MG OCTOPUS COMPACT OCTOPUS COMPACT PRO OCTOPUS DRY OCTOPUS XS2	220 199 146 32 232 28 307 307 325 116 116 116 82 82 82 82 82 82 82 82 82
MOBY 5 HYDRO MOREA 3 MM N NANO NEON NEPTO NEREUS NET BAG NIKITA NIKITA XL NORGE NYLON WEIGHT BELT W/ HARD PLASTIC BUCKLE NYLON WEIGHT BELT W/ METAL BUCKLE O OCTOPUS BALANCED MG OCTOPUS COMPACT OCTOPUS COMPACT PRO OCTOPUS COMPACT PRO	220 199 146 32 232 28 228 307 307 325 116 116 116 82 82 82 82 82 223 82
MOBY 5 HYDRO MOREA 3 MM N NANO NEON NEFTO NEREUS NET BAG NIKITA NIKITA XL NORGE NYLON WEIGHT BELT W/ HARD PLASTIC BUCKLE NYLON WEIGHT BELT W/ MARAD PLASTIC BUCKLE NYLON WEIGHT BELT W/ MATAL BUCKLE O OCTOPUS BALANCED MG OCTOPUS COMPACT OCTOPUS COMPACT OCTOPUS COMPACT PRO OCTOPUS DRY OCTOPUS XS2 OPTICAL LENSES ORCA	220 199 146 32 232 28 228 307 307 325 116 116 116 82 82 82 82 82 82 82 82 82 82
MOBY 5 HYDRO MOREA 3 MM N NANO NEON NEEON NEET BAG NIKITA NIKITA XL NORGE NYLON WEIGHT BELT W/ HARD PLASTIC BUCKLE NYLON WEIGHT BELT W/ METAL BUCKLE O OCTOPUS BALANCED MG OCTOPUS COMPACT PRO OCTOPUS COMPACT PRO OCTOPUS DRY OCTOPUS DRY OCTOPUS XS2 OPTICAL LENSES ORCA OTTERFLEX 5 MM	220 199 146 32 232 28 228 307 307 307 325 116 116 116 82 82 82 82 82 82 82 172 323 197
MOBY 5 HYDRO MOREA 3 MM N NANO NEON NEFTO NEREUS NET BAG NIKITA NIKITA XL NORGE NYLON WEIGHT BELT W/ HARD PLASTIC BUCKLE NYLON WEIGHT BELT W/ MARAD PLASTIC BUCKLE NYLON WEIGHT BELT W/ METAL BUCKLE O OCTOPUS BALANCED MG OCTOPUS COMPACT OCTOPUS COMPACT OCTOPUS COMPACT PRO OCTOPUS DRY OCTOPUS XS2 OPTICAL LENSES ORCA OTTERFLEX 5 MM	220 199 146 32 232 28 307 307 325 116 116 116 82 82 82 82 82 82 82 82 172 323 82 172
MOBY 5 HYDRO MOREA 3 MM N NANO NEON NEEDS NET BAG NIKITA NIKITA XL NORGE NYLON WEIGHT BELT W/ HARD PLASTIC BUCKLE NYLON WEIGHT BELT W/ HARD PLASTIC BUCKLE NYLON WEIGHT BELT W/ METAL BUCKLE O OCTOPUS BALANCED MG OCTOPUS COMPACT OCTOPUS COMPACT OCTOPUS COMPACT OCTOPUS DRY OCTOPUS XS2 OPTICAL LENSES ORCA OTTERFLEX 5 MM OUTDOOR FEATHER	220 199 146 32 232 28 228 307 307 307 325 116 116 116 82 82 82 82 82 82 82 172 323 197
MOBY 5 HYDRO MOREA 3 MM N NANO NEON NEEON NEEDS NET BAG NIKITA NIKITA XL NORGE NYLON WEIGHT BELT W/ HARD PLASTIC BUCKLE NYLON WEIGHT BELT W/ METAL BUCKLE O OCTOPUS BALANCED MG OCTOPUS COMPACT OCTOPUS COMPACT OCTOPUS COMPACT PRO OCTOPUS DRY OCTOPUS XS2 OPTICAL LENSES ORCA OTTERFLEX 5 MM OUTDOOR FEATHER	220 199 146 32 232 28 228 307 307 307 325 116 116 116 82 82 82 82 82 82 172 323 197 336
MOBY 5 HYDRO MOREA 3 MM N NANO NEON NEFTO NEREUS NET BAG NIKITA NIKITA XL NORGE NYLON WEIGHT BELT W/ HARD PLASTIC BUCKLE NYLON WEIGHT BELT W/ MARAD PLASTIC BUCKLE NYLON WEIGHT BELT W/ MATAL BUCKLE O OCTOPUS BALANCED MG OCTOPUS COMPACT OCTOPUS COMPACT OCTOPUS COMPACT OCTOPUS DRY OCTOPUS XS2 OPTICAL LENSES ORCA OTTERFLEX 5 MM OUTDOOR FEATHER P PACIFICO	220 199 146 32 232 28 228 307 307 325 116 116 116 82 82 82 82 82 172 323 197 336 167
MOBY 5 HYDRO MOREA 3 MM N NANO NEON NEPTO NEREUS NET BAG NIKITA NIKITA XL NORGE NYLON WEIGHT BELT W/ HARD PLASTIC BUCKLE NYLON WEIGHT BELT W/ METAL BUCKLE O OCTOPUS BALANCED MG OCTOPUS COMPACT PRO OCTOPUS COMPACT PRO OCTOPUS SALANCED MG OCTOPUS SALANCED MG OCTOPUS COMPACT PRO OCTOPUS SALANCED MG OCTOPUS SALANCED MG	220 199 146 32 232 28 228 307 307 325 116 116 116 82 82 82 82 82 82 82 172 323 197 336 167 216
MOBY 5 HYDRO MOREA 3 MM N NANO NEON NEEDS NET BAG NIKITA NIKITA XL NORGE NYLON WEIGHT BELT W/ HARD PLASTIC BUCKLE NYLON WEIGHT BELT W/ METAL BUCKLE O OCTOPUS BALANCED MG OCTOPUS COMPACT OCTOPUS COMPACT OCTOPUS COMPACT PRO OCTOPUS DRY OCTOPUS XS2 OPTICAL LENSES ORCA OTTERFLEX 5 MM OUTDOOR FEATHER P PACIFICO PALMA LT 3 MM PALMA ST 3 MM	220 199 146 32 232 28 228 307 307 307 325 116 116 116 82 82 82 82 82 172 323 197 336 197 336 216 216
MOBY 5 HYDRO MOREA 3 MM N NANO NEON NEEDS NET BAG NIKITA NIKITA XL NORGE NYLON WEIGHT BELT W/ HARD PLASTIC BUCKLE NYLON WEIGHT BELT W/ METAL BUCKLE O OCTOPUS BALANCED MG OCTOPUS COMPACT OCTOPUS COMPACT OCTOPUS COMPACT PRO OCTOPUS DRY OCTOPUS XS2 OPTICAL LENSES ORCA OTTERFLEX 5 MM OUTDOOR FEATHER P PACIFICO PALMA LT 3 MM PALMA ST 3 MM	220 199 146 32 232 28 307 307 325 116 116 82 82 82 82 82 172 323 197 336

PATROL	106
PENTA+	162
	263
PERLA	
PERLA & MEXICO	264
PIOVRA XL	285
PIPER	
	.
PLAYA FLEX 3 MM	205
POLE SPEAR POWER BAND	318
POLE SPEAR TIPS	318
•••••••••••••••••••••••••••••••••••••••	
PONY TAIL MASK STRAP COVER	173
PREDATOR	327
PRESSURE GAUGES	312
••••••	
PRO LIGHT	.
PRO STAR	134
PRODUCT DISPLAYS	333
-	•••••
Q	
QUANTUM	138
OUARTZ	105
	.
QUARTZ ESSENCE COLD PACKAGE	
QUARTZ ESSENCE PACKAGE	113
QUICK-RELEASE WEIGHT BELT	280
R	
REACTION EBS	122
••••••	.
REACTION PRO	133
REELS	305
REGULATOR HOSES	
REGULATOR MAINTENANCE KITS	
•••••••••••••••••••••••••••••••••••••••	· · · · · · · · ·
REGULATOR SPARE PARTS	
REGULATOR TECHNICAL DRAW-	90
INGS	.
REGULATOR TOOLS	91
ROATAN	225
••••••	250
RUBBER FIN KEEPER	
S	
SAETTA BLACK	309
·····	
SAETTA BLACK W/ POWER REDUCER	309
SAETTA PRO	308
•••••••••••••••••••••••••••••••••••••••	.
SARAGO 7 MM	216
SCORPION	100
SEA LION	
	.
SEPPIA 7 MM	271
CC1	15/
SHAFT 17-4 PH BOT. FLOPPER Ø	300
SHAFT 17-4 PH BOT. FLOPPER Ø	200
6.5 MM SHAFT 17-4 PH BOT. FLOPPER Ø	
7 MM	
SHAFT 17-4 PH NOTCHED Ø 6.5	
ММ	
SHAFT 17-4 PH Ø 7.5 MM	311
SHAFT INOX FINNED Ø 7 MM	300
SHAFT INOX FINNED THREADED	 יחר
Ø7 MM	
SHAFT INOX THREADED Ø 8 MM	311
SHAFT LOADER	312
•••••••••••••••••••••••••••••••••••••••	.
SHAFT PR80 THREADED Ø 8.0 M	
SHAFT REFLOATER	312
	302
	302
SHAFT ST. STEEL NOTCHED Ø	302 300
SHAFT ST. STEEL NOTCHED Ø 6.5 MM SHAFT ST. STEEL NOTCHED	302
SHAFT ST. STEEL NOTCHED Ø 6.5 MM SHAFT ST. STEEL NOTCHED THREADED Ø 7 MM	302 300 301
SHAFT ST. STEEL NOTCHED Ø 6.5 MM	302 300 301

SHOCK CORDS	30(
SIMPLY MASK STRAP COVER	17:
SKIN	20
SKORPION	330
SL STAR	310
SNORKEL SPARE PARTS	18
SOLID	108
SOLO FLEX 7/5	209
SOLO HOOD 2 MM	210
SOLO HOOD 3 MM	209
SOLO HOOD 5 MM	209
SPEARGUN OIL	31
SPIDER MESH BAG	192
START	109
START PRO 2.0	10
••••••	11
START-ER PRO PACKAGE	· · · • • · · · ·
STICKERS	33
SUPERNOVA DRY	
SUPEROCCHIO	26
SUPERTOTEM	328
Т	
T10-SC CROMO	.
T10-SC CROMO / GALAXY	6
T10-SC CROMO / GALAXY-R	6
T10-SC CROMO / MASTER CROMO) 7
T10-SC PVD / MASTER	70
TAO	18
TAO DRY	
THOR EBS	
TOKUGAWA 2-PC5 2 MM	27
•••••••••••••••••	27
TOKUGAWA 2-PC5 3.5 MM	
TOKUGAWA 3 MM	.
TORPEDO PRO BUOY FLOAT	27
TORTUGA 2.5 MM	20
TRAVEL PATROL PACKAGE	114
TRAVELIGHT	10
TROPICAL 2 MM	21
TUNA DRY	22
	••••
U	····
ULTRA STRETCH SOCKS 1.5 MM	.
UTILA	22
v	
VIGO	330
W	.
WATCH SPARE PARTS	6
WEIGHT BELT KEEPER	28
WISHBONES	30
γ	····
YUMA FAST	29
Z	
Z1	15
ZEUS	
	.
	16



EGIDIO CRESSI

NANNI CRESS

JOIN

6 **|| BUYER'S GUIDE** 2022

ANTONIO CRESSI & MARCO CRESSI






Diving, Snorkeling and Water Sports are not 3%, 5% or 10% of our business. They are 100% of our business. We are focused only on water related sports.

We have been doing this, in the bay of Portofino, since 1946 and **this is what makes Cressi different**.

SINCE 1946







1938

Brothers Egidio and Nanni Cressi start to handcraft the first masks and spearfishing guns. These are the origins of Cressi, the oldest scuba diving equipment company worldwide.



1943

The first Cressi mask, The Sirena, was hand crafted in 1943. It remained in the catalogue, with various updates, for more than 30 years.

1946

The Cressi company is officially founded in Genova, Italy.

1947

In 1947 the first oxygen rebreather was produced; Aro AR47. It was already highly advanced and fitted with sophisticated technical solutions, like the condensation receptacle.



1952 Pinocchio Mask, which makes equalization possible. It is a major innovation in the early'50s. It is the most famous and most sold mask in the world's history, and it is still included in the catalogue.

ne le "RONDINE., e le "RONDINE."



1953

Rondine Fins - Also in the field of fins, Cressi invented the model that has inspired all other manufacturers, the first floating model in the world.

1957

Cressi athlete Mario Catalani wins the first spearfishing World championship and get the gold medal in Jugoslavia.



Cressi opened one of the first workshops that specialized in producing optical masks.

Thanks to Cressi, even people with visual defects could now get full enjoyment of the underwater universe.



1970

Equi-vest - In 1970, Cressi was the first manufacturer in the world to produce Equi-Vest, a futuristic jacket that became one with the scuba tank, supplied by a hose that drew air directly from the first stage. This was the first incarnation of the modern BC.

1970

Rondine L long fins - The world leader of molding rubber fins, Cressi developed the Rondine L long fins, which enabled Jacques Mayol to go onto achieve his astonishing freediving records.

1979

Fins range - Alongside the various rubber fin models, a futuristic model was presented with a reinforced nylon blade. called the Rondine Gara, a fin that thirty years down the line is still going strong, and has been adopted by world class freedivers and spearfishermen the world over.

"Immersioni morbide' con mute Cressi



1983

Jacques Mayol, the first man in the world to challenge the 100m barrier. He reached a depth of 105 meters. The episode has gone down in history, the record was obtained in the waters of the island of Elba in 1983. 1988

Apache Arbalète - Cressi produced a complete range of Arbalete spearguns to join the pneumatic guns, called the Apache, which very soon became the Champion speargun in the world.


1989

Cressi athlete Renzo Mazzarri wins the spearfishing world title in Italy.



1990

Cressi continues its international expansion and the products are by now distributed in over 90 countries world wide.



Cressi Athlete Umberto Pelizzari sets the freediving "No Limits Absolute Variable Weight" World Record in Portofino (Italy) reaching the depth of 150 meters.



2000

2011

The Leonardo dive computer watch is safety and reliability. 2013

The French freediving champion Guillaume Néry becomes a Cressi product endorser. The Giotto dive computer watch is introduced; it processes the data from repeat multi-day dives and dives with gas mixtures and also benefits from the Cressi RGBM algorithm. The Tracina wetsuit for spearfishing is introduced in a new and exclusive camouflage Dark Digital Specter Pat Cressi.



Big Eyes was the first mask in the world with raked lenses in an upside-down teardrop shape, an innovative form that gives the diver a complete view of all the equipment worn. They became the most widely copied and imitated mask in the world, a gratifying appreciation of how far ahead Cressi is in the design of its products.



introduced, the first of the products designed in-house by Cressi Elettronica in order to guarantee optimum quality,



2021

Hydrosports is the result of Cressi's experience, consisting of tradition, innovation and quality. since 1946. With its close relationship to the sea environment, the Cressi team has been able to develop this new collection in response to the direct needs it encountered in practice and through water tests on its products.



The Cressi company is still entirely owned by the Cressi family, which carries on with the same passion, the work started by brothers Nanni and Egidio Cressi. Its spirit lies in the manufacturing tradition, with a clear preference for the conception and realization of its products in-house, from the initial design through to the smallest details. Cressi focuses on those who love all facets of the aquatic world. The company has never exaggerated with successful products on the market, but has instead always invested in research and development to the benefit of quality and reliability, the evolution of materials.

OUR NUMBERS

75 YEARS OF EXPERIENCE 7 BRANCHES AROUND THE WORLD SALES IN 100 COUNTRIES WORLDWIDE 100 PATENTS M TIME SPEARFISHING WORLD CHAMPION 7.000 REFERENCES UNIQUE STYLE

TERRITORY

LIGURIA. OUR LAND, OUR SEA


It was to fish in the depths of Portofino and San Fruttuoso that, just before the Second World War, a group of friends thought of new equipment. Situated between the French border and Tuscany, Liguria is one of the smallest regions in Italy. The Italian riviera is reflected in the blue Mediterranean Sea, but It couldn't be any other way, is also surrounded by mountains that drop sheer into the sea. Vegetation forms the backdrop to some of the country's most popular and well-known seaside resorts.

The coasts are generally high, rocky, jagged, especially in the Riviera di Levante, while in the Ponente there is an almost perfect alternation between sheer cliffs and sandy beaches.

the strong passion for the sea finds its place in a unique setting with depths to explore.

" I'M PROUD TO STILL MANUFACTURE IN ITALY OUR MOST **STRATEGIC PRODUCTS.**"

ANTONIO CRESSI



"THE SEA IN LIGURIA, ESPECIALLY AROUND THE PORTOFINO PROMONTORY, IS EXTRAORDINARILY BEAUTIFUL AND, WHAT'S MORE, ACCESSIBLE WITHOUT TOO MANY PROBLEMS. THIS HAS PLAYED AN IMPORTANT ROLE IN THE BIRTH AND GROWTH OF A **DIVING EQUIPMENT CENTRE IN THESE PARTS."**

Antonio Cressi

THE CRESSI HEADQUARTERS

In 1989, the company was enlarged, moving it to Via Adamoli, along the Bisagno valley in Genoa. And then came the electronics department. Since 2008 we have created a research and development department for this sector and so we produce directly the many control instruments that are now used during diving. With 150 employees and

seven branches, Cressi is a world leader in the production of diving equipment, innovation, and development with exports accounting for 80% of turnover.

BUT THE ONLY ONE STILL RUN BY A FAMILY

CRESSI

<mark>HEA</mark>DQUARTERS




WORLDWIDE

Our headquarters is based in Genoa, and we also have seven branches: USA, Mexico, Brazil, France, Spain, China, and Thailand.

70% of our products are made in Italy in our own factory, in Genoa. 10% of our products are made in our own production facility in Hungary and the remaining 20% is sourced from selected high-quality suppliers from Asia.

We have around 10,000 shops all over the world, and our products are sold in over 100 countries.







CRESSI ITALY HEADQUARTERS *Cressi Sub S.P.A.* Via G. Adamoli, 501 16165 Genova - Italy Tel. +39 010 830 791



CRESSI U.S.A. *Cressi Sub U.S.A.* 3 Rosol Lane, Saddle Brook - NJ 07663 - USA Phone: (800) 338 9143 Phone: (201) 594 1450



CRESSI ESPAÑA Cressi-Sub España S.A. NIF: A60130978 - C/Castellassa, 24 Nave 3, Poligono Can Petit 08227 Terrassa Barcelona - Spain Tel. +34 937 841 888



CRESSI FRANCE Cressi Sub France Espace La Gaude, 9565 Route De Saint Laurent 06610 La Gaude - France Tel. +33 049 329 0318



CRESSI MEXICO *Cressiwater S.A.P.I De C.V.* Central de Abastos, Carretera - Cancun-Aeropuerto km 17, Cancun Quintana Roo. C.P.77565 - Mexico, VAT NO.CRE161110812 Phone: +52 1 554 162-2052



CRESSI THAILAND Cressi South East Asia Ltd 135/6-7 Moo 4 - Patak Road, Tambon Rawai Amphur Mueang, Phuket - Thailand 83130 Mobile: +66 (0) 643971234

CRESSI BRASIL *Cressi Brasil COM. MAT. ESP. LTDA* Avenida Padre Anchieta, 175 - Jordanópolis, São Bernardo do Campo SP, 09891-420 CNPJ: 35.112.958/0001-59

CRESSI CHINA *Cressi China Watersports Products Co.,Ltd* No.8 Nanhe Road Kunshan City - Jiangsu province, China Phone 86 0512 3668 0846#812

OFFICIAL WEB SITE



RESERVED PROFESSIONAL AREA /// DOWNLOADING AREA

Visit www.cressi.com and access the Professional Area. The Professional Area is only dedicated to Cressi Authorized Dealers. In order to access it, you will need a user name and password that will be supplied to you by The Cressi America Company.

LOGIN : Username and password



1. GO www.cressi.com 2. LOGIN PROFESSIONAL AREA:

- LOGIN AND PASSWORD: Supplied to you by The Cressi America Company. - FORGOT PASSWORD? Enter your username and we will send a reset

password link to the email on your account.

Warning: This area of the Cressi-sub-website and it's contents are exclusively reserved for Cressi Authorized Dealers. Technical documentation will be available only for Cressi-sub Service Centers.



ALL CRESSI DOCUMENTS YOU NEED, READY ON YOUR: CRESSI PROFESSIONAL AREA





WHAT IS IT?

We have developed an online order system, which means that you can now place your order at Cressi as you shop on any e-commerce website.

HOW DOES IT WORK:

Authorized and in coordination with your Territory Sales Manager, you will receive an invitation email from b2b@cressiusa.com

HOW TO ACCESS:

1. Contact your Cressi Sales Representative or Cressi USA office and ask for your credentials 2. Go to b2b.cressiusa.com, click on dealer area, type your credentials and Login to place your order

THE BENEFITS:

- Enhanced Experience To Order Easy And Fast
- Direct Access At Any Time To Order Product
- Real-Time Updates: Homepage Carousel Highlighting New Products
- And Current Promotions
- Stock Availability: Access To Real-Time Inventory Quantities You Have
- Direct Access At Any Time to Order Products

PIM (PRODUCT INFORMATION MANAGEMENT)



POWERED BY:



MARKETING

B2B : **RETAILER PLATFORM**


/ B2B.CRESSIUSA.COM

THE EXCLUSIVE AUTHORIZED DEALER ONLINE WEBSITE

Go to www.cressi.com/cressiusadc THE CRESSI'S PIM IS THE CENTRAL REPOSITORY OF ALL OF THE INFORMATION REGARDING THE PRODUCTS.

The Digital Catalog will help you to guickly find what you need, increasing your knowledge and experience. It is made to share all the possible information of a product, even images, videos, user guides, advertising material.

- Do you need an image of a product? Access the Digital Catalog and download it.
- Do you need to know the lift capacity of a Cressi BC? Search on the Digital Catalog and you will find it.
- Where are the fins size conversions charts? The answer in on the Digital Catalog.
- Do you need the part number for a replacement part for the Cressi product?
- The Digital Catalog is made for it. • Do you need data for your e-commerce store? Just download them from the Digital Catalog.



E_LEARNING PROGRAM

/ CRESSI LMS (ONLINE E-LEARNING MANAGEMENT SYSTEM)

Bringing all things Cressi to you in a simple and easy to access way. The E- Learning Management system is made to educate our dealers on a wide range of topics from product, classes and certifications, all while in the comfort of your home or shop!

CRESSI.MCLMS.NET

REGISTER FOR FREE AND START LEARNING ONLINE TODAY

/ BLOG.CRESSI.COM



In 2020, Cressi will launch the Cressi CO-OP JOURNAL, where The Dive Community near Cressi will share awesome news and contents.

It will have 4 divisions:

FROM THE FIELD

From the sea of Liguria where Cressi had its beginnings to the oceans of the world, Cressi celebrates its passion for the underwater world

WHAT'S NEW AT CRESSI

Our latest advances in gear technology, product design, software innovations and infrastructure

WHAT'S NEW AT CRESSI

Our lifestyle ambassadors live their passion for the ocean and pursue their dreams every day

• ECO-NEWS

Cressi is committed to doing business and creating products that contribute to a sustainable future for our customers and the planet.





COMMUNITY





Tube

FACEBOOK




OFFICIAL CRESSI PAGE

FACEBOOK Official spearfishing page 185 588 Follower



LINKED-IN (in) OFFICIAL PAGE

Cressi 1946





CRESSI BLOG

WHAT'S NEW AT CRESSI





I SHARK WEEK 2021



JULY 11- 16 SHARK WEEK WITH JOSH GATES

JULY 11- 10PM JACKASS SHARK WEEK

JULY 11/ DISCOVERY+ EXCLUSIVE SHARKBAIT WITH DAVID DOBRIK

JULY 16-8PM NINJA SHARKS 2: MUTANT RISING

JULY 14- 10PM RETURN TO LAIR OF THE GREAT WHITE

JULY 16- 9PM MONSTER SHARKS OF ANDROS ISLAND

JULY 17 / DISCOVERY+ EXCLUSIVE

ROGUE TIGER SHARK: THE HUNT FOR

TIFFANY HADDISH / SHARK WEEK

LAGERTHA

JULY 11- 9PM


JULY 13-10 PM

SPAWN OF EL DIABLO





2021 SPECIAL MEDIA PROJECTS



I CIVE 2021 FIRST CRESSI INTERNATIONAL VIRTUAL EVENT



CIVE is the Cressi International Virtual Event, an engaging online event where Our Technical Team, Product Designers, Sales Team, and Ambassadors will deliver all the news of Cressi for 2022. It is designed exclusively for Authorized dealers who can participate by registration.

For Cressi, it is important to achieve true communication with our coworkers and Dealers in real-time. Due to the present complications for traveling, the CIVE not only ensures that we maintain close, one-on-one contact with our Cressi Family, but it also allows us to learn more, submit questions and get in touch.

CRESSI BUYER'S GUIDE 2022 COLLECTION

Cressi's legacy of innovation began in 1939 with two brothers who shared a passion for the sea and a gift for technical design and working with their hands. Egidio and Nanni Cressi began by crafting masks and spearguns that would allow them to move and hunt more efficiently in the waters near their home. By 1946 their designs and products had become so popular they founded the Cressi company in Genoa, Italy. Today, although Cressi is a worldwide leader in water sports manufacturing, it is still wholly owned by the Cressi family, and the commitment to innovation is still in the company's DNA. It has a long history of groundbreaking product development, and has often been the first to bring product advancements to the market.

This history of innovation is also made possible by a commitment to manufacture products in Italy at the Cressi facility. An investment in the latest manufacturing equipment and more than 16,000 square meters of roofed space, and the ability to have the designing and manufacturing process happen side by side has led to the absolute highest standards for quality. It also allows Cressi engineers to quickly develop, test and incorporate the latest materials and technologies.

Innovations continue, the results today are the same as they were in the beginning, the most advanced and best made products in the world.

Cressi's experience and the Italian know-how gives life to the new 2022 collection.





CRESSI

AMBASSADORS

OUR.



(O) taghridalhowish

Taghrid Alhowish is a real sport lover, her passion for the sea led her to explore the underwater world and so she started scuba and free diving. She's a Reporter and Presenter at MBC in Dubai and part of the 'MBC in a Week' show, presenting a segment that is dedicated to art and culture.

Italy

Italy

USA

DANILO CA<mark>llegari</mark>



O callegaridanilo

He explored the most inhospitable places in the world swam in the oceans and climbed the highest mountains, he crossed entire continents by bicycle... then four deserts and the largest glacier in Europe. His mission is to fuse air, land and water into a single adventure.

IGOR D'INDIA



(O) igordindia

Igor has been able to combine his passion for outdoor adventure with his training in underwater filmmaking, camera drone pilot operation and advanced open water diving. He is deeply committed to participating in the global community that is fighting to protect the ocean

CHRISTOPHER GILLETTE



O gatorboys_chris

I'm born in Florida and have spent my life around the water. I love the freedom, weightlessness, and otherworldly views of diving. I try to use my passion to teach others about aquatic wildlife in the hopes they will learn to love them too, and ultimately help protect these fragile ecosystems



(O) asiabrynne

I picked up my first disposable film camera at the age of 8 and never stopped shooting. The ocean is a place away from all of the noise, where you don't have to use words, time doesn't exist, and you can share space with animals. Being underwater is a break from the busyness of life.



O erickacarrera

30-years old Environmental Journalist. She spent over 8 years in the land of "down under", where she acquired a healthy lifestyle, passion for clean eating, and yoga. Resetting her life, she found purpose, rediscovered herself, and she fell in love with apnea

REGINA DOMINGO



(O) regisunday

Regina is part of the Nakawe project. The mission is to promote the conservation of critical ecosystems and species by working directly with communities to promote sustainable solutions to local environmental issues and educate local populations on the importance of biodiversity.

SABRINA GIORDANO



(O) .sabri.

Sabrina is a young and passionate Yoga teacher, she loves to explore movements of the body in new positions and dimensions. On SUP board she discovered a new approach, where the focus becomes the balance between physical and mental status, breathing between water and sky.



(°) mermaid.kayleigh

THE BUCKET LIST FAMILY

() thebucketlistfamily

CARLOS CORREA

() clubdelphinus

KRYSTAL DORN

() krystalklear

The Gee family, just a typical family working from all over

the world as Family Travel Journalists! Their story began in 2015, when they decided to sell everything and leave home

for a trip around the world. They started an Instagram and

I've always lived by the sea. It all started with my father's books and magazines about the underwater world, and then

at the age of 9, I went scuba diving for the first time. It was

fascinating and one of the best things (if not the best) that

ever happened to me during my childhood.

YouTube channel called. The Bucket List Family.

worldwide

Colombia

USA

Kayleigh and Cameron area passionate divers who strives to educate and encourage people to protect our oceans. As a marine conservationist, Kayleigh understands the importance of educating people about ocean conservation. Through her work at One Ocean Diving, she's able to inspire people's in protecting the world's sharks and marine life.

PHILIP HAMILTON

THEO KNEVEL

UK

USA

Dubai



(O) philip.hamilton.photography

Philip Hamilton, filmmaker, photographer and author, is best known for his passion and dedication to ocean conservation. He has over thirty years diving and sailing experience and has documented most marine animals on the planet, from the majestic Blue whale to the smallest underwater critters

SHAWN MAHONEY



(O) thebeaconscollective

successful they were so I said why not emulate what they do? I loved and still do my Cressi Gara 2000's. That's why i was a no brainer to say yea to being a Cressi ambassador.



On the hunt for the biggest thrills and most extreme challenges, this entertaining series shows how the average person can learn and master the fastest and most furious adventure sports. Available on Amazon Prime

OCEAN RAMSEY & J. OLIPHANT Hawaii



(O) oceanramsey

"Mr. and Mrs. Sharks,". She is a marine biologist, shark and marine conservationist, professional freediver and scuba instructor, surfer, swimmer and professional model. Juan grew up surfing, he became a divemaster. He traveled the world with to help combat illegal fishing and whaling.



(theoknevel

Theo is a scuba diving and advanced free diving instructor. He joined Cressi following a 10-plus-year career as a frogman in the Special Boat Service. He has been able to spread his passion for diving throughout the Caribbean. He is co-founder and chairman of the War Veterans Foundation.

LLUIS MASUET



(O) masuleti_underwater

ROBERTO OCHOA

All of my first gear was Cressi, and most of it since has been. The early pioneers of freediving wore Cressi and I saw how





Roberto Ochoa is a Videographer for Planeta Azul, he started making wildlife videos at the age of 25 in the Galapagos Islands, Africa and North America. Beneath the world's waters lie landscapes, species, vegetation, and populations as diverse and splendid as those on land.



() thesharkdoctor

I'm from a small town located several hours from the ocean. But I always had a fascination with the ocean, a fascination that really came to fruition during my first shark encounter in the Florida Keys when I was 14. My free diving and scuba career began and has been growing ever since.









|| BUYER'S GUIDE 2022 20



Mexico

Italy



Mexico

Netherlands

Spair

In 2016, tired of the business world, he tried scuba diving and began to learn underwater photography, a combination that in just a few short years made this Barcelona citizen a renowned, award-winning photographer. Lluis currently travels all over the world capturing beautiful images.

Ecuador





(O) brookslaich

He's a Canadian former professional ice hockey forward. He played over 750 National Hockey League games. Brooks is a multi-athlete and a sports lover, so what better way to kick off the day? A little snorkel session when the water is calm and fishes and turtles are active

LEO MORALES



(O) leomoralesbuzo

For many, scuba diving is an adventurous, recreational activity. For Cressi ambassador Leo Morales, scuba diving was therapy and the pathway to a second chance at life. After surviving a rare form of cancer, it was scuba diving that helped Leo to heal and find a deeper meaning into the purpose of his life.



AMBASSADORS

OUR.

NATALIE PARRA



(O) nataliekparra

I'm from Southern Calif<mark>ornia. I grew up playing in the ocean,</mark> but it wasn't until I was visiting the island of Oahu prior to moving there that I tried freediving for the first time. It felt like flying and I couldn't get enough of it. I started researching. taking courses and learning from fellow free divers.

USA

ANDREW RAAK



(O) raakbottomimaging

Passionate about all aspects of the marine environment Andrew has worked as a dive professional for more thar a decade. He has a degree in Marine Science, a captain's license and dive instructor certification. He has traveled the world photographing in amazing locations.

DIEGO SAAVEDRA



(O) diegoapnea

Freediving has taught me that the mind has no limits, that I can achieve whatever I set my mind to in life and how I must calmly accept all the things that I can't control. Thanks to this beautiful sport, I have been able to explore incredible places and meet wonderful people, who share the same love and passion for the ocean.

Cavman islands

JONATHAN SCHUTTE



() jonschutte

For as long as I can remember I have had a passion for traveling and telling stories. I love to create content and share my adventures. Through my project Nauti Nomad I hope to inspire you too to embrace life and pursue your passions, respect our planet and help each other!



(O) craigparryphotography

It was his parent's gift of a disposable water proof camera that set him on the path to his passion. While most kids were reading comics, Craig was immersing himself in early editions of Australian Geographic. Finally the 35mm SLR set the course for Craig's future.



(O) mariorigby

In 2018, Mario completed his crossing Africa journey, a twoyear trek walking and kayaking from Cape Town to Cairo. This expedition allowed him to connect with communities and share their message and stories. His goal was to inspire people globally to get out, be brave, and see the world.



(O) chiaraphoto

I remember snorkeling all over the Mediterranean Sea, using my father's Cressi fins, which were oversized for my feet. I got into scuba and moved to the U.S. to follow my dream of becoming an underwater photographer, so that I would have the chance to be in the water as much as possible.

USA SCUBA NATION. BILLY & MIKE



() scubanationtv

Founded in 2008 by Billy Catoggio, ScubaNation is an Emmy Award Winning TV show dedicated to the exploration of our underwater world. Focusing on conservation and dedicated to the preservation of our oceans of life. Airs on Fox Sports Sun, NBC Sports Boston and we'll find it on Amazon Prime.

STEVEN PAYNE

LISA



USΔ

Italy

(°) sevenpayne

Steven grew up surrounded by open spaces, farms, and lakes; he loved exploring and seeing animals. His family moved to Florida, which cemented his love for the ocean Steven is currently in the process of deploying artificial reefs: His nonprofit, The Reef Genesis Corporation, is his passion.

ARIANNA ROMERI



(ariannaromeri_art

I grew up surrounded by equipment and the perfume of neoprene, watching my dad dive and waiting for my moment I signed up for a freediving course. It wasn't love at first sight; I learned to appreciate it when it became the key to getting to know myself, through its timing, calmness and sensitivity

JACINTA SHACKLETON Australia



() jacintashackleton

Jacinta Shackleton is a marine biologist and educator at Lady Elliot Island, located right on the Great Barrier Reef. You might recognize her name from her stunning work filming and photographing marine animals. Most notably, she is 1/~50 people to have seen and filmed an Ornate Eagle Ray.

IISA

TARAH SWEENEY GEAR



(O) tarahsweeney

Tarah describes herself as a simple person with a lot of love and passion. Photography is her passion and all this love started when her parents gave her an old Canon Rebel, since then she considers her cameras as an extension of herself because they allow her to create what she sees and feels.

LUCA TIXI

Italv

USA



(O) outdoorportofino

I was born and raised in Recco, at the time of high school, in a period of environmental militancy, the enlightenment arrives: I understand that my job will be to bring people into nature! After graduating in Marine Environmental Sciences at the University of Genoa, I founded Outdoor Portofino.

VOYAGES OF AGAPE


JASON WASHINGTON



(O) voyagesofagape

Agápe is a 1984 Tayana Vancouver 42', hull #93. "Agápē" means unconditional love. She is a true blue water cruiser, and has already seen much of Mexico, the South Pacific, and bevond. For us Agape is home. She is a safe and trustworthy vessel that will ferry us to the less seen places of the world.

(O) caymanjason For the past two decades. Jason has been a leader in the Cayman Islands water sports community. A 2017 International Scuba Diving Hall of Fame honoree, Jason's focus both locally and abroad has been on protecting the





RS Ō

OUR

for many years. Federico is passionate about the sea in all its forms, practice surfing and freediving but instead of hunting, he prefers to take pictures and videos. He starts each day with a morning swim session in the sea.



delicate marine life found in the waters of the C. Islands.



Netherlands \triangleleft L r AMBA



(nanjafreediver

Nanja van den Broek started freediving in 2001 and in her first competition she immediately set two national records. In 2015, she set a new world record in the discipline Variable Weight with a dive to -130 meters, this record is also her 30th national record.





(O) christine_regent_west

After working as scuba instructors, adding cold-water diving was the greatest modification to their portfolio. Working together diving on a project in Alaska opened their eyes wide to documenting undersea life in extraordinarily different environments from the warm waters where they began.



In March 2019 Cressi officially became the partner of Y-40® The Deep Joy, the deepest pool in Europe. From that moment on, the recreational diving and freediving equipment available at Y-40® is provided by Cressi.

Y-40® The Deep Joy is the place where everything is possible, where you can live the most amazing aquatic experiences.

4,300 cubic meters of thermal water where there are free diving and scuba diving courses. It's a safe environment for professional exercises and scientific research, in addition to being an amazing film set and area for photographic and advertising services. Y-40® has an area of 21x18m; the maximum depth is 42.15 meters with different platforms at intermediate depths and caves for technical activities.

The deep pool can be visited, it is possible to walk in the transparent tunnel that crosses the structure, discovering the magic of this big human aquarium.







() y40_thedeepjoy

-

SCUBA ,

CRESSI SCUBA DIVING 2022 COLLECTION

Cressi's scuba gear is recognizable all over the world, and it is one of the centerpieces of Cressi's main product catalog. Cressi is one of only a few companies in the world that manufactures and designs a full line of scuba equipment, from dive computers, regulators, BCDs and wetsuits, mask and snorkels to fins, plus a myriad of accessories. The blues of the ocean — from a bright, vivid blue to a deep cyan blue — will be the colors used to reflect the brand personality of Cressi's Scuba line. Cyan typically represents liveliness, youth and energy, so it's the perfect color for those who share a passion for the ocean, adventure, exploration and everything scuba.







6 5



SEA LION | GOLDEN LABEL WATCH | AUTOMATIC WINDING

| 28.800 VIBRATIONS PER HOUR | 25 JEWELS | EXCLUSIVE DEDICATED PACKAGING

The Sea Lion is the first Cressi Gold Label limited edition product and identifies a lifestyle belonging to the brand. It's the result of a perfect combination between Swiss precision and Italian design. It is suitable for all water sports, but also for the daily life of water lovers. The watch, water-resistant to 300 meters, has a stainless steel case, a sapphire crystal front and a transparent sapphire crystal back. The 120-click unidirectional rotating bezel is graduated to 60 minutes

with an anodized aluminium disc, to provide



Silver/Blue	10
Black/Black	10
Silver/Orange	10
	Black/Black





🕂 SWISS MADE

TECHNICAL FEATURES

- **CASE:** Bearing designTransparent sapphire-glass back, Winding crown DIAMETER: 44 mm
- MATERIAL: Steel
- BEZEL: Unidirectional rotatable 60-minutes graduated, Anti-scratch anodized aluminium, Numerals and graduations
- engraved WINDING CROWN: Screw-down,
- at 4 o'clock CRYSTAL: Scratch-resistant
- sapphire
- WATER-RESISTANCE
- Waterproof to 300meters/1,000 feet
- MOVEMENT: Automatic -mechanical self-winding CALIBRE: ETA 2824-2
- **PRECISION:** -2/+2 sec./day **FUNCTIONS:** Center hour, minute and seconds hands, Instantaneous date with rapid setting, Stop-
- seconds for precise time setting **CORRECTOR**: Hour and minute hands adjustment, Calendar
- day adjustment WINDING: Bidirectional self-
- winding **POWER RESERVE**: Approximately 48 hours
- STRAP
- Soft and comfortable with non-slip texture **MATERIAL:** Black rubber

- BUCKLE: Steel safety buckle DETAILS: Highly legible display with luminescent material

300 M WATER-RESISTANCE



the diver with an accurate indication of dive times. The self-winding mechanical movement is customized for Cressi. The winding crown is at 4 o'clock, in steel with the Cressi brand engraved, in a functional position if wearing the wetsuit. Thus, the sturdy, comfortable and lightweight rubber strap allows precise adjustment of its length, so that it can be placed on the wrist above any sporting wear.

BLACK/ BLACK



edition with a unique serial number

PACKAGING

II BUYER'S GUIDE 2022 27







BLACK/BLUE SILVER CASE

BLACK/BLACK BLACK CASE

CODE	COLOR	CASE PACK
XKS765052	Black/Blue	10
XKS765056	Black/Black	10

SPARE PARTS

CODE	PRODUCT
KZ764820	WATCHSTRAP - BLUE for NEREUS
KZ764855	WATCHSTRAP - BLACK/BLACK for NEREUS
XKZ000003	NEREUS BATTERY KIT w/O-RING (SONY SR621SW - 37.5 x Ø 1.0 mm)





CODE	COLOR	CASE PACK
XKS764750	Black/Black/Black	10
XKS7647520	Black/Black/Blue	10
XKS764755	Black/Black/Silver	10
XKS764758	Black/Red/Silver	10
XKS7647585	Black/Black/Orange	10

SPARE PARTS

CODE PRODUCT KZ764700 WATCHSTRAP - BLACK for MANTA KZ764788 WATCHSTRAP - RED for MANTA **XKZ000001** MANTA BATTERY KIT w/O-RING (RENATA 371 - 36.0 x Ø 0.8 mm)



BLACK/RED SILVER CASE



BLACK/BLACK SILVER CASE







Analog chronograph watch
Proven Quartz mechanism for precise timekeeping » Stainless steel case » Unidirectional bezel » Crystal glass face and waterproof crown fluorescent hour/minute/ second hands

» Extra-large silicone strap

 Ideal for diving » Stainless steel case » Unidirectional rotating bezel

» Day date

Mineral glass

Luminous dots

Proven quartz mechanism for precise time keeping Screw down crown waterproof

Soft extra-large rubber strap accommodates exposure suits

PACKAGING

PACKAGING





CARTESIO

| SCUBA DIVING AND FREEDIVING WATCH COMPUTER

Cartesio has a diameter of only 48mm and a high contrast display of 35mm. It is a scuba diving/apnea watch-computer of extremely reduced dimensions. It is also an ideal watch for other underwater activities, thanks to the deactivation option of the "dive" functions



CODE	COLOR	CASE PACK
KS830050	Black/Black	4
KS830850	Black/Metal	4





TECHNICAL FEATURES

- High contrast display with extra large numbers
- Easy access menu
- 12/24 time format with calendar and seconds
- Precision stopwatch
- Second time setting Alarm clock
- Backlit display
- Surf time, desaturation and no fly time calculator
- Low battery indicator
- Units in Metric or Imperial system
- AIR/NITROX PROGRAM
- CRESSI RGBM algorithm
 Complete diving data processor
 PP02 1.2-1.6 BAR configuration
- It is possible to select hyper-oxygenated mixes during the dive phase. GAS1 21-50% GAS2
- 21-99% Graphic indicator of CNS toxicity
- level of oxygen
- Safety stop indicator
 Multiple level safety factor
- configuration
- Altitude configuration
 Algorithm for managing
- uncontrolled ascent
- Suitable for repeated, multiday
- decompression diving It is possible to alternate between nitrox and air diving even during
- desaturation Visualization of time at dive phase
- Deactivable Deep Stop alert Alarm in case of breach of ascent speed, decompression or PPO2
- It is possible to disable the
- ascent alarms Indicates time at dive phase Possibility of eventual total reset,
- useful for renting purposes Planning: scrolling of
- no-decompression limits FREE (APNEA) PROGRAM
- Display of all diving parameters, depth, temperature, dive
- calculator, maximum dive depth,
- Length of surface interval
- Length of diving session
- Recovery time alarm
- GAGE PROGRAM
- calculator)
- Average depth Dive time in minutes and seconds
- Resettable depth stopwatch
- OFF MODE
- Sensors disabled for snorkelling/ swimming activities
- LOGBOOK
- Up to 50 dives per category
- Optional INTERFACE
- With visualization of diving profile



ELITE CASE INCLUDED



OPTIONAL ACCESSORIES

| STRAP EXTENDER | SILICONE PROTECTIVE LENS | BT INTERFACE



ACCESSORIES

CODE	PRODUCT
KZ810000	STRAP EXTENDER for DIVE-WATCH COMPUTER - BLACK/BLACK
KS890000	SILICONE SCREEN PROTECTOR for DIVE WATCH
K5822001	BT INTERFACE for DIVE-WATCH COMPUTER
KZ700000	ELITE PROTECTIVE CASE for DIVE COMPUTER

SPARE PARTS

CODE	PRODUCT
KZ8230050	WATCHBAND - BLACK for CARTESIO
KZ820094	BATTERY KIT (CR2450 + O-RING) for CARTESIO/GOA/NEON/NEPTO
KZ805099	SCREWS w/ NUT (1 pair) for DIVE WATCH COMPUTER BAND





BLUETOOTH 2 0 1 8 **DEVICE AVAILABLE**

that avoids unnecessary alarms ringing while

you're snorkelling or swimming. The display

is made of mineral glass and the case is

dive time between each dive

- Depth, dive time and surface interval alarms
 - Visualization of time at dive phase
 - (without decompression
 - Depth/temperature indicator

 - Visualization of time at dive phase









II BUYER'S GUIDE 2022 31

DIVE COMPUTER

WATCH-STYLE

<

SCUBA



TECHNICAL FEATURES

AIR/NITROX PROGRAM CRESSI RGBM algorithm Complete diving data processor
 PPO2 1.2-1.6 BAR configuration

level of oxygen Safety stop indicator

Multiple level safety factor configuration Altitude configuration

uncontrolled ascent Suitable for repeated, multiday decompression diving It is possible to alternate between nitrox and air diving even during desaturation Visualisation of time at dive

Algorithm for managing

Deactivable Deep Stop alert Alarm in case of breach of ascent speed, decompression

 It is possible to disable the ascent alarms Indicates time at dive phase

Device completely resettable, useful for renting purposes

Planning: scrolling of nodecompression limits

FREE (APNEA) PROGRAM Display of all diving parameters Depth

Length of surface interval

Length of diving session

Depth, dive time and surface interval alarms Recovery time alarm Visualisation of time at dive

GAGE PROGRAM (without Decompression calculator) Depth/temperature indicator

Dive time in minutes and

Resettable depth stopwatch

Visualisation of time at dive

LOGBOOK up to 50 dives per

visualisation of diving profile

Optional INTERFACE with

Sensors disabled for snorkelling/

Temperature

Dive calculator

phase

Average depth

seconds

phase

OFF MODE

category

swimming activities

Maximum dive depth Dive time

between each dive

21-99%

phase

or PPO2

It is possible to select hyperoxygenated mixes during the dive phase. GAS1 21-50% GAS2

Graphic indicator of CNS toxicity

NEON | SCUBA COMPUTER WATCH

Neon has a diameter of only 48 mm and a high contrast display of 37 mm. It is a scuba diving/apnea watch-computer of extremely reduced dimensions. It is also an ideal watch for other underwater activities, thanks to the deactivation option of the "dive" functions

SCUBALAB

CHOIC 2 0 1 9

Algorithm for managing two

different hyper-oxygenated mixes during the dive phase

Gas1 21-50% gas2 21-99%

Compact (patented)

electronic module

User friendly menu

Long-life battery

4 Operative modes

that avoids unnecessary alarms ringing while you're snorkeling or swimming. The display is made of mineral glass and the case is heavy duty with steel buttons that have an underwater resistance of up to 120 m. PTU rubber wrist band with stainless steel buckle.









BLACK/RED

WHITE/LILAC



BLACK/BLACK







BLACK/GREEN

BLACK/ORANGE

BLAK/GRAY

20	

CODE	LOLOK	LASE PACK
KS840020	Black/Blue	4
KS840050	Black/Grey	4
KS840055	Black/Black	4
KS840058	Black/Red	4
KS840067	Black/Green	4
KS840085	Black/Orange	4
KS840141	White/Lilac	4

TECHNICAL FEATURES

- High contrast display with extra large numbers
- Easy access menu 12/24 time format with calendar and seconds
- Precision stopwatch Second time setting
- Alarm clock
- Backlit display
- Surf time, desaturation and no fly time calculator
- Low battery indicator
- Units in Metric or Imperial system



ELITE CASE INCLUDED



OPTIONAL ACCESSORIES


| STRAP EXTENDER | SILICONE PROTECTIVE LENS | BT INTERFACE



ACCESSORIES

LUDE	PRODUCT
KZ810000	STRAP EXTENDER for DIVE-WATCH COMPUTER - BLACK/BLACK
KS890000	SILICONE SCREEN PROTECTOR for DIVE WATCH
KS822001	BT INTERFACE for DIVE-WATCH COMPUTER
KZ700000	ELITE PROTECTIVE CASE for DIVE COMPUTER
SPARE PART	5
CODE	PRODUCT
KZ840020	WATCHBAND - BLACK/BLUE for NEON/NEPTO
KZ840050	WATCHBAND - BLACK/GREY for NEON
KZ840055	WATCHBAND - BLACK/BLACK for NEON/NEPTO
KZ840058	WATCHBAND - BLACK/RED for NEON
KZ840067	WATCHBAND - BLACK/LIME for NEON
KZ840085	WATCHBAND - BLACK/ORANGE for NEON
KZ840141	WATCHBAND - WHITE/LILAC for NEON
KZ841098	WATCHBAND - BLACK/GREEN for NEPTO
KZ820094	BATTERY KIT (CR2450 + O-RING) for CARTESIO/GOA/NEON/NEPTO
KZ805099	SCREWS w/ NUT (1 pair) for DIVE WATCH COMPUTER BAND

Bluetoothi



DIVE

WATCH-STYLE

-

SCUBA

GLASS



TECHNICAL FEATURES

· 4-Programs dive computer Easier navigation menu due

Easy to read information:

Water temperature data

12/24 Clock with calendar

Second clock available on

Low battery indicator

level of oxygen

Long-lasting battery: cr2450

Battery replaceable by user

Cressi-wienke rgbm algorithm

Graphic indicator of cns toxicity

AIR/NITROX PROGRAM

Clock timing visible during diving

Diving data acquired 4 times

to two buttons only

all data uppercase

faster

acquired

reauest

3v lithium



HEAVY

DUTY CASE

The GOA has a diameter of only 48mm and a high contrast display of 35mm. It is a scuba diving/ apnea watch-computer of extremely reduced dimensions. It is also an ideal watch for other underwater activities, thanks to the deactivation option of the "dive" functions that avoids unnecessary alarms ringing while you're snorkeling or swimming.



CODE	COLOR	CASE PACK
KS820050	Black/Grey	4
KS820052	Black/Blue	4
KS820053	Black/White	4
KS820140	White/Pink	4
KS820150	White/Black	4

OPTIONAL ACCESSORIES

| STRAP EXTENDER | SILICONE PROTECTIVE LENS | BT INTERFACE



ACCESSORIES

CODE PRODI	l

KZ810000	STRAP EXTENDER for DIVE-WATCH COMPUTER - BLACK/BLACK
KS890000	SILICONE SCREEN PROTECTOR for DIVE WATCH
KS822001	BT INTERFACE for DIVE-WATCH COMPUTER
KZ700000	ELITE PROTECTIVE CASE for DIVE COMPUTER

SPARE PARTS

CODE	PRODUCT
KZ820050	WATCHBAND - BLACK/GREY for GOA
KZ820052	WATCHBAND - BLACK/BLUE for GOA
KZ820053	WATCHBAND - BLACK/WHITE for GOA/KING
KZ820140	WATCHBAND - WHITE/PINK for GOA
KZ820150	WATCHBAND - WHITE/BLACK for GOA
KZ820094	BATTERY KIT (CR2450 + O-RING) for CARTESIO/GOA/NEON/NEPTO
KZ805099	SCREWS w/ NUT (1 pair) for DIVE WATCH COMPUTER BAND

The display is made of mineral glass and the case is heavy duty with steel buttons that have an underwater resistance of up to 120m. Rubber wrist band with stainless steel buckle. Plastic/Steel bezel and back cover.







WHITE/PINK



WHITE/BLACK

Safety stop indicator Multiple level safety factor configuration Altitude configuration Algorithm for managing uncontrolled ascent Switch between nitrox and air diving during desaturation Deactivable Deep Stop alert Alarm in case of breach of ascent speed, decompression or ppo2 Ascent alarm be deactivate Surf, desaturation, no fly timer all displayed Suitable for repeated, multiday decompression diving Freediving (APNEA PROGRAM) All parameters displayed: depth, diving time, temperature, max depth Surf alarm customizable Depth alarm customizable Step alarm customizable GAGE PROGRAM Depth / temperature indicator Average depth Diving time Resettable depth stopwatch OFF MODE Sensors he disabled for snorkeling / swimming activities LOGBOOK up to 50 dives per category

Optional INTERFACE with visualisation of diving profile



PACKAGING



NG NEW 2022

| FREEDIVING COMPUTER WATCH

With a case diameter of only 48 mm and a highcontrast display of 35 mm, King is an extremely compact watch-computer specific for freediving. This innovative product boasts an algorithm developed in Cressi, which protects the freediver from the risk of Taravana, and a function that avoids the risk

of pulmonary edema. Mineral glass, heavy and Inkfilled strap to prevent tears and breakage) with stainless steel buckle.



KZ810000	STRAP EXTENDER for DIVE-WATCH COMPUTER - BLACK/BLACK
KS890000	SILICONE SCREEN PROTECTOR for DIVE WATCH
KS822001	BT INTERFACE for DIVE-WATCH COMPUTER
KZ700000	ELITE PROTECTIVE CASE for DIVE COMPUTER

SPARE PARTS

CODE	PRODUCT
KZ842050	SILICONE WATCHBAND - BLACK for KING
KZ842020	SILICONE WATCHBAND - BLUE for KING
KZ842085	SILICONE WATCHBAND - ORANGE for KING
KZ820094	BATTERY KIT (CR2450 + O-RING) for CARTESIO/GOA/NEON/NEPTO
KZ805099	SCREWS w/ NUT (1 pair) for DIVE WATCH COMPUTER BAND





duty case with steel buttons for resistance to water pressure up to 120 m I 393 ft, metal bezel in AISI 316 steel with surface treatment







SINGLE DIP LOGBOOK

TECHNICAL FEATURES

- High contrast display
- Easy access menu
- 12/24 time format with calendar and seconds Precision stopwate
- Timer (countdown)
- Second time setting
- Alarm clock
- Backlit display
- Tide indicator
- Low battery indicator Metric or imperial units
- Long-lasting battery
- Sleep mode to increase
- battery life
- Battery replaceable by user FREE (FREEDIVING) PROGRAM
- Taravana risk reduction
- algorithm with 8 levels Pulmonary edema risk reduction function with approach dive
- calculation Display of all diving parameters
- Depth
- Temperature
- Dip counter Maximum dive depth
- Dive time
- Length of surface interval
- between each dive
- Length of diving session Maximum descent and ascent
- speed indication
- Depth, dive time and surface interval alarms
- Recovery time alarm
- Hydration alarm Alarms that can be set at
- dive phase Fresh/salt water setting
- Lock mode for snorkeling or swimming activities

LOGBOOK

- Variable data logging interval Available during the diving
- session Indication of session parameters and of each dive
- INTERFACE
- Optional with visualisation of diving profile





ELITE CASE INCLUDED

DIVE COMPUTER

SCUBA / WATCH-STYLE

MINERAL

GLASS

HEAVY

USER LONG-LIFE FRIENDLY BATTERY MENU



TECHNICAL FEATURES

12/24 time format with calendar

High contrast display Easy access menu

Precision stopwatch Timer (countdown)

Second time setting

 Low battery indicator Units in Metric or Imperial

Long-lasting battery
 Sleep mode to increase

Battery replaceable by user Long-lasting battery: CR2450

FREE (FREEDIVING) PROGRAM Taravana risk reduction algorithm with 8 levels

Pulmonary edema risk reduction function with approach dive

Display of all diving parameters

Length of surface interval

Fresh/salt water setting
 Lock mode for snorkeling or

Variable data logging interval Available during the diving

Indication of session parameters

PROTECTION ALGORITHM FROM

EDEMA PROTECTION FUNCTION

Optional with Visualization of diving profile.

USER FRIENDLY MENU

LONG-LIFE BATTERY

swimming activities LOGBOOK

and of each dive

INTERFACE

between each dive Length of diving session
 Maximum descent and ascent

speed indication Depth, dive time and surface

interval alarms Recovery time alarm Hydration alarm
Alarms that can be set at dive

phase

session

and seconds

Alarm clock Backlit display

Tide indicator

system

battery life

3V lithium

calculation

 Temperature
 Dive calculator Maximum dive depth Dive time

Depth

NEPTO I FREEDIVING WATCH COMPUTER

With a case diameter of only 48 mm and a high-contrast display of 35 mm, Nepto is an extremely compact watch-computer specific for freediving.





BLACK

I DE





BLOODSHIFT

PROTECTION ALGORITHM

TIDE LEVEL INDICATOR

CODE	COLOR	CASE PACK
KS841020	Blue	4
KS841050	Black	4
KS841098	Green	4



This innovative product boasts an algorithm

developed in Cressi, which protects the

edema. Mineral glass, heavy duty case

freediver from the risk of Taravana, and a

function that avoids the risk of pulmonary



GREEN



SINGLE DIP LOGBOOK



PACKAGING



OPTIONAL ACCESSORIES

| STRAP EXTENDER | SILICONE PROTECTIVE LENS | BT INTERFACE



ACCESSORIES

CODE	PRODUCT
KZ810000	STRAP EXTENDER for DIVE-WATCH COMPUTER - BLACK/BLACK
KS890000	SILICONE SCREEN PROTECTOR for DIVE WATCH
KS822001	BT INTERFACE for DIVE-WATCH COMPUTER
KZ700000	ELITE PROTECTIVE CASE for DIVE COMPUTER

SPARE PARTS

CODE	PRODUCT
KZ840020	WATCHBAND - BLACK/BLUE for NEON/NEPTO
KZ840055	WATCHBAND - BLACK/BLACK for NEON/NEPTO
KZ841098	WATCHBAND - BLACK/GREEN for NEPTO
KZ820094	BATTERY KIT (CR2450 + O-RING) for CARTESIO/GOA/NEON/NEPTO
KZ805099	SCREWS w/ NUT (1 pair) for DIVE WATCH COMPUTER BAND



0

COMPUTE

DIVE

BIG-DISPLAY

1



TECHNICAL FEATURES

High contrast display with extra

Easy access menu
 12/24 time format with calendar

High power backlit display
Surf time, desaturation and no fly

Low battery indicator
Units in Metric or Imperial system

CRESSI RGBM algorithm
 Complete diving data processor
 PP02 1.2-1.6 configuration

Graphic indicator of CNS toxicity level of oxygen Safety stop indicator Multiple level safety factor

Visualization of time while diving Deactivable Deep Stop Alert Alarm in case of breach of ascent speed, decompression or PPO2 It is possible to disable the ascent

Possibility of eventual total reset,

useful for renting purposes **Planning:** scrolling of no-

FREE (APNEA) PROGRAM

Maximum dive depth alarm

Length of surface interval between each dive Length of diving session Depth, dive time and surface interval alarms Recovery time alarm

Display of all diving parameters Depth

Visualization of time at dive phase

Resettable depth stopwatch
Visualization of time at dive phase

User-replaceable batteries
 Structural metal bezel that gives

Up to 50 dives per category Replaceable protective

greater impact resistance Optional interface with visualization of diving profile

decompression limits Maximum dive depth alarm

Temperature

Dive calculator

GAGE PROGRAM Depth/temperature indicator Average depth Dive time in minutes and seconds

LOGBOOK

display screen

Dive time

 It is possible to select hyperoxygenated mixes during the dive phase. GAS1 21-50% GAS2

AIR/NITROX PROGRAM

large numbers

time calculator

21-99%

configuration Altitude configuration Algorithm for managing uncontrolled ascent Suitable for repeated, multiday decompression diving It is possible to alternate between nitrox and air diving even during

desaturation

alarms

Michelangelo has a high contrast display. It is a scuba diving/apnea computer. It is an ideal computer for other underwater activities, thanks to the deactivation option of the "dive" functions that avoids unnecessary alarms ringing while you're snorkeling

or swimming. The display is made of technical polyolefin and the case is heavy duty, with a steel button. The underwater resistance is up to 150 m. TPU rubber wristband with stainless steel buckle.



CODE	COLOR	CASE PACK
KS850050	Black/Black	4
KS850850	Black/Metal	4
KS850950	Black/Copper	4







ELITE CASE INCLUDED





OPTIONAL ACCESSORIES

| BT INTERFACE 🚯 Bluetoothi

ACCESSORIES

CODE PRODUCT

 KSB51000
 BT INTERFACE for DONATELLO/MICHELANGELO

 KZ850098
 PLASTIC SCREEN PROTECTOR for DONATELLO/MICHELANGELO

 KZ700000
 ELITE PROTECTIVE CASE for DIVE COMPUTER

SPARE PARTS

CODE PRODUCT KZ740055 WATCHBAND - BLACK for GIOTTO/DONATELLO/MICHELANGELO KZ760525 SCREWS w/ NUT (2 pcs) for LEO/GIOTTO/MICH/DONATELLO BAND KZ770094 BATTERY KIT LEO/GIOTTO/MICHELANGELO/DONATELLO KZ901001 O-RING + CAP for BIG SCREEN COMPUTER





|| BUYER'S GUIDE 2022 39

MICHELANGELO CONSOLE 2 MEM 202X

| MICHELANGELO + PRESSURE GAUGE

The Michelangelo Console 2 has been designed to fit the Michelangelo dive computer in a modern console, robust and easy to handle. It features an easy-to-read Pressure Gauge that features a double scale in metric and imperial systems. The instruments are arranged on a slight tilt, which further improves the design and allows for greater

readability of the same. The use of advanced materials such as polycarbonate and Desmopan has reduced to a minimum thickness and weight, and the console reveals a surprising lightness, which translates into ease of use and minimum strain on the hose connection to the first HP the stadium.

TECHNICAL FEATURES

ATELIER MADE IN ITALY

Michelangelo 4 programs dive computer, 2 mixed gasses

SPG global fluo in both metric and imperial systems and with

- fluorescent dial
- Housing in heavy-duty Desmopan material with hose clip
- HP hose
- **Dimensions:** 65 x 25 mm | 2.5 x 1 in Weight: 395 g | 13.9 oz

MICHELANGELO CONSOLE 3 MEW 2022

COMPUTER + COMPASS + PRESSURE GAUGE

The Michelangelo Console 3 has been designed to fit the Michelangelo dive computer in a modern console, robust and easy to handle. It features an easy-to-read Pressure Gauge, that features a double scale in metric and imperial systems, and a Compass. The instruments are arranged on a slight tilt, which further improves the design and

allows for greater readability of the same. The use of advanced materials such as polycarbonate and Desmopan has reduced to a minimum thickness and weight, and the console reveals a surprising lightness, which translates into ease of use and minimum strain on the hose connection to the first HP the stadium.



CODE PRODUCT CASE PACK KS852980 MICHELANGELO CONSOLE 2 (GLOBAL FLUO)

ACCESSORIES

CODE PRODUCT KS851000 BT INTERFACE for DONATELLO/MICHELANGELO KZ850098 PLASTIC SCREEN PROTECTOR for DONATELLO/MICHELANGELO

KZ811001 PROTECTIVE CASE FOR DIVE CONSOLE

SPARE PARTS

CODE PRODUCT KZ760525 BATTERY KIT LEO/GIOTTO/MICHELANGELO/DONATELLO KZ770094 SCREWS w/ NUT (2 pcs) for LEO/GIOTTO/MICH/DONATELLO BAND KZ901001 O-RING + CAP for BIG SCREEN COMPUTER

ELITE CASE INCLUDED

FLUO Units in Metric and Imperial

CODE PRODUCT CASE PACK KS853980 MICHELANGELO CONSOLE 3 (GLOBAL FLUO) ACCESSORIES

CODE	PRODUCT
KS851000	BT INTERFACE for DONATELLO/MICHELANGELO
KZ850098	PLASTIC SCREEN PROTECTOR for DONATELLO/MICHELANGELO
KZ811001	PROTECTIVE CASE FOR DIVE CONSOLE

SPARE PARTS

KZ770094	BATTERY KIT LEO/GIOTTO/MICHELANGELO/DONATELLO
KZ760525	SCREWS w/ NUT (2 pcs) for LEO/GIOTTO/MICH/DONATELLO BAND
KZ901001	O-RING + CAP for BIG SCREEN COMPUTER



TECHNICAL FEATURES

- Michelangelo 4 programs dive computer, 2 mixed gasses
- SPG global fluo in both metric and imperial systems and with
- fluorescent dial Housing in heavy-duty Desmopan material with hose clip
- HP hose
- **Dimensions:** 65 x 25 mm | 2.5 x 1 in **Weight:** 395 g | 13.9 oz

CRESSI

MADE IN





ELITE CASE INCLUDED

DIVE COMPUTER

BIG-DISPLAY

1

SCUBA

FUNCTION

DONATELLO

DIVE AIR/ NITROX PROGRAM

I DIVE AIR/NITROX PROGRAM | FREEDIVE WRIST COMPUTER

Donatello is an underwater freediving computer. It is ideal for other water activities, thanks to the deactivation option of the "dive" functions, that avoids unnecessary alarms while snorkeling or swimming. It has a high contrast display. The heavy-duty case with a

steel button is fitted with a bezel which, like the protection, is plastic made. The underwater resistance is up to 150 m. The two-tone wrist band is made of TPU rubber with a stainless steel buckle.





BLACK/BLUE









BLACK/YELLOW









PACKAGING



TECHNICAL FEATURES

- High contrast display with extra large numbers
- Easy access menu 12/24 time format with calendar
- High power backlit display Surf
- time, desaturation and no fly time calculator
- Battery level indicator
- Units in Metric or Imperial
- system DIVE (AIR/NITROX) PROGRAM
- CRESSI RGBM algorithm
 Complete diving data processor
- PPO2 1.2-1.6 configuration
 Graphic indicator of CNS toxicity level of oxygen
- Safety stop indicator
- Multiple level safety factor configuration
- Altitude configuration
- Algorithm for managing uncontrolled
- ascent Suitable for repeated,
- multiday decompression diving Visualization of time while diving
- Deactivable Deep Stop alert
- Alarm in case of breach of ascent speed, decompression
- or PPO2 It is possible to disable the
- ascent alarms
- Possibility of eventual total reset, useful for renting
- purposes Planning: scrolling of no-
- decompression limits Maximum dive depth alarm
- FREE (APNEA) PROGRAM Display of all diving parameters
- Depth
- Temperature Dive calculator
- Maximum dive depth alarm
- Dive time · Length of surface interval
- between each dive
- Length of diving session Depth. dive time and surface
- interval alarms
- Recovery time alarm Visualization of time at dive
- phase
- GAGE PROGRAM (Without decompression
- calculator)
- Depth/temperature indicator Average depth
- Dive time in minutes and
- seconds Resettable depth stopwatch
- Visualization of time at dive phase

LOGBOOK up to 50 dives per

- category User replaceable battery: cr2430
- 3v lithium Optional interface with
 - visualization of diving profile





OPTIONAL ACCESSORIES

| BT INTERFACE 🚯 Bluetoothi

ACCESSORIES

CODE PRODUCT

KS851000 BT INTERFACE for DONATELLO/MICHELANGELO KZ850098 PLASTIC SCREEN PROTECTOR for DONATELLO/MICHELANGELO KZ700000 ELITE PROTECTIVE CASE for DIVE COMPUTER

SPARE PARTS

CODE PRODUCT KZ740055 WATCHBAND - BLACK for GIOTTO/DONATELLO/MICHELANGELO KZ760525 SCREWS w/ NUT (2 pcs) for LEO/GIOTTO/MICH/DONATELLO BAND KZ770094 BATTERY KIT LEO/GIOTTO/MICHELANGELO/DONATELLO KZ901001 O-RING + CAP for BIG SCREEN COMPUTER







DONATELLO CONSOLE 2

| DONATELLO + PRESSURE GAUGE

The Donatello Console 2 has been designed to fit the Donatello dive computer in a modern console, robust and easy to handle. It features an easy-to-read Pressure Gauge that features a double scale in metric and imperial systems. The instruments are arranged on a slight tilt, which further improves the design and allows for greater

readability of the same. The use of advanced materials such as polycarbonate and Desmopan has reduced to a minimum thickness and weight, and the console reveals a surprising lightness, which translates into ease of use and minimum strain on the hose connection to the first HP the stadium.



CODE	PRODUCT	CASE PACK
KS870000	DONATELLO CONSOLE 2(GLOBAL FLUO)	4

OPTIONAL ACCESSORIES

| BT INTERFACE 🚯 Bluetoothi

ACCESSORIES

CODE PRODUCT

KS851000 BT INTERFACE for DONATELLO/MICHELANGELO KZ850098 PLASTIC SCREEN PROTECTOR for DONATELLO/MICHELANGELO KZ811001 PROTECTIVE CASE FOR DIVE CONSOLE

SPARE PARTS

KZ760525 SCREWS w/ NUT (2 pcs) for LEO/GIOTTO/MICH/DONATELLO BAND KZ770094 BATTERY KIT LEO/GIOTTO/MICHELANGELO/DONATELLO KZ901001 O-RING + CAP for BIG SCREEN COMPUTER



MADE IN ITALY	
------------------	--

TECHNICAL FEATURES

Donatello 4 programs dive

Housing in heavy-duty

Weight: 395 g | 13.9 oz

SPG global fluo in both metric

and imperial systems and with fluorescent dial

Desmopan material with hose clip

Dimensions: 65x25 mm | 2.5 x 1 in

computer

HP hose

DONATELLO CONSOLE 3 MEM 2022

COMPUTER + COMPASS

2 INSTRUMENTS

CONSOLE

The Donatello Console 3 has been designed to fit the Donatello Cressi dive computer in a modern console, robust and easy to handle. It features an easy-to-read Pressure Gauge, that features a double scale in metric and imperial systems, and a Compass.

The instruments are arranged on a slight tilt, which further improves the design and allows for greater readability of the same. The use of advanced materials such as polycarbonate and Desmopan has reduced to a minimum thickness and weight, and the console reveals a surprising lightness, which translates into ease of use and minimum strain on the hose connection to the first HP the stadium.



CODE PRODUCT CASE PACK KS871000 DONATELLO CONSOLE 3 (GLOBAL FLUO)

OPTIONAL ACCESSORIES

| BT INTERFACE 🚯 Bluetooth

ACCESSORIES

CODE PRODUCT

KS851000 BT INTERFACE for DONATELLO/MICHELANGELO KZ850098 PLASTIC SCREEN PROTECTOR for DONATELLO/MICHELANGELO KZ811001 PROTECTIVE CASE FOR DIVE CONSOLE

SPARE PARTS

KZ760525 SCREWS w/ NUT (2 pcs) for LEO/GIOTTO/MICH/DONATELLO BAND KZ770094 BATTERY KIT LEO/GIOTTO/MICHELANGELO/DONATELLO KZ901001 O-RING + CAP for BIG SCREEN COMPUTER

WATCHES

UNDERWATER

1

SCUBA ,





TECHNICAL FEATURES

- Ease of use and minimum strain on the hose connection to the first HP stadium.
- The hose connection has a lower section of the standard (11 mm 0.43 in), to the advantage of its
- flexibility and lower weight. It is a completely modular, rugged computer with a wide UFDS display (User-Friendly Display System).
- The algorithm incorporates RGBM and Deep Stop.
- It has complete Nitrox management, depth gauge mode, and a reset option



0

DIVE COMPUTE

BIG-DISPLAY

-

SCUBA

GIOTTO

I SCUBA DIVING WRIST COMPUTER

The 3-button Giotto computer provides all the necessary information in regards to depth, dive times, possible need of decompression, ascent rate and all the surface intervals between dives. Nitrogen absorption and release is continuously processed by its sophisticated software, taking into account the quantity of inert





BLACK/GRAV

gas contained in the different mixtures

The computer makes saturation and

desaturation calculations of dives carried

out both with Air and with Nitrox during

any moment of the dive. It allows to set 2

different mixed gasses up to 99% of 02.

that can be used.



BLACK/WHITE



Backlit display Log book (70 hr or 60 dives)

- complete with dive profile Option for full reset if needed, helpful when renting the device
- Built-in calendar and clock

MADE IN ITALY

TECHNICAL FEATURES

Dual-mixture CRESSI RGBM

algorithm created through a collaboration between Cressi

and Bruce Wienke based on

with RGBM factors for safe

the Haldane model, integrated

decompression calculations in

repetitive multi-day dives and

with mixtures. Software handles

two different hyper-oxygenated

mixtures, which can be selected

Tissues: 9 saturation half-times

"Dive" Program: Full processing

decompression if applicable,

For every dive performed with

Full setting of FO2 parameters

(oxygen percentage) and PO2 (oxygen partial pressure) with

the option to set PO2 between 1.2 BAR and 1.6 BAR, and FO2

Option to take a Nitrox dive after one with air (even while

Gage setting option (depth gauge and timer)

Deactivable Deep Stop alert

User can switch units of measure from Metric (meters and C°) to Imperial (feet and F°) Graphic CNS oxygen toxicity

Replaceable screen protector Planning: decompression curve

ranging from 2.5 to 480 minutes

during the dive.

Air or Nitrox

of dive data, including

from 21% and 99%

desaturating)

scrolling

indicator

- Visual and auditory alarms Dive history saved
- Battery level indicator
- User replaceable battery: CR2430 3V Lithium

CODE COLOR KS740050 Black/Grey KS740052 Black/Blue KS740150 Black/White

OPTIONAL ACCESSORIES



ACCESSORIES

CODE PRODUCT KS771000 INTERFACE for LEONARDO/GIOTTO KZ740098 PLASTIC SCREEN PROTECTOR for GIOTTO **KZ700000** ELITE PROTECTIVE CASE for DIVE COMPUTER

SPARE PARTS

CODE	PRODUCT
KZ740050	WATCHBAND - BLACK/GREY for GIOTTO
KZ740052	WATCHBAND - BLACK/BLUE for GIOTTO
KZ740055	WATCHBAND - BLACK for GIOTTO/DONATELLO/MICHELANGELO
KZ740058	WATCHBAND - BLACK/RED for GIOTTO
KZ740150	WATCHBAND - BLACK/WHITE for GIOTTO
KZ760525	SCREWS w/ NUT (2 pcs) for LEO/GIOTTO/MICH/DONATELLO BAND
KZ770094	BATTERY KIT LEO/GIOTTO/MICHELANGELO/DONATELLO
KZ901001	O-RING + CAP for BIG SCREEN COMPUTER





GIOTTO CONSOLE 2

| GIOTTO + PRESSURE GAUGE

Console Giotto 2 has been designed to fit the dive computer Giotto in a modern console, which differs in form, size and weight of similar products on the market. The different sizes of the two instruments, the Submersible Pressure Gauge and the Computer, have led to a console design truly innovative and original. The instruments are arranged on a slight tilt, which further improves the design and allows for greater readability of the same. The use of advanced materials, such as polycarbonate and Desmopan, have reduced to a minimum thickness and weight and the console reveals a surprising lightness, which obviously translates into ease of use and minimum strain on the hose connection to the first stage HP.



CODE	PRODUCT	CASE PACK
KS750050	GIOTTO CONSOLE 2 (imperial)	4
ACCESSORIES	5	
CODE	PRODUCT	
CODE K5771000	PRODUCT INTERFACE for LEONARDO/GIOTTO	

SPARE PARTS

PRODUCT KZ760525 SCREWS w/ NUT (2 pcs) for LEO/GIOTTO/MICH/DONATELLO BAND KZ770094 BATTERY KIT LEO/GIOTTO/MICHELANGELO/DONATELLO KZ901001 O-RING + CAP for BIG SCREEN COMPUTER









TECHNICAL FEATURES

- Polycarbonate and desmopan materials are lightweight and minimize bulk for reduced drag
- Two connection points, one up top for a clip or bungee and wide loops on the back for connection to any strap, give divers the greatest number of mounting options Angled console fits naturally in
- the hand and positions both the pressure gauge and computer for optimal viewing
- Rugged mini-gauge has a chrome-plated brass case
- Gauge dial is color-coded in
- red, green and blue for instant readability
- Reads pressures to 350 bar or 5000 psi
- Console measures 65 mm x 25 mm



ELITE CASE INCLUDED

COMPUTER

DIVE

BIG-DISPLAY

-

SCUBA

DIVE AIR/ NITROX FREEDIVING FUNCTION

LEONARDO

I SCUBA DIVING WRIST COMPUTER

An elegant expression of simple, functional design, the Leonardo is a must-have for divers entering the sport and those who "just want to dive". A single button interface makes it effortless to program Air, Nitrox and Gauge modes the first time a diver picks the computer up and an edge-to-edge, high-definition screen gives large numerical displays in a computer that is still compact and travel-friendly. The highly visible battery life indicator and distinct audible alarms deliver critical information as well as peaceof-mind during the dive. The Leonardo can also be fully reset after each use, making it an excellent choice for rental departments.





COLOR



CASE PACK



PRODUCT

INTERFACE for LEONARDO/GIOTTO

BLUE



PINK



KS770000 Black/Black KS770050 Black/Grey KS770051 Black/Yellov KS770052 Black/Blue KS770054 Black/Pink KS770150 White/Black

OPTIONAL ACCESSORIES



CODE

ACCESSORIES CODE KS771000 KZ770098 PLASTIC SCREEN PROTECTOR for LEONARDO **KZ700000** ELITE PROTECTIVE CASE for DIVE COMPUTER

SPARE PARTS

CODE	PRODUCT
KZ770020	WATCHBAND - BLACK/BLUE for LEONARDO
KZ770040	WATCHBAND - BLACK/PINK for LEONARDO
KZ770050	WATCHBAND - BLACK/GREY for LEONARDO
KZ770051	WATCHBAND - BLACK/YELLOW for LEONARDO
KZ770150	WATCHBAND - BLACK/WHITE for LEONARDO
KZ760525	SCREWS w/ NUT (2 pcs) for LEO/GIOTTO/MICH/DONATELLO BAND
KZ770094	BATTERY KIT LEO/GIOTTO/MICHELANGELO/DONATELLO
KZ901001	O-RING + CAP for BIG SCREEN COMPUTER



PACKAGING



TECHNICAL FEATURES

- FO2 adjustable between 21% and 50%
- PO2 adjustable between 1.2 bar and 16 har
- CNS oxygen toxicity graphic
- indicator Single button interface (short push changes function, longer
- push selects functions)
- Three levels of user-adjustable conservatism
- Deactivable Deep Stop alert Modified Haldane and Wienke
- algorithm Ascent rate alarm (10 m per
- minute) Log book for 60 dives/75 hours
- of information with 20-second
- samplingrate Distinct, easy-to-hear audible
- alarms
- User changeable battery
 Units in Metric or Imperial
- system Backlit display
- The instrument may be fully
- reset, in case of renting
- PC/Mac interface with simulator and dive profile (optional)
- Air, Nitrox and Gauge modes
- Visual and auditory alarms Battery life indicator
- User replaceable battery: cr2430 3v lithium





2 INSTRUMENTS

LEONARDO CONSOLE 2

I COMPUTER + PRESSURE GAUGE

Make gauge checks fast and efficient with this two-gauge console especially crafted for the Leonardo. Polycarbonate materials and smart features make this angled console rugged, lightweight and user-friendly.

The angled console combines the Leonardo with a brass-housed, mini Submersible Pressure Gauge that has a color-coded scale divers can read at a glance.



CODE	PRODUCT	CASE PACK
KS780050	LEONARDO CONSOLE 2 (imperial)	4
ACCESSORIES		

ODE	PRODUCT
(5771000	INTERFACE for LEONARDO/GIOTTO
(Z770098	PLASTIC SCREEN PROTECTOR for LEONARDO
(Z811001	PROTECTIVE CASE for DIVE CONSOLE

SPARE PARTS

KZ760525 SCREWS w/ NUT (2 pcs) for LEO/GIOTTO/MICH/DONATELLO BAND KZ770094 BATTERY KIT LEO/GIOTTO/MICHELANGELO/DONATELLO O-RING + CAP for BIG SCREEN COMPUTER KZ901001









TECHNICAL FEATURES

- Polycarbonate and desmopan materials are lightweight and minimize bulk for reduced drag.
- Two connection points, one up top for a clip or bungee and wide loops on the back for connection to any strap, give divers the greatest number of mounting options.
- Angled console fits naturally in the hand and positions both the pressure gauge and computer for optimal viewing
- Rugged mini-gauge has a
- chrome-plated brass case. Console is easy to assemble with
- each component.
- Gauge dial is color-coded in red, green and blue for instant readability.
- Reads pressures to 350 bar or 5000 psi. Console measures 65 mm x
- 25 mm
- Weight with whip and 2 HP tools: 480 g



ELITE CASE INCLUDED











17/8 in · 48 mm

13/8 in • 35 mm

5/8 in · 15.8 mm

Free · Lock · Sleep

393 ft · 120 m

0,5 second

protection algorithm

protection algorithm

Taravana

Edema

Resolution[:] 1°F / 1°C

Measuring field 23°F + 104°F

Precision: 3.6°F (2°C) / 10 min

Surf. Depth. Dive. Step time

(available during the dive)

change temp

Hydratation

Fresh/Salt

Yes

Yes

Yes

Yes

Yes

Yes

CR 2450 3V

4 years

Yes

Yes

Yes

Yes

Metric · Imperia

3

KS822001

up to 90 dives

off • 0 5 s • 1 s • 2 s

(available during the dive)

Yes

(-5°C +40°C)

3.1 oz · 87 g

2

γρς

NEPTO



Metric · Imperial

K5822001

Metric · Imperial

KS822001

Interface

n

KS822001

3

MICHELANGELO GIOTTO Case diameter 2 5/8 in · 67 mm 2 5/8 in · 67 mm 17/8 in · 47 mm 17/8 in · 47 mm Display diamete 11/16 in · 27 mm Case thicknes 11/16 in · 27 mm Weight 4.9 oz •140 g 4.8 oz • 135 g Buttons Backlit display γρς Yes Dive programs Air · Nitrox · Gage · Free Air · Nitrox · Gage Dive planner Yes Yes Max dive time 1,032 mir 255 mir 393 ft 393 ft Max depth 120 m 120 m No Average depth Yes 1 second 1 second Depth sampling rate Resolution Resolution 1°F / 1°C Measuring field: Measuring field: The -5°C / +40°C · 23°F / 104°F -5°C / +40°C · 23°F / 104°F **Precision:** 3.6°F (2°C) / 10 min change temp **Precision:** 3.6°F (2°C) / 10 min change temp Dual-mixture Cressi-Wienke RGBM Algorithm with Uncontrolled Ascent Protection Air Nitrox Cressi-Wienke RGBM Algorithm Visual and Auditory Yes Yes alarms Ascent alarm On / Off Permanent On / Off Deep stop On / Off 9 saturation half-times ranging from 9 saturation half-times ranging from Tissue saturatio 2.5 to 480 minutes 2.5 to 480 minutes CNS oxygen toxicity Yes Yes indicator/alarm PO2 parameters 1.2 BAR - 1.6 BAR 12 RAR - 16 RAR Mix1: 21% to 50% Mix1: 21% to 50% FO2 parameters Mix2: 21% to 99% Mix2: 21% to 99%" Stopwatch during Ves Resettable γρς . Gage mode Clock (during the dive) No Yes No-fly time Yes with countdown Yes Altitude divin 3-levels, until 3700 m · 12,140 ft 3-levels, until 3700 m · 12,140 ft Log Book 60 h / 50 dives 70 h / 60 dives Data acquisitio 5 second (Air/Nitrox/Gage), 20 second frequency 2 second (Free) Temperature logbook γρς No Full data reset Yes γρς Calendar Yes Yes Alarm clock Yes Yes Secondary time Yes No Yes No Chronograph CR 2430 3V CR 2430 3V Battery type Estimate battery life 3 years 3 years (50 dives / year) User replaceable battery Yes User replaceabl Yes Yes

Watchhand exte

Unit system

Interface

Yes

Metric Imperial

KS851000 🚺

No

Metric Imperial

KS771000

DIVE COMPUTER

I COMPARISON CHART





Metric · Imperia

0

KS822001

Unit system

Interface



DONATELLO



LEONARDO

DONATELLO	LEONARDO
2 5/8 in · 67 mm	2 5/8 in · 67 mm
17/8 in · 47 mm	17/8 in · 47 mm
1 1/16 in · 27 mm	1 1/16 in · 27 mm
4.8 oz · 135 g	4.8 oz · 135 g
1	1
Yes	Yes
Air · Nitrox · Gage · Free	Air · Nitrox · Gage
Yes	Yes
1,032 min	255 min
393 ft	393 ft
 120 m	120 m
 Yes	No
 1 second	1 second
Resolution:	Resolution:
1°F / 1°C Measuring field:	1°F / 1°C Measuring field:
-5°C / +40°C ⋅ 23°F / 104°F	-5°C / +40°C · 23°F / 104°F
Precision: $2 \in \mathbb{C} \setminus (10 \text{ min change tomp})$	Precision: $2.6\% (2\%) (10 \text{ min change terms})$
3.6°F (2°C) / 10 min change temp	3.6°F (2°C) / 10 min change temp
Dual-mixture Cressi-Wienke RGBM with Uncontrolled Ascent Protection Algorithm	Air Nitrox Cressi-Wienke RGBM
Yes	Yes
On / Off	Permanent
On / Off	On / Off
9 saturation half-times ranging from 2.5 to 480 minutes	9 saturation half-times ranging from 2.5 to 480 minutes
Yes	Yes
1.2 BAR - 1.6 BAR	1.2 BAR - 1.6 BAR
21% to 50%	21% to 50%
	21/6 to 50 /6
Yes, Resettable	No
Yes, Resettable	No
Yes, Resettable Yes	No
Yes, Resettable Yes Yes with countdown	No No Yes
Yes, Resettable Yes Yes with countdown 3-levels, until 3700 m · 12,140 ft	No No Yes 3-levels, until 3700 m · 12,140 ft
Yes, Resettable Yes Yes with countdown 3-levels, until 3700 m · 12,140 ft 60 h / 50 dives 5 second (Air/Nitrox/Gage).	No No Yes 3-levels, until 3700 m · 12,140 ft 70 h / 60 dives
Yes, Resettable Yes Yes with countdown 3-levels, until 3700 m · 12,140 ft 60 h / 50 dives 5 second (Air/Nitrox/Gage). 2 second (Free)	No No Yes 3-levels, until 3700 m · 12,140 ft 70 h / 60 dives 20 seconds
Yes, Resettable Yes Yes with countdown 3-levels, until 3700 m · 12,140 ft 60 h / 50 dives 5 second (Air/Nitrox/Gage), 2 second (Free) Yes	No No Yes 3-levels, until 3700 m · 12,140 ft 70 h / 60 dives 20 seconds No
Yes, Resettable Yes Yes with countdown 3-levels, until 3700 m · 12,140 ft 60 h / 50 dives 5 second (Air/Nitrox/Gage), 2 second (Free) Yes Yes	No No Yes 3-levels, until 3700 m · 12,140 ft 70 h / 60 dives 20 seconds No Yes
Yes, Resettable Yes Yes with countdown 3-levels, until 3700 m · 12,140 ft 60 h / 50 dives 5 second (Air/Nitrox/Gage), 2 second (Free) Yes Yes Yes	No No Yes 3-levels, until 3700 m · 12,140 ft 70 h / 60 dives 20 seconds No Yes Yes
Yes, Resettable Yes Yes with countdown 3-levels, until 3700 m · 12,140 ft 60 h / 50 dives 5 second (Air/Nitrox/Gage), 2 second (Free) Yes Yes Yes Yes	No No Yes 3-levels, until 3700 m · 12,140 ft 70 h / 60 dives 20 seconds No Yes Yes Yes Yes
Yes, Resettable Yes Yes with countdown 3-levels, until 3700 m · 12,140 ft 60 h / 50 dives 5 second (Air/Nitrox/Gage), 2 second (Free) Yes Yes Yes Yes Yes	No No Yes 3-levels, until 3700 m · 12,140 ft 70 h / 60 dives 20 seconds No Yes Yes Yes No No
Yes, Resettable Yes Yes with countdown 3-levels, until 3700 m · 12,140 ft 60 h / 50 dives 5 second (Air/Nitrox/Gage), 2 second (Free) Yes Yes Yes Yes Yes Yes Yes	No No Yes 3-levels, until 3700 m · 12,140 ft 70 h / 60 dives 20 seconds No Yes Yes Yes No No No No
Yes, Resettable Yes Yes with countdown 3-levels, until 3700 m · 12,140 ft 60 h / 50 dives 5 second (Air/Nitrox/Gage), 2 second (Free) Yes Yes Yes Yes Yes Yes Yes Yes	No No Yes 3-levels, until 3700 m · 12,140 ft 70 h / 60 dives 20 seconds No Yes Yes Yes Yes Yes No No No No No No CR 2430 3V
Yes, Resettable Yes Yes with countdown 3-levels, until 3700 m · 12,140 ft 60 h / 50 dives 5 second (Air/Nitrox/Gage), 2 second (Free) Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes	No No Yes 3-levels, until 3700 m · 12,140 ft 70 h / 60 dives 20 seconds No Yes Yes Yes No No CR 2430 3V 2 years
Yes, Resettable Yes Yes with countdown 3-levels, until 3700 m · 12,140 ft 60 h / 50 dives 5 second (Air/Nitrox/Gage). 2 second (Free) Yes Yes Yes Yes Yes Yes CR 2430 3V 3 years	No No Yes 3-levels, until 3700 m · 12,140 ft 70 h / 60 dives 20 seconds No Yes No No Yes Yes
Yes, Resettable Yes Yes with countdown 3-levels, until 3700 m · 12,140 ft 60 h / 50 dives 5 second (Air/Nitrox/Gage), 2 second (Free) Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes	No No Yes 3-levels, until 3700 m · 12,140 ft 70 h / 60 dives 20 seconds No Yes
Yes, Resettable Yes Yes with countdown 3-levels, until 3700 m · 12,140 ft 60 h / 50 dives 5 second (Air/Nitrox/Gage), 2 2 second (Free) Yes Yes Yes Yes Yes Yes Yes CR 2430 3V 3 years Yes Yes Yes	No No Yes 3-levels, until 3700 m · 12,140 ft 70 h / 60 dives 20 seconds No Yes No Yes No Yes No CR 2430 3V 2 years Yes No So No No So Yes No So Yes No No So Yes

SCUBA / INTERFACES

| BLUETOOTH / USB



USB CABLE INCLUDED

CODE

External docking station to send data to your smartphone – compatible with Android (from OS version 7.0 onwards) and iOS (from OS version 10 onwards) – or to transfer data on PC (from Windows 7 onwards) and Mac (from Yosemite onwards) through USB connection.

DIVE-WATCH COMPUTER



GOA - NEON - CARTESIO - NEPTO KS822001

KS822001 BT INTERFACE for DIVE-WATCH COMPUTER KS851000 BT INTERFACE for DONATELLO/MICHELANGELO

PRODUCT



INTERFACE SOFTWARE

The docking station is equipped with a CR 2032 battery included and replaceable by the user, which allows not to consume the internal battery of the dive computer. The specific App is available on the Google Play Store and Apple App Store.

BIG-DISPLAY COMPUTER



DONATELLO - MICHELANGELO KS851000



Download Cressi app and explore your dives on your smartphone 🗉 🛑

10





Bluetooth HADE IN ITALY



MICHELANGELO DONATELLO **Dive-watch computer**









USB INTERFACE

| LEONARDO - GIOTTO

Divers have the opportunity to fully manage the data and functions of their Leonardo or Giotto computer with this Cressi Interface. It's easy to connect both wrist and console mounted units, which simply sit on top of the USB-powered docking station. With the Interface, the user can download the dive records and view all the data of the dive sessions including time, depth, and distance.



Interface Software and User manual available in the Download area of cressi.com

CODE	PRODUCT	CASE PACK
KS771000	INTERFACE for LEONARDO/GIOTTO	10





TECHNICAL FEATURES

- Interface works with both wrist and console units
- Connects through any USB port. · Upload dive data and manage computer functions
- Green indicator light confirms when positive connection established.
- PC interface software compatible with both Windows and Mac operating systems.

INTERFACE COMPATILBILTY		
Windows OS	From Windows XP onwards	
Mac OS	From 10.8 to 10.15 (Catalina). Not avai- lable for Big Sur or more recent operating systems.	
Connection	USB CABLE	

Computer watches



LEONARDO

GIOTTO





USB CABLE INCLUDED




AUTOMATIC ACTIVATION WITH CONNECTION TO THE TANK PRESSURE GAUGE




This very precise console is easy to use even in the most difficult conditions.





CODE	PRODUCT	STYLE	CASE PACK
KC790010	Yellow	BAR	35
KC790110	Yellow	PSI	35






GAUGES

DIGITAL

>

SCUBA



- Autonomy up to 1000 hours
 in immersion

SELF-DIAGNOSIS FOR BATTERY CHANGE (PATENTED)



SEAL TEST PASSED

SEAL TEST RESULT

SEAL TEST FAILED





CRESSI

AUTOMATIC ACTIVATION PRESSURE GAUGE WITH CONNECTION + DEPTH GAUGE TO THE TANK









SELF-DIAGNOSIS FOR BATTERY CHANGE (PATENTED)

PROTECTIVE SMART COVER INCLUDED



SPARE PARTS

PACKAGING

CODE	PRODUCT
KZ790001	SMART COVER for DIGI2
KZ790002	REVOLVING RING DOUBLE for DIGI2
KZ790003	BATTERY KIT for DIGI2 (CR2450 3V)
KZ790020	DIGI2 COVER - BLUE
KZ790030	DIGI2 COVER - WHITE
KZ790040	DIGI2 COVER - PINK
KZ790050	DIGI2 COVER - GREY
KZ790055	DIGI2 COVER - BLACK
KZ790058	DIGI2 COVER - RED

ഗ

KC800050 Grey KC800055 Black

Red

Blue

White

Pink

ASE PACK

35

35

35

35

35

35

CODE

JKC800058

KC800020

KC800030

KC800040



CRESSI

CODE

CONSOLE CPD3

| COMPASS + PRESSURE GAUGE + DEPTH GAUGE

Two connection loops, one on each side, for attaching a clip or bungee.

STYLE CASE PACK PRODUCT

KC764455 CONSOLE CPD3 (IMPERIAL) Imperial NEW KC764480 CONSOLE CPD3 (GLOBAL FLUO) Global Fluo 4



TECHNICAL FEATURES Compass with rotating bezel for easy navigation Pressure gauge dial is colorcoded in red, green and blue for instant readability Reads pressures to 350 BAR or 5000 <u>Þ</u>SI Mini-depth gauge reads to 70

- meters · 230 feet Maximum depth indicator
- Compact rubber boot is textured
- for a sure grip **Total weight:** 420 g · 14.8 oz



| COMPASS + PRESSURE GAUGE

Compact and built to last, this console combines a Mini SPG and a compass. The textured boot is easy to handle, even while wearing gloves, and can be rigged with a clip or bungee and secured to the diver's BC for a streamlined profile in the water.



STYLE CASE PACK CODE PRODUCT NEW KC764380 CONSOLE CP2 (GLOBAL FLUO) Global Fluo KC765350 CONSOLE CP2 (IMPERIAL) Imperial 4



Compact and built to last, this two-gauge console combines a Mini SPG and depth gauge. The textured boot is easy to handle, even while wearing gloves, and can be rigged with a clip or bungee and secured to the diver's BC for a streamlined profile in the water.




CODE	PRODUCT	STYLE	CASE PACK
KC764650	CONSOLE PD2 (IMPERIAL)	Imperial	4
NEW KC764680	CONSOLE PD2 (GLOBAL FLUO)	Global Fluo	4

SPARE PARTS

CODE	PRODUCT
KS764109	COMPASS MODULE ONLY
KZ760601	DEPTH GAUGE MODULE (GLOBAL FLUO)
KZ764961	PRESSURE GAUGE MODULE (GLOBAL FLUO) (w/ HOSE w/o BOOT)
KZ760505	DEPTH GAUGE MODULE (IMPERIAL)
KZ801010	PRESSURE GAUGE MODULE (PSI) (w/ HOSE w/o BOOT)







- Compass with rotating bezel for
- easy navigation Pressure gauge dial is color-
- coded in red, green and blue for
- instant readability Reads pressures to 350 BAR or
- 5000 PSI
- Both instruments built with
- chrome-plated brass case for maximum durablity
- Compact rubber boot is textured for a sure grip
- Two connection loops, one on each side, for attaching a clip or
- bungee Weight of console: 420 g · 14.8 oz

350 BAR ·	ROTATING
5000 PSI	BEZEL
PRESSURE	COMPASS
READINGS	

TECHNICAL FEATURES

- · Compass with rotating bezel for
- easy navigation Pressure gauge dial is color-
- coded in red, green and blue for instant readability
- Reads pressures to 350 BAR or
- 5000 <u>P</u>SI Both instruments built with
- chrome-plated brass case for
- maximum durablity Compact rubber boot is textured
- for a sure grip
- Two connection loops, one on each side, for attaching a clip
- or bungee Weight of console: 420 g · 14.8 oz

350 BAR · 5000 PSI PRESSURE READINGS	70 M · 230 FT DEPTH GAUGE
---	---------------------------------

MINICONSOLE 2 I IMPERIAL

I GLOBAL FLUO



streamlined profile in the water.

CODE	PRODUCT	STYLE	CASE PACK
KC765250	MINICONSOLE 2 (IMPERIAL)	Imperial	4
KC766255	MINICONSOLE 2 (GLOBAL FLUO)	Global Fluo	4
SPARE PART	rs		
CODE	PRODUCT		

KZ760601	DEPTH GAUGE MODULE (GLOBAL FLUO)
KZ764961	PRESSURE GAUGE MODULE (GLOBAL FLUO) (w/ HOSE w/o BOOT)
KZ760505	DEPTH GAUGE MODULE (IMPERIAL)
KZ801010	PRESSURE GAUGE MODULE (PSI) (w/ HOSE w/o BOOT)

MINI SPG I PRESSURE GAUGE

I GLOBAL FLUO





CODE	PRODUCT	STYLE	CASE PACK
KK760400	MINI SPG w/ RUBBER HOUSING (PSI)	Imperial	4
KK760510	MINI SPG w/ RUBBER HOUSING (GLOBAL FLUO)	Global Fluo	4

SPARE PARTS

PRODUCT KZ764961 PRESSURE GAUGE MODULE (GLOBAL FLUO) (w/ HOSE w/o BOOT) KZ801010 PRESSURE GAUGE MODULE (PSI) [w/ HOSE w/o BOOT]

COMPASS



WITH STRAP AND HOSE MOUNT

CODE	PRODUCT	CASE PACK
KB760100	COMPASS w/ STRAP AND HOSE MOUNT	10
KS764109	COMPASS MODULE ONLY	5





Compact and built to last, this two-gauge console combines a Mini SPG and depth gauge. The textured boot is easy to handle, even while wearing gloves, and can be rigged with a clip or bungee and secured to the diver's BC for a

TECHNICAL FEATURES

- Pressure gauge dial is color-coded in red, green and blue for instant readability.
- Reads pressures to 350 BAR or 5000 PSI.
- Mini-depth gauge reads to 70 meters · 230 feet
- Maximum depth indicator.
- Luminescent face on the depth gauge. Depth indications spaced out
- in first 12 meters 40 feet for precise readings during safety stops.
- Both instruments built with chrome-plated brass case for maximum durablity.
- Compact rubber boot is textured for a sure grip.
- Two connection loops, one on each side, for attaching a clip or bungee
- Weight of console: 420 g · 14.8 oz (includes hose).

350 BAR · 5000 PSI PRESSURE READINGS

TECHNICAL FEATURES

- Gauge dial is color-coded in red, green and blue for instant readability.
- Reads pressures to 350 BAR or 5000 PSI.
- Rugged mini-gauge has a chrome-plated brass case.
- Compact rubber boot is textured for a sure grip.
- Connection loop up-top is perfect for attaching a clip or bungee.

NORTHERN AND SOUTHERN HEMISPHERES COMPATIBILITY

ROTATING BEZEL

source, or something vividly colorful. A CFL light bulb that works through radiation is an example of a fluorescent light

TECHNICAL FEATURES

- Top and side reading
- Luminescent gauge face
- Highly accurate
- With strap and bcd holder





MODULE

Fluorescent is defined as emitting light due to absorbing radiation from an external ACCESSORIES

COMPUTER

DIVE

1

SCUBA

PLASTIC SCREEN PROTECTOR



CODE PRODUCT KZ740098 GIOTTO

KZ770098 LEONARDO KZ850098 DONATELLO/MICHELANGELO

DESCRIPTION:

The screen protector eliminates almost completely the effects of abrasion and shocks while making for perfect visibility.

COMPUTER BATTERY KIT



BATTERY KIT

 CODE
 PRODUCT

 KZ770094
 BATTERY KIT for BIG SCREEN COMPUTER

KZ901001 O-RING + CAP for BIG SCREEN COMPUTER

DESCRIPTION

Replacement spare part kits for big screen dive computers

WATCHBAND / CONSOLE SCREWS



 CODE
 PRODUCT

 KZ760525
 SCREWS w/ NUT (2 pcs) for BIG-DISPLAY DIVE COMPUTER

DESCRIPTION: Stainless steel screw + nut for big screen dive computers

COMPATIBILITY: • Giotto computer • Leonardo computer • Donatello computer • Michelangelo computer • Console computer

O - RING + CAP

ELITE PROTECTIVE CASE

SPARE PARTS CATALOGUE AVAILABLE



 CODE
 PRODUCT

 KZ700000
 ELITE PROTECTIVE CASE for DIVE COMPUTER

 UB940050
 GENIUS DIVE CONSOLE BAG

BIG-SCREEN DIVE COMPUTER WATCHBAND

PRODUCT



KZ740050	WATCHBAND - BLACK/GREY for GIOTTO
KZ740052	WATCHBAND - BLACK/BLUE for GIOTTO
KZ740055	WATCHBAND - BLACK for GIOTTO/DONATELLO/MI- CHELANGELO
KZ740058	WATCHBAND - BLACK/RED for GIOTTO
KZ740150	WATCHBAND - BLACK/WHITE for GIOTTO
KZ770020	WATCHBAND - BLACK/BLUE for LEONARDO
KZ770040	WATCHBAND - BLACK/PINK for LEONARDO
KZ770050	WATCHBAND - BLACK/GREY for LEONARDO
KZ770051	WATCHBAND - BLACK/YEL- LOW for LEONARDO
KZ770150	WATCHBAND - BLACK/WHITE for LEONARDO
KZ850097	WATCHBAND - BLACK for



MAGNIFYNG EFFECT +15% LARGER DISPLAY NUMBERS

SILICONE SCREEN PROTECTOR



CODE PRODUCT

KS890000 SILICONE SCREEN PROTEC-TOR for DIVE WATCH

DESCRIPTION:

The screen protector eliminates almost completely the effects of abrasion and shocks on both the display and the sides of the bezel, while making for perfect visibility. Thanks to this protection, the dive computer retains its pleasing, undamaged appearance even after prolonged, intensive underwater use.

COMPATIBILITY: Cartesio, Neon, Goa, Nepto, King

COMPUTER BATTERY KIT





BATTERY KIT

O - RING + SCREWS

 CODE
 PRODUCT

 BATTERY KIT (CR2450 +
 0-RING) for WATCH-STYLE

 KZ901000
 O-RING + SCREWS for WATCH-STYLE COMPUTER

DESCRIPTION: Replacement spare part kits for computer watches

COMPATIBILITY: Cartesio, Neon, Goa Nepto, King

WATCHBAND SCREWS



CODE PRODUCT SCREWS W/ NUT (1 pair) for WATCH-STYLE DIVE COM-PUTER WATCHBAND

DESCRIPTION: Stainless steel screws for watch-style dive computer watchbands. Sold by pair.

COMPATIBILITY: Cartesio, Neon, Goa, Nepto, King COMPUTER ACCESSORIES

DIVE

1

CUBA

ഗ



ADDITIONAL LENGTH +4 INCH / 10 CM



CODE PRODUCT

KZ810000 STRAP EXTENDER for DIVE-WATCH COMPUTER - BLACK/BLACK

DESCRIPTION:

Designed to wear the dive watch computer over a thick wetsuit. Made with the same high-quality rubber and corrosion-resistant materials

as the original straps. Easily clasps on the buckle end of the computer's strap increasing its length. **COMPATIBILITY:** Cartesio, Neon, Goa, Nepto, King

WATCH-STYLE Dive computer Watchband



WATCH SPARE PARTS

CODE	PRODUCT
KZ764700	WATCHSTRAP - BLACK for MANTA
KZ764755	WATCHSTRAP - BLACK/BLACK for MANTA
KZ764788	WATCHSTRAP - RED for MANTA
KZ764820	WATCHSTRAP - BLUE for NEREUS
KZ764855	WATCHSTRAP - BLACK/BLACK for NEREUS
XKZ000001	MANTA BATTERY KIT w/O-RING (RENATA 371 - 36.0 x Ø 0.8 mm)
XKZ000003	NEREUS BATTERY KIT w/O-RING (SONY SR621SW - 37.5 x Ø 1.0 mm)

B	D
X !)	

NEW	
NEW	
NEW	

CONSOLE SPARE PARTS

DIGI2 SMART COVER

DIGI2 COVERS





DESCRIPTION: Smart display cover for DIGI2 console. SUITABLE FOR: DIGI2 Console





CODE	PRODUCT
KZ790020	DIGI2 COVER - BLUE
KZ790030	DIGI2 COVER - WHITE
KZ790040	DIGI2 COVER - PINK
KZ790050	DIGI2 COVER - GREY
KZ790055	DIGI2 COVER - BLACK
KZ790058	DIGI2 COVER - RED

BATTERY KIT



CODE KZ790003

DESCRIPTION: Replacement battery CR2450 + O-Ring and rear cap kit. SUITABLE FOR: DIGI2 Console DIGI Console



CODE STYLE KZ764961 GLOBAL FLUO KZ801010 GLOBAL FLUO

DESCRIPTION: Mini SPG + hose without rubber boot.

PRESSURE GAUGE MODULE W/O HOSE



SPARE PARTS CATALOGUE AVAILABLE

CODE STYLE KZ760600 GLOBAL FLUO

KZ760400 IMPERIAL DESCRIPTION: Mini SPG module without boot and hose.

HP HOSE Swivel with O-Rings



CODE KZ760501 KZ760503


DESCRIPTION: HP hose for pressure gauge, length: 81 cm / 32 inch. Swivel replacement with o-ring for High Pressure hoses.

BOOT FOR CPD3



	CODE	PRODUCT
	KZ764920	PART A
	KZ770190	PART B
	KZ764930	PART C
	KZ764921	COMPLETE

BOOT FOR PD2



PRODUCT KZ764900 PART A KZ764910 PART B KZ764911 COMPLETE



MINICONSOLE 2



DEPTH GAUGE MODULE



CODE PRODUCT KZ760601 GLOBAL FLUO

KZ760505IMPERIAL

DESCRIPTION: Mini-depth gauge module for console SUITABLE FOR: PD2 Console CPD3 Console Computer Console 2

COMPASS MODULE



CODE KS764109

DESCRIPTION: Spare compass module for console. SUITABLE FOR: CP2 Console CPD3 Console Computer Console 3













BOOT FOR CP2



CODE	PRODUCT
KZ764900	PART A
KZ764910	PART B
KZ764916	COMPLETE





MINI SPG



REGULATORS

SCUBA /

STAINLESS STEEL CERTIFIED 2ND STAGE COVER EN 250/20 REGULATOR CERTIFIED EN 250/2014 FOR COLD WATERS EN 250/2014 FOR COLD WATERS

1st Stage 2™ STAGE T10-SC CROMO GALAXY-R

TOTAL WEIGHT

T10-SC/GALAXY-R INT HOSE INCLUDED: 1.055 g | 2 lb 5 oz T10-SC/GALAXY-R DIN HOSE INCLUDED: 937 g | 2 lb 1 oz



Very high-performance regulator, engineered in Italy with the best technology available. Ideal for seasoned or professional divers who need extremely high performing equipment that is both simple and resistant, without any of

the usual accessories that may get damaged. The T10-SC features a watertight chamber designed for cold water use. Chrome finishing. The Galaxy-R features the adjustable inhalation effort knob on the left side.

CODE	PRODUCT	STYLE	CASE PACK
HX890000	T10-SC CROMO/GALAXY ADJ (INT)	INT	1
HX890100	T10-SC CROMO/GALAXY ADJ (DIN)	DIN	1





ATELIER MADE IN ITALY

TECHNICAL FEATURES

Operating pressure: INT version: 230 BAR | 3,336 PSI DIN Version: 300 BAR | 4,351 PSI Calibration pressure: 10 BAR |

High-capacity conical filter in chemically nickel-plated spherical

Removable nozzle in AISI 316 steel Hyperbalancing system Anti-pressure drop pneumatic spring Stainless steel calibration spring with micropeening treatment • Low-friction technopolymer slider

Quantity of air supplied: 4500 l/

TECHNICAL FEATURES 1ST STAGE

 Air deuvery system without injector
 Adjuster knob coated with dual OR
 Internal heat exchanger
 Cap opening with Cam-lock Noise-absorbing technopolymer

COMBINATION PERFORMANCE Average Cracking effort 3.5 mBAR

Average breathing effort 0.6 J/L

Removable technopolymer

Pneumatically balanced Adjustable Venturi Adjustable inhalation effort Patented elliptical diaphragm Patented low-friction lever
Air delivery system without

min | 159 cu ft/min

Hyperbalanced diaphragm
2 HP 7/16 UNF ports
4 MP 3/8 UNF ports

146 PSI

bronze

shaft

body


deflector Removable mechanics

| 1.41 inwc

JACKETED HOSE Extremely light and flexible **weight:** 153 g | 5.4 oz

CERTIFICATION FN250/2014 for cold water

ELITE CASE INCLUDED



SPARE PARTS

*

CODE	PRODUCT
HZ800045	MAINTENANCE KIT for T10/T10-SC INT/DIN
HZ820080	MAINTENANCE KIT for MASTER/GALAXY/ELLIPSE BALANCED
HZ830035	DIN ASSEMBLY for T10/T10-SC

COLD WATERS Certified product

Certification EN250/2014 for cold water


environmentally sealed, protecting it against icing

in cold water and against contamination from

The T10-SEAL CHAMBER 1ST stage is

particulate matter in silty conditions.

25	
15	
5 bar 5	
15	
25	



H PERFORMANCE

1st Stage

TOTAL WEIGHT

1

SCUBA

REGULATOR CERTIFIED EN 250/2014 FOR COLD WATERS

T10-SC CROMO GALAXY

T10 SC CROMO/GALAXY INT HOSE INCLUDED: 1.055 g | 2 lb 5 0z

T10 SC CROMO/GALAXY DIN HOSE INCLUDED: 937 g | 2 lb 1 oz



2[™] Stage

0

DIN

TECHNICAL FEATURES 1ST STAGE

- Hyperbalanced diaphragm (Watertight chamber on T10-SC)
 2 HP 7/16 UNF ports
- 4 MP 3/8 UNF ports
- Operating pressure: INT version: 230 BAR | 3,336 PSI DIN version: 300 BAR | 4,351 PSI Calibration pressure: 10 BAR | 146 PSI
- High-capacity conical filter in chemically nickel-plated spherical bronze
- Removable nozzle in AISI 316 steel
- Hyperbalancing system Anti-pressure drop pneumatic
- spring
- Stainless steel calibration spring
- stantess steet cationation spring with micropeening treatment
 Low-friction technopolymer slider
- shaft Quantity of air supplied: 4500 l/
- min | 159 cu ft/min

TECHNICAL FEATURES 2ST STAGE

- Pneumatically balanced
- Adjustable Venturi
 Adjustable inhalation effort
- Patented elliptical diaphragm
- Patented low-friction lever
- Air delivery system without injector
- Ádjuster knob coated with dual OR
- Internal heat exchanger Cap opening with Cam-lock
- Noise-absorbing technopolymer
- body Removable technopolymer
- deflector Removable mechanics
- COMBINATION PERFORMANCE
- Average Cracking effort 3.5 mBAR | 1.41 inwc
- Average breathing effort 0.6 J/L
- JACKETED HOSE
- Extremely light and flexible weight: 153 g | 5.4 oz
- CERTIFICATION
- EN250/2014 for cold water

Very high-performance regulator, engineered in Italy with the best technology available. Ideal for seasoned or professional divers who need extremely high performing equipment that is

INT

both simple and resistant, without any of the usual accessories that may get damaged. The T10-SC features a watertight chamber designed for cold water use. Chrome finishing.

0

æ

<u>2255</u>

GALAXY

CODE	PRODUCT	STYLE	CASE PACK
HX845000	T1D-SC CROMO / GALAXY (INT)	INT	1
HX845100	T1D-SC CROMO / GALAXY (DIN)	DIN	1





SPARE PARTS

*

CODE	PRODUCT
HZ800045	MAINTENANCE KIT for T10/T10-SC INT/DIN
HZ820080	MAINTENANCE KIT for MASTER/GALAXY/ELLIPSE BALANCED
HZ830035	DIN ASSEMBLY for T10/T10-SC

COLD WATERS Certified product

Certification EN250/2014 for cold water

environmentally sealed, protecting it against icing


in cold water and against contamination from

The T10-SEAL CHAMBER 1ST stage is

particulate matter in silty conditions.

25			 	 -	 -
15			 	 -	 _
5 Ibar 5	-6	/	 ~	~	
15			 	 -	 _
25			 	 -	 _





REGULATOR

-

SCUBA

TREATMENT

TITANIUM 2ND STAGE COVER HIGH PERFORMANCE CERTIFIED EN 250/2014 FOR COLD WATERS REGULATOR





Performance, ergonomic reliability, and ease of maintenance make this regulator a product for true diving professionals. Instructors, guides, dive operators, and researchers will find the answer they need in the Master. The first stage stands out from the range of Cressi balanced diaphragm regulators because the mechanism is arranged on an axis perpendicular to the axis of air entry, creating a "T" shape. The advantages of this particular design include

CODE	PRODUCT	STYLE	CASE PACK
HX830000	T10-SC PVD / MASTER (INT)	INT	1
HX830100	T10-SC PVD / MASTER (DIN 300)	DIN	1

SPARE PARTS

HZ800045 MAINTENANCE KIT for T10/T10-SC INT/DIN HZ820080 MAINTENANCE KIT for MASTER/GALAXY/ELLIPSE BALANCED HZ830035 DIN ASSEMBLY for T10/T10-SC



Certification EN250/2014 for cold water The T10-SEAL CHAMBER 1ST stage is environmentally sealed, protecting i against icing in cold water and **again** contamination from particulate ma in silty conditions



FRIENDLY PROCESS THAT PROVIDES BRILLIANT AND DURABLE DECORATIVE FINISHES. BENEFITS: PVD OFFERS TOP-NOTCH EINISHES THAT PROVIDE A SUPERIOR LOOK TO THE MATERIAL. PVD IS UV RESISTANT AND CHEMICAL RESISTANT.



TECHNICAL FEATURES **1ST STAGE**

- Hyperbalanced diaphragm (Watertight chamber on T10-SC)
- 2 7/16" HP ports UNF 4 3/8" LP ports UNF
- Operating pressure: INT version: 230 BAR | 3,336 PSI DIN version: 300 BAR | 4,351 PSI
- Calibration pressure: 10 BAR | 146 PSI
- Body coated with PVD process High-capacity conical filter in chemically nickel-plated
- spherical bronze Removable nozzle in AISI 316 steel
- Hyperbalancing system
- Anti-pressure drop pneumatic
- spring Stainless steel calibration spring
- with micropeening treatment Low-friction technopolymer
- slider shaft
- Quantity of air supplied: 4,500 l/ min 159 cu ft/min

TECHNICAL FEATURES 2ST STAGE

- Adjustable pneumatical balanced
- Adjustable Venturi Adjustable inhalation effort
- Patented elliptical diaphragm
- Patented low-friction lever Air delivery system without
- iniector
- Adjuster knob coated with PVD process with dual OR Laser-etched titanium front piece Internal heat exchanger
- Cap opening with Cam-lock
- Noise-absorbing technopolymer body
- Removable technopolymer deflector
- Removable mechanics
- COMBINATION PERFORMANCE Average Cracking effort: 1.41 inwc 135 mBAR
- Average breathing effort 0.6 J/L
- JACKETED HOSE
- CERTIFICATION
- EN250/2014 for cold water



0 1 2 3 4 5 6 7 8 9 10

Certification in accordance with EN250 standard



ELITE CASE INCLUDED





E	0	
 N ТЕСН		

The T10-SEAL CHAMBER 1ST stage is environmentally sealed, protecting i against icing in cold water and agains contamination from particulate matt in silty conditions

	RESU EXHA				
	25		 		_
	15	1	 		-
.E	5 mbar	6	~	~	




CODE PRODUCT

CODE PRODUCT

SPARE PARTS







, [,]	
bar	
5	
15	
25	



- EXHALE PRESSURE AND EXT WORK OF BREATHING ----- EXHALE Perf. over 50 mt 🖊 Perf up to 50 mt //
 - Lightness / Fasiness of breathing III LITRE Cold water perf. T10-SC 111

better arrangement of the hoses and less space

water). What's more, this makes it remarkably

easy to inspect and access the mechanism to

improve maintenance and calibration operations.

It features a larger, high-efficiency conical filter,


and the valves are arranged more easily on the

tank. The Master second stage is installed with

the exceptional and proven Cressi balanced

valve to ensure minimum inhalation effort.

occupied (especially in SC versions for cold



RESULTS' INHALE PRESSURE

25

----- INHAI F

Extremely light and flexible **weight:** 5.4 oz / 153 g





HIGH PERFORMANCE | STAINLESS STEEL

2ND STAGE COVER

INT VERSION HOSE INCLUDED: 1.080 g | 2 lb 6 oz

DIN VERSION HOSE INCLUDED: 962 g | 2 lb 2 oz

REGULATOR

1st STAGE

TOTAL WEIGHT

CERTIFIED

EN 250/2014 FOR COLD WATERS

2[™]STAGE



STYLE CASE PACK



HX840000 T1D-SC CROMO / MASTER CROMO (INT) INT HX840100 T10-SC CROMO / MASTER CROMO (DIN) DIN



DIN





CRESSI

T10-SC CROMO MASTER CROMO





TECHNICAL FEATURES **1ST STAGE**

- Hyperbalanced diaphragm (Watertight chamber on T10-SC) 2 7/16" HP ports UNF - 4 3/8" LP
- ports UNF Operating pressure: INT version: 230 BAR | 3,336 PSI DIN version: 300 BAR | 4,351 PSI Calibration pressure: 10 BAR | 146 PSI
- High-capacity conical filter in chemically nickel-plated spherical hronze
- Removable nozzle in AISI 316 steel
- Hyperbalancing system Anti-pressure drop pneumatic spring
- Stainless steel calibration spring
- with micropeening treatment Low-friction technopolymer slider shaft
- Quantity of air supplied: 4,500 l/ min 159 cu ft/min

TECHNICAL FEATURES 2ST STAGE

- Pneumatically balanced
- Adjustable Venturi
- Adjustable inhalation effort
- Patented elliptical diaphragm Patented low-friction lever
- Air delivery system without
- injector Adjuster knob coated with PVD process with dual OR Internal heat exchanger
- Cap opening with Cam-lock Noise-absorbing technopolymer body
- Removable technopolymer deflector
- Removable mechanics
- COMBINATION PERFORMANCE
- Average Cracking effort: 1.41 inwc | 3.5 mBAR
- Average breathing effort: 0.6 J/l JACKETED HOSE
- Extremely light and flexible Weight: 5.4 oz / 153 g
- CERTIFICATION
- EN250/2014 for cold water



PROTECTIVE HARD CASE

ESSURE. ND EXT WORK OF BREATHING

----- FXHAI F LITRE ----- INHALE

////// Easiness of breathing Cold water perf. T10-SC 0 1 2 3 4 5 6 7 8 9 10

Certification in accordance with EN250 standard

CRESSI 3RD GENERATION FIRST STAGE CERTIFIED FIRST STAGE ADJUSTABLE PISTON EN 250/2014 FOR COLD WATERS

INT VERSION HOSE INCLUDED: 1123 g | 2 lb 14 oz



The AC25 is the third generation of Cressi's IP adjustable balanced piston first stage. It features 2 high-pressure ports and 5 low-pressure ports. 4 low-pressure ports are located on a rotating turret that ensures that regulator and instrument connections are always in the right position. The fifth port is a co-axial Hi-Flow port and is located at the top of the turret. The rotating turret swivels on 360° axis and features 5 low-pressure ports designed to allow the use of more connections without interfering between them. It features the external direct

IP adjustment system that can be set using a simple Allen key. The hi-flow conic shape filter is the same for INT and DIN. The spring and the spring bush are coated preventing rust. Its technologically advanced design delivers consistent intermediate pressure and high performance even with low tank pressures. The AC25m features a matte finish, in gun metalcoated brass. It is combined with the Master Cromo, the pneumatic balanced 2nd stage that features an elliptical shape and a lateral knob for Venturi adjustment.

CODE	PRODUCT	STYLE	CASE PA
HX900000	AC25m / MASTER CROMO (INT)	INT	1







SPARE PARTS

HZ850017 MAINTENANCE KIT for AC25m/AC25g HZ820080 MAINTENANCE KIT for MASTER/GALAXY/ELLIPSE BALANCED HZ850018 COMPLETE DIN CONNECTION for AC25m

TECHNICAL FEATURES 1ST STAGE

3rd generation Cressi's IP adjustable balanced piston

 SPECIALIZED Retailer Product
 MADE IN ITALY

- first stage
- 2x 7/16" HP ports UNF
 5x 3/8" LP ports UNF, 1 port on turret top
- Operating pressure: INT version: 230 BAR | 3,336 PSI DIN version: 300 BAR | 4,351 PSI
- Calibration pressure: 9.8-10 BAR | 142-146 PSI
- 360° revolving head
- Realized in brass-coated, with
- a matte finish The sintered conical filter protects
- from any impurity Flow rate: 4,500 l/min | 159 cu

TECHNICAL FEATURES 2ST STAGE

- Pneumatically balanced
 Adjustable Venturi
- Adjustable inhalation effort
- Patented elliptical diaphragm Patented low-friction lever
- Air delivery system without
- injector Adjuster knob coated with PVD process with dual OR Laser-etched
- Internal heat exchanger Cap opening with Cam-lock Noise-absorbing technopolymer
- body
- Removable technopolymer deflector
- Removable mechanics
- COMBINATION PERFORMANCE
- Average breathing effort 0.78 J/l CERTIFICATION
- EN250/2014 >10°C | 50 F




ELITE CASE INCLUDED









REGULATORS

1

SCUBA

HIGH PERFORMANCE CERTIFIED REGULATOR

EN 250/2014 FOR COLD WATERS

2‴STAGE 1st Stage **COMPACT PRO** MC9-SC

INT VERSION HOSE INCLUDED:	946 g 2 lb 1 oz
DIN VERSION HOSE INCLUDED:	803 g 1 lb 2 oz



In order to achieve extremely high performance in low temperature environments, the second stage in particular was designed with the special Thermoconductive Thermoplastic Neopolymer that has the capacity to transfer heat like a metal while preserving the design flexibility, chemical resistance, and physical

CODE	PRODUCT	STYLE	CASE PACK
HX782000	MC9-SC / COMPACT PRO (INT)	INT	1
HX782100	MC9-SC / COMPACT PRO (DIN)	DIN	1



thermoplastic.

the tests for use in cold water with flying colors.



- Hyperbalanced diagraph (seal chamber for MC9-5C)
 2 7/16" HP ports UNF
 4 3/8" LP ports UNF

COLD WATERS CERTIFIED PRODUCT

- Operating pressure: INT version: 230 BAR | 3,336 PSI
- Calibration pressure: 9.8-10 BAR | 142-146 PSI
- Brass body Electroless Nickel plated
- High capacity conical filter electroless nickel plated
- Body protection in polyurethane
- thermoplastic Aisi 316 removable nozzle
- Hyper-balancing Anti-pressure drop pneumatic
- spring Setting spring: stainless steel with
- micropeening treatment
- Replaceable cylinder with anti-friction and anti-corrosion
- properties Elastomer protector
- Flow rate: 4,500 l/min | 159 cu ft/min

TECHNICAL FEATURES 2ST STAGE

- Downstream system
- Adjustable Venturi effect Patented antifriction lever
- Thermoconductive technopolymer
- body
- Big purge button Anti-scratch surface
- Bayonet-type cap holder with
- security lock
- Stainless steel cover Removable exhaust tee without
- tools
- COMBINATION PERFORMANCE Average Cracking effort: 6.0 mBAR
- 1 2 41 inwc
- Average breathing effort 1.1 J/L
- JACKETED HOSE
- Extremely light and flexible Weight: 153 g | 5.4 oz





SPARE PARTS

*

PRODUCT
MAINTENANCE KIT for MC9/MC9-SC/MC5 INT/DIN
MAINTENANCE KIT for COMPACT/COMPACT PRO
PURGE BUTTON (BLACK) for COMPACT PRO

RESULTS: INHALE PRESSURE, EXHALE PRESSURE AND EXT WORK OF BREATHING 25 L ------ EXHALF **COLD WATERS** Certified product Certification EN250/2014 for cold

vater
he T10-SEAL CHAMBER 1ST stage is
nvironmentally sealed, protecting it
gainst icing in cold water and against
ontamination from particulate matter
n silty conditions.

15	
5 bar 5	LITRE
15	
25	INHALE

and mechanical properties of a conventional This makes it possible to drastically reduce the weight while delivering heat conductivity on a par with metal cases. Thanks to this material and a specially conceived purge valve, it passes all









Perf. over 50 mt Perf. up to 50 mt //// Lightness Cold water perf. T10-SC 0 1 2 3 4 5 6 7 8 9 10

Certification in accordance with EN250 standard

In

REGULATOR

-

SCUBA

CRESSI 3RD GENERATION FIRST STAGE CERTIFIED



TOTAL WEIGHT

FIRST STAGE

INT VERSION HOSE INCLUDED: 1193 g | 1 lb 10 oz




The AC25 is the third generation of Cressi's IP adjustable balanced piston first stage. It features 2 high-pressure ports and 5 low-pressure ports. 4 low-pressure ports are located on a rotating turret that ensures that regulator and instrument connections are always in the right position. The fifth port is a co-axial Hi-Flow port and is located at the top of the turret. The rotating turret swivels on 360° axis and features 5 low-pressure ports designed to allow the use of more connections without interfering between them. It features the external direct

IP adjustment system that can be set using a simple Allen key. The hi-flow conic shape filter is the same for INT and DIN. The spring and the spring bush are coated preventing rust.

Its technologically advanced design delivers consistent intermediate pressure and high performance even with low tank pressures. The AC25g features a glossy finish, in coated brass. It is combined with the Compact, the downstream 2nd stage popular for its compact design and lightness.

CODE	PRODUCT	STYLE	CASE PACK
HX901000	AC25g / COMPACT (INT)	INT	1
SPARE PART	5		
STARETAR			
CODE	PROPUET		

CODE	PRODUCI
HZ850017	MAINTENANCE KIT for AC25m/AC25g
HZ820080	MAINTENANCE KIT for MASTER/GALAXY/ELLIPSE BALANCED
HZ850018	COMPLETE DIN CONNECTION for AC25m





TECHNICAL FEATURES 1ST STAGE

- 3rd generation Cressi's IP
- adjustable balanced piston first
- 2x 7/16" HP ports UNF
- 5x 3/8" LP ports UNF, 1 port on turret top
- Operating pressure:
- INT version: 230 BAR | 3,336 PSI DIN version: 300 BAR | 4,351 PSI
- Calibration pressure: 9.8-10 BAR |
- 142-146 PSI 360° revolving head
- Realized in brass-coated, with
- a glossy finish
- The sintered conical filter protects from any impurity
- Flow rate: 4,500 l/min | 159 cu
- ft/mir

TECHNICAL FEATURES 2ST STAGE

- Downstream system
 Adjustable Venturi effect
- Patented antifriction lever
- Large purge button
 Anti-scratch surface
- Bayonet-type cap holder with security lock
- Removable exhaust tee without tools
- COMBINATION PERFORMANCE
- Average breathing effort 1.4J/l
- CERTIFICATION EN250/2014 >10°C | 50 F

LIGHTWEIGHT CERTIFIED EN 250/2014 FOR COLD WATERS REGULATOR SETS



TOTAL WEIGHT

INT VERSION HOSE INCLUDED: 878 g | 2 lb 1 oz




This premiere travel regulator packs maximum

performance into minimum space. A true featherweight second stage, the Compact is built from lightweight technomaximizing performance at depth.

CODE	PRODUCT	STYLE	CASE PACK
HX783020	MC9 / COMPACT (INT) - BLUE	INT	1
HX783051	MC9 / COMPACT (INT) - GREY	INT	1
HX783151	MC9 / COMPACT (INT) - WHITE	INT	1

SPARE PARTS

CODE	PRODUCT
HZ800047	MAINTENANCE KIT for MC9/MC9-SC/MC5 INT/DIN
HZ780060	MAINTENANCE KIT for COMPACT/COMPACT PRO
HZ780064	PURGE BUTTON (BLACK) for COMPACT
HZ780067	PURGE BUTTON (WHITE) for COMPACT



PROTECTIVE HARD CASE

TORS

REGULA

1

CUBA

ഗ



polymers to eliminate jaw fatigue. Easy to pack and easy to dive, the Compact includes dive/predive Venturi switch for managing freeflow and

TECHNICAL FEATURES ST STAGE

- Hyperbalanced diagraph
- 2 7/16" HP ports UNF
 4 3/8" LP ports UNF
- Operating pressure: INT version: 230 BAR | 3,336 PSI Calibration pressure: 9.8-10 BAR | 142-146 PSI
- Brass body Electroless Nickel nlated
- High capacity conical filter electroless nickel plated Aisi 316 removable nozzle
- Hyper-balancing
- Anti-pressure drop pneumatic
- Spring Setting spring: stainless steel with micropeening treatment Replaceable cylinder with
- anti-friction and anti-corrosion properties
- Elastomer protector
- Flow rate: 4,500 l/min | 159 cu

ECHNICAL FEATURES 2ST STAGE

- Downstream system
- Adjustable Venturi effect Patented antifriction lever
- Big purge button
- Anti-scratch surface
- Bayonet-type cap holder with security lock
- Removable exhaust tee without tools
- COMBINATION PERFORMANCE Average Cracking effort: 6.0 mBAR | 2.41 inwo
- Average breathing effort 1.1 J/L JACKETED HOSE
- Extremely light and flexible **Weight:** 153 g | 5.4 oz CERTIFICATION
- EN250 2014 A>10°C | 50 F

11//// 0 1 2 3 4 5 6 7 8 9 10

Certification in accordance with EN250 standard



PACKAGING

REGULATORS

-

SCUBA

CERTIFIED EN 250/2014 FOR COLD WATERS REGULATOR SETS



TOTAL WEIGHT

LIGHTWEIGH

INT VERSION HOSE INCLUDED: 923 g | 2 lb 0.5 oz



CODE	PRODUCT	STYLE	CASE PACK
HX787051	AC2 / COMPACT (INT) - SILVER	INT	1
HX/0/USI	ALZ / COMPACT [INT] - SILVER		I

SPARE PARTS

CODE	PRODUCT
HZ730150	MAINTENANCE KIT for AC2
HZ780060	MAINTENANCE KIT for COMPACT/COMPACT PRO
HZ780064	PURGE BUTTON (WHITE) for COMPACT
HZ780067	PURGE BUTTON (BLACK) for COMPACT



TECHNICAL FEATURES 1ST STAGE

- Piston design
 1 7/16" HP ports UNF
- 4 3/8" LP ports UNF
- Operating pressure: INT version: 230 BAR | 3,336 psi
- Calibration pressure: 9.8-10 BAR |
- 142-146 PSI Brass body Electroless Nickel
- plated
- High capacity conical filter
 electroless nickel plated
- Long lasting piston: AISI 316
- stainless steel
- Extremely easy in maintenance since IP is adjustable from the
- outside Stainless steel spring Flow rate: 2,100 l/min | 74.16 cu
- ft/min

TECHNICAL FEATURES 2ST STAGE

- Downstream system
- Adjustable Venturi effect
 Patented antifriction lever
- Big purge button Anti-scratch surface
- Bayonet-type cap holder with
- security lock Removable exhaust tee
- without tools
- COMBINATION PERFORMANCE
- Average Cracking effort: 6.0m BAR | 2.41 inwc
- Average breathing effort 1.2 J/L JACKETED HOSE
- Extremely light and flexible Weight: 153 g | 5.4 oz
- CERTIFICATION EN250 2014 A>10°C

DIRECT IP ADJUSTMENT SYSTEM (NO SHIMS REQUIRED) EXTERIOR LP REGULATION FACILITATES MANAGING ADJUSTMENTS AND TECHNICAL MAINTENANCE





PACKAGING






TOTAL WEIGHT

INT VERSION HOSE INCLUDED: 994 g | 2 lb 3 oz



CODE	PRODUCT	STYLE	CASE PACK		
HX78000	IO AC2 / XS2 (INT)		1		
SPARE PA	SPARE PARTS				

CODE	PRODUCT
HZ730150	MAINTENANCE KIT for AC2
HZ790090	MAINTENANCE KIT for XS/XS2/OCTOPUS XS
HZ780067	PURGE BUTTON (BLACK) for COMPACT



25 ----- INHALE





TECHNICAL FEATURES 1ST STAGE

- Piston design
 1 7/16" HP ports UNF
 4 3/8" LP ports UNF
- Operating pressure: INT version: 230 BAR | 3,336 PSI Calibration pressure: 9.8-10 BAR | 147-146 PSI
- Brass body Electroless Nickel plated
- High capacity conical filter electroless nickel plated
- Long lasting piston: AISI 316
- stainless steel Extremely easy in maintenance since IP is adjustable from the
- outside Stainless steel spring **Flow rate:** 2,100 l/min | 74.16 cu ft/min

TECHNICAL FEATURES 2ST STAGE

- Downstream system Adjustable Venturi effect Easy maintenance

- Adjustable intermediate pressure from the out side of the regulator due to our patented design
- COMBINATION PERFORMANCE Average Cracking effort:
- 10 mBAR | 4 inwo
- Average breathing effort 1.5 J/l JACKETED HOSE
- Extremely light and flexible **Weight:** 53 g | 5.4 oz
- CERTIFICATION EN250 2014 A>10°C

DIRECT IP ADJUSTMENT SYSTEM (NO SHIMS REQUIRED)

EXTERIOR LP REGULATION MANAGING ADJUSTMENTS AND TECHNICAL MAINTENANCE





PACKAGING

TORS REGULA -SCUBA CRESSI

I IGHTWEIGH

CERTIFIED EN 250/2014 FOR COLD WATERS REGULATOR SETS



2[™]STAGE **COMPACT OCTOPUS COMPACT**



CODE	PRODUCT	STYLE	CASE PACK
HV78705		1	1

SPARE PARTS

CODE	PRODUCT
HZ730150	MAINTENANCE KIT for AC2
HZ780060	MAINTENANCE KIT for COMPACT/COMPACT PRO
HZ780067	PURGE BUTTON (BLACK) for COMPACT
HZ780066	PURGE BUTTON (YELLOW) for COMPACT



RESULTS: INHALE PRESSURE, EXHALE PRESSURE AND EXT WORK OF BREATHING 25 | ----- EXHALE

25 ----- INHALE

ALSO FOR MADE IN ITALY

TECHNICAL FEATURES 1ST STAGE

(4350 PSI) DIN version, 232 BAR (3365 PSI) Yoke version Calibration pressure: 9,5-10 BAR Brass body Electroless Nickel

Aisi 316 long lasting piston Easy external direct IP adjustment

Unbalanced piston
1 outlets HP 7/16 UNF
4 outlets MP 3/8 UNF
Service pressure: 300 BAR

High capacity conical filter electroless nickel plated

Stainless steel spring Flow rate: 2100 l/min

Yoke version weight: 635 g. DIN version weight: 495 g.

TECHNICAL FEATURES 2ST STAGE

Removable exhaust tee without

Weight without hose: 135 g.

Downstream system Adjustable Venturi effect Patented antifriction lever Big purge button Anti-scratch surface Bayonet-type cap holder with

security lock

tools

DIRECT IP ADJUSTMENT SYSTEM (NO

SHIMS REQUIRED)

EXTERIOR LP REGULATION

FACILITATES MANAGING

ADJUSTMENTS AND TECHNICAL MAINTENANCE

nlated

system

T10-SC CROMO *



CODE	PRODUCT
HZ991006	T1D-SC CROMO INT 1st STAGE ONLY

KZ770098 T10-SC CROMO DIN 1st STAGE ONLY

DESCRIPTION:

Hyperbalanced T shape diaphragm 1st stage with seal chamber system, chrome finishing.

*See compatibility warnings!

AC25m *



CODE PRODUCT HZ900003 AC25m BALANCED PISTON MATTE 1st STAGE (INT)

DESCRIPTION:

Revolving turret balanced piston 1st stage, gun-metal chrome finishing, external IP direct adjustment system.

*See compatibility warnings!

MC9-SC *



CODE PRODUCT HZ820095 MC9-SC (INT) 1st STAGE HZ820096 MC9-SC (DIN) 300 BAR 1st STAGE

DESCRIPTION: Hyperbalanced in-line shape diaphragm 1st stage with seal chamber system.

*See compatibility warnings!



STAGE FIRST SCUBA /

* COMPATIBILITY WARNINGS !

The 1st stages and hoses are sold ONLY as a replacement for the regulator combination for which its use is envisaged under the regulatory requirements in force. Therefore it may only be used as a replacement for the combination with second stages called for in the EC certificate for the type that concern it as well as the EC declaration of conformity for the product according to Regulation (EU) 2016/425, which can be viewed at www.cressi.com. Cressi Sub declines all responsibility for any other use that does not conform with the requirements dictated by the regulations in force.

The combinations of the certified Cressi regulators are contained in the last page ofthe Regulator user manual which can be read or downloaded from www. cressi.com using the following QR Code:



OCTOPUS

CERTIFIED EN 250/2014 PNELIMATICALLY EFFORTLESS BREATHING BALANCED VALVE FOR COLD WATERS

In SCUBA / OCTOPUSE



CODE	PRODUCT	CASE PACK
HX880000	OCTOPUS MG BALANCED	1

SPARE PARTS

CODE	PRODUCT
HZ780083	PURGE BUTTON (YELLOW) for OCTOPUS MG BALANCED

HZ820080 MAINTENANCE KIT for MASTER/GALAXY/ELLIPSE BALANCED

QUICK AND EASY DEPLOYMENT CERTIFIED EN 250/2014 FOR COLD WATERS

OCTOPUS COMPACT PRO



CODE PRODUCT HX789500 OCTOPUS COMPACT PRO

CASE PACK

SPARE PARTS

CODE PRODUCT HZ780060 MAINTENANCE KIT for COMPACT/COMPACT PRO HZ780052 PURGE BUTTON (YELLOW) for OCTOPUS COMPACT

*	COLD WATERS CERTIFIED PRODUCT	MADE IN ITALY

C. SPECIALIZED Retailer Product MADE IN

TECHNICAL FEATURES

Pneumatically balanced

Venturi effect adjustment

Patented low-friction lever

Air delivery system without

Removable technopolymer

Total weight: 335 g | 12 o

Extremely light and flexible Weight: 153 g | 5.4 oz

Certification Annex B EN 250:

Removable mechanical parts

Internal heat exchange

technopolymer

JACKETED HOSE

CERTIFICATION

2014 for cold water z

iniector

deflector

Patented elliptical membrane

Cam-lock system to open the case
Body in noise-absorbent



TECHNICAL FEATURES

- Downstream system
- Adjustable venturi effect
 Patented antifriction lever
- Thermoconductive technopolymer
- body
- Big purge button
 Anti-scratch surface
- Bayonet-type cap holder with
- security lock Stainless steel cover
- Removable exhaust tee without
- tools Total weight: 293 g | 10.3 oz
- JACKETED HOSE
- Extremely light and flexible
- Weight: 153 g | 5.4 oz
- CERTIFICATION
- Annex B EN 250: 2014 for cold water

OUICK AND EASY CERTIFIED DEDLOVMENT EN 250/2014

OCTOPUS **COMPACT**



CODE	PRODUCT	CASE PACK
HX789000	OCTOPUS COMPACT	1

SPARE PARTS

CODE	PRODUCT
HZ780060	MAINTENANCE KIT for COMPACT/COMPACT PRO
HZ780066	PURGE BUTTON (YELLOW) for COMPACT

ULTRA RELIABLE CERTIFIED DESIGN EN 250/2014 OCTOPUS XS₂

Proven and highly affordable, the XS Octopus is ideal for any diver looking for maximum value. Its

low maintenance and ultra reliable design also make it a favorite among dive schools and rental centers.

CODE	PRODUCT	CASE PACK
HX770098	OCTOPUS XS2	11

SPARE PARTS

CODE PRODUCT HZ790090 MAINTENANCE KIT for XS/XS2/OCTOPUS XS



CRESSI

TECHNICAL FEATURES

- Pneumatically balanced
- Venturi effect adjustment
- Patented elliptical membrane Patented low-friction lever
- Air delivery system without
- injector
- Internal heat exchange
- Cam-lock system to open the case Body in noise-absorbent technopolymer
- Removable technopolymer
- deflector
- Removable mechanical parts Total weight: 288 g | 10.2 oz
- JACKETED HOSE
- Extremely light and flexible **Weight:** 153 g | 5.4 oz
- CERTIFICATION Certification Annex B EN 250:
- 2014 > 10° C | 50 F



TECHNICAL FEATURES

- Downstream system
- Adjustable venturi effect
- Easy maintenance **Total weight:** 359 g | 12.7 oz
- JACKETED HOSE
- Extremely light and flexible Weight: 153 g | 5.4 oz
- CERTIFICATION
- Annex B EN 250: 2014 A>10°C | 50 F



SCUBA / REGULATORS

REGULATOR | COMPARISON CHART



	T10-SC CROMO GALAXY- R	T10-SC CROMO GALAXY	T10-SC PVD MASTER BALANCED	T10-SC CROMO MASTER CROMO	AC25M MASTER CROMO
INT version available	Yes	Yes	Yes	Yes	Yes
DIN version available in America	Yes	Yes	Yes	Yes	No
Weight (hose included)	INT 1.055 g I 2 lb 5 oz DIN 937 g I 2 lb 1 oz	INT 1055 g 2 lb 5 oz DIN 937 g 2 lb 1 oz	INT 1080 g 2 lb 6 oz DIN 962 g 2 lb 2 oz	INT 1080 g 2 lb 6 oz DIN 962 g 2 lb 2 oz	INT 1293 g 2 lb 14 oz
Certified for cold water	EN250/2014 <10° C (50 F)	EN250/2014 <10° C 50 F	EN250/2014 <10° C 50 F	EN250/2014 <10° C 50 F	EN250/2014 >10° C 50 F
PERFORMANCE					
Working pressure	INT 0-232 BAR 0-3,365 PSI DIN 0-300 BAR 0-4,350 PSI	INT 0-232 BAR 0-3,365 PSI DIN 0-300 BAR 0-4,350 PSI	INT 0-232 BAR 0-3,365 PSI DIN 0-300 BAR 0-4,350 PSI	INT 0-232 BAR 0-3,365 PSI DIN 0-300 BAR 0-4,350 PSI	INT 0-232 BAR 0-3,365 PSI
Calibration pressure	9.8-10 BAR 142-146 PSI	9.8-10 BAR 142-146 PSI			
Air supply (Air pressure at 200-150 BAR)	159 cu ft/min 4500 l/min	99 cu ft/min 2800 l/min			
Average cracking effort	3.5 mBAR 1.41 inwc	3.5 mBAR 1.41 inwc	3.5 mBAR 1.41 inwc	3.5 mBAR 1.41 inwc	
Average inhalation effort	3 mBAR	3 mBAR	3 mBAR	3 mBAR	9.9 mBAR
Average exhalation effort	7 mBAR	7 mBAR	7 mBAR	7 mBAR	8.1 mBAR
Average breathing effort	0.6 J/l	0.6 J/l	0.6 J/l	0.6 J/l	0.78 J/l
1 ^{s⊤} STAGE					
Туре	Hyperbalanced Diaphragm	Hyperbalanced Diaphragm	Hyperbalanced Diaphragm	Hyperbalanced Diaphragm	Balanced Piston
HP ports	2 7/16" UNF	2 7/16" UNF	2 7/16" UNF	2 7/16" UNF	2 7/16" UNF
LP ports	4 3/8" UNF	4 3/8" UNF	4 3/8" UNF	4 3/8" UNF	5 3/8" UNF
2 ND STAGE					
Туре	Adjustable Pneumatical Balanced	Pneumatically Balanced	Adjustable Pneumatical Balanced	Adjustable Pneumatical Balanced	Pneumatically Balanced





	MC9-SC COMPACT PRO	AC25G COMPACT	MC9 COMPACT	AC2 COMPACT	AC2 X52
INT version available	Yes	Yes	Yes	Yes	Yes
DIN version available in America	Yes	No	No	No	No
Weight (hose included)	INT 943 g 2 lb 1 oz	INT 1193 g 2 lb 10 oz	INT 878 g 2 lb 1 oz	INT 923 g 2 lb 0.5 oz	INT 994 g 2 lb 3 oz
Certified for cold water	EN250/2014	EN250/2014 >10° C 50 F	EN250/2014 >10° C 50 F	EN250/2014 >10° C 50 F	EN250/2014 >10° C 50 F
PERFORMANCE					
Working pressure	INT 0-232 BAR 0-3,365 PSI	INT 0-232 BAR 0-3,365 PSI DIN 0-300 BAR 0-4,350 PSI	INT 0-232 BAR 0-3,365 PSI	INT 0-232 BAR 0-3,365 PSI	INT 0-232 BAR 0-3,365 PSI
Calibration pressure	9.8-10 BAR 142-146 PSI	9.8-10 Bar 142-146 PSI	9.8-10 Bar 142-146 PSI	9.8-10 Bar 142-146 PSI	9.8-10 Bar 142-146 PSI
Air supply (air pressure at 200-150 BAR)	159 cu ft/min 4,500 l/min	99 cu ft/min 2800 l/min	159 cu ft/min 4500 l/min	74 cu ft/min 2100 l/min	74 cu ft/min 2100 l/min
Average cracking effort	2.41 inwc 6 mBAR		2.41 inwc 6 mbar	2.41 inwc 6 mbar	4 inwc 10 mbar
Average inhalation effort	5 mBAR	10.1 mBAR	5 mBAR	5 mBAR	12 mBAR
Average exhalation effort	10 mBAR	11.6 mBAR	10 mBAR	10 mBAR	17 mBAR
Average breathing effort	1.1 J/L	1.4 J/l	1.1 J/L	1.2 J/l	1.5 J/l
1 ⁵⁷ STAGE					
Туре	Hyperbalanced Diaphragm	Balanced Piston	Hyperbalanced Diaphragm	Balanced Piston	Balanced Piston
HP ports	2 7/16" UNF	2 7/16" UNF	2 7/16" UNF	1 7/16" UNF	1 7/16" UNF
LP ports	4 3/8" UNF	5 3/8" UNF	4 3/8" UNF	4 3/8" UNF	4 3/8" UNF
2 [№] STAGE					
Туре	Downstream System	Downstream System	Downstream System	Downstream System	Downstream System







PROTECTIVE CASES 360 REGULATOR BAG

The 360 Regulator Bag is a case for protecting scuba diving regulators and octopus. Features an adjustable shoulder strap for carrying your equipment. Made in strong nylon for long lasting use.

The foam lining acts as a protective covering. The closure is with YKK zip that ensures a perfect seal.



CODE	PRODUCT
UB940000	360 REGULATOR BAG - BLACK/BLACK

DIN CONVERSION KIT



AC2



MC9/MC5

CODE PRODUCT HZ735157 DIN ASSEMBLY 300 BAR for AC2 DIN ASSEMBLY 300 BAR for MC5/MC9/MC9-SC HZ800067 HZ830035 DIN ASSEMBLY for T10/T10-SC DIN TO YOKE UNIVERSAL ADAPTOR HZ840001



-B 2=

551



TECHNICAL FEATURES

- Made in strong nylon for long

- Made in strong nylon for long lasting use
 Foam lining acts as a protective covering
 The closure is with YKK zip that ensures a perfect seal
 Velcro strap on back of case for easy attachment to luggage for travel

INT ADAPTOR



T10/T10-SC




INT YOKE UNIVERSAL ADAPTOR FOR DIN 1ST STAGE



HZ730225 LP OCTOPUS HOSE (YELLOW) (101.5cm - 40in) HZ730222 LP REGULATOR HOSE (BLACK) (78cm - 30.5in)

LP SAFEFLEX HOSE



CODE	SIZE
HZ730230	80 cm
HZ730231	150 cm
HZ730232	210 cm

LP HOSE PROTECTOR



BLACK

YELLOW

CODE	PRODUCT
HZ730224	BLACK
HZ730228	YELLOW



MAGNETIC	OCTOPUS
HOLDER	0

The Magnetic Octopus Holder keeps the equipment in its place, close to the jacket. It can be used for the safety octopus, pressure gauge, or for other additional instruments.

CODE

TA700002



GALAXY PURGE BUTTON



CODE	PRODUCT
HZ820090	PURGE BUTTON for GALAXY-R 2nd STAGE - BLACK
HZ820088	PURGE BOTTON for GALAXY - BLACK
HZ780083	PURGE BUTTON (YELLOW) for OCTOPUS MG BALANCED

COMPACT PRO PURGE BUTTON



CODE	COLOR
HZ782096	Black
HZ780052	Yellow

XS2 COVER



CODE COLOR HZ780050 Black/Grey HZ780051 Black/Yellow SCUBA / REGULATOR ACCESSORIES



2ND STAGE MOUTHPIECE



CODE HZ790094

CRESSI



ASTER	T10 SC CROM
	0.
	2 V
CRESS	/

5
I second
D, 1
1 minute

CODE	PRODUCT
VPOSTERTGR	TECHNICAL DRAWING POSTER of T10SC CROMO/GALAXY-R REGULATOR
VPOSTERTM	TECHNICAL DRAWING POSTER of T1D-SC/MASTER REGULATOR
VPOSTERTMC	TECHNICAL DRAWING POSTER of T10-SC/MASTER CROMO REGULATOR

MAINTENANCE KITS

In a blister pack, we have included all the components to be changed when performing maintenance on both the first and second stages. Maintenance is only to be performed by Cressi Authorized Service Centers.



1^{s⊤} STAGE

CODE	PRODUCT
HZ800045	MAINTENANCE KIT for T10/T10-SC INT/DIN
HZ800047	MAINTENANCE KIT for MC9/MC9-SC/MC5 INT/DIN
HZ800070	MAINTENANCE KIT for MC7
HZ850017	MAINTENANCE KIT for AC25m/AC25g
HZ735050	MAINTENANCE KIT for AC10V
HZ730150	MAINTENANCE KIT for AC2

2 ND	STAGE

CODE	PRODUCT
HZ820080	MAINTENANCE KIT for MASTER/GALAXY/ELLIPSE BALANCED
HZ810067	MAINTENANCE KIT for ELLIPSE (NOT BALANCED)
HZ780060	MAINTENANCE KIT for COMPACT/COMPACT PRO
HZ790090	MAINTENANCE KIT for XS/XS2/OCTOPUS XS

SERVICE & REPAIR COMPLETE SERVICE BAG

HZ830102 Service and repair complete kit

STANDARD TOOLS

CODE

HZ710001

DESCRIPTION:

PIN SPANNER

DYNAMOMETRIC WRENCH

. . .



THREADED BAR

-

O-RING REMOVAL TOOL -----

n Î CODE HZ709021 DESCRIPTION:

Standard tools set for maintenance Cressi regulators SINGLE TOOL

ANTIFREEZE/ S.C. SPANNER EXTRACTION POINT TOOL

BIG COMPASS SPANNER

1ST STAGE IP SETTING GAUGE

HOOK SPANNER (AC2 EXTERNAL IP TOOL)

CODE	PRODUCT		
HZ709002	SPANNER for ANTIFREEZE / SEAL CHAMBER		
HZ709003	BIG COMPASS SPANNER for S.C.		
HZ709004	EXTRACTION POINT TOOL for 1st STAGES		
HZ709005	CIRCLIP PLIERS for 1st STAGES		
HZ709006	ALLEN KEY 6mm		
HZ709007	ALLEN KEY 4mm		
HZ709008	THREADED BAR TO TIGHTEN THE 1st STAGE IN THE VICE		
HZ709009	NUT DRIVER 5.5mm		
HZ709010	JIG ADJUSTMENT for ELLIPSE 2nd STAGE		
HZ709011	PUSH TOOL for 2nd STAGES		
HZ709012	SOCKET WRENCH REMOVER TOOL		
HZ709013	SMALL COMPASS SPANNER for 2nd STAGE		
HZ709016	O-RING REMOVAL TOOL		
HZ709017	EXTRACTION PLIER		
HZ709018	YOKE REMOVING TOOL		
HZ709019	REMOVING HP SEAT AC2		
HZ710010	IP SETTING GAUGE for REGULATOR 1st STAGE		
HZ710011	PRESSURE SETTING GAUGE for 2nd STAGE		
HZ739001	UNIVERSAL PUSH TOOL		
HZ739002	OGIVAL TOOL O-RING BULLIT for 1st STAGE		
HZ739003	PIN SPANNER		
HZ739051	HOOK SPANNER (AC2 EXTERNAL IP TOOL)		
USV100000	NEOPRENE REPAIR MAT		





TECHNICAL FEATURES 2ST STAGE

+full set dynamometric

- wrench + 1st stage ip setting gauge
- + threaded bar to tighten the
- regulator in the vice + yoke nut removing socket and wrench
- + allen key 6 mm
- + allen key 7 mm
- + extraction pointtool
- + tool to remove o-rings
- + big compass s.c. spanner
- + antifreeze/s.c. spanner
- + push tool + ogival tool o-ring bullit
- + pin spanner
- + universal push tool
- + ac2 ip adjusting tool + removing hp seat ac2
- + pin punch 110 mm 2

TECHNICAL FEATURES 2ST STAGE

- +5,5 mm socket driver
- + spring push tool + allen key 4 mm
- + allen key 6 mm
- + o-ring removal tool
- + 2nd stage inline adjuster
- with ip gauge + 2nd stage setting gauge
- + small compass spanner + extraction plier

JACKETS TOOLS

- +12 mm socket wrench + extraction point tool
- + compass spanner
- + allen key 2,5 mm + allen key 6 mm



(1)





Dynamometric wrench + full set of accessories

HZ709030 DESCRIPTION:

Cressi regulator mobile test bench



TOOLS REGULATORS > SCUBA



HIGH LIFT NYLON 420 D FLAT LOCK AID CAPACITY BACK CELL WEIGHT SYSTEM

COMMANDER EVOLUTION

| BACK INFLATION | INTEGRATED WEIGHT POCKETS



The Commander Evolution Jacket is an impressively light high-buoyancy rearmounted BC, anatomically designed for maximum comfort and wearability. Its main features are its detachable harness and air cell. The rear-mounted air cell interferes neither with the main underwater component nor the adjustment straps, not even when it is inflated to the maximum. This means extra freedom of movement and buoyancy for the diver. The special air cell compression strap guarantees extra quick deflation and volume control. The ultralight rigid back plate with its right-hand side of the air cell.

ODE	SIZE	CASE PACK
C771000	XS	1
C771001	S	1
C771002	Μ	1
C771003	L	1
C771004	XL	1

OPTIONAL ACCESSORIES

CODE PRODUCT

IZ750094 INTEGRATED FLAT-LOCK WEIGHT POCKET 10 LB IC760099 TANK STRAP WEIGHT POCKET

SPARE PARTS

PRODUCT IZ750275 O-RING MAINTENANCE KIT for BCD INFLATOR FLAT

| ADJUSTABLE CUMMERBUND







integrated carrying handle ensures optimal stability. Its integrated Cressi Flat-Lock-Aid weight system makes it extra easy to release the pockets and rear ballast bags (attached to the tank-block band). Accessories include four 50mm shoulder aluminium D-rings and four 25mm aluminium D-rings (of which two on the pockets and two on the lower part of the harness). There are 3 pressure relief valves: one on the upper part of the hose, one reel-operated valve on the right-hand side of the shoulder and a third on the lower

TECHNICAL FEATURES

- Air cell material: 420 denier nylon Integrated Cressi Flat-lock Aid
- weight System
- Vera ballast pouches
 3 pressure relief valves
 Four 50mm aluminium D-rings on the shoulder straps
 Four 25 mm stainless steel
- D-rings (2 on the pockets and 2
- on the lower part of the harness) Ultralight rigid back plate with carrying handle.
- Next generation anatomical inflator with hose retainer
- Multipurpose zip pockets 50 mm quick-release buckled shoulder straps
- Multipurpose zip pockets

BUOYANCY

SIZE	NEWTON	KG	POUNDS
XS	130	13.3	29.2
S	130	13.3	29.2
м	190	19.4	42.7
L	220	22.4	49.5
XL	220	22.4	49.5

PRODUCT WEIGHT

SIZE	KG	LBS
XS	3.05	6.70
S	3.10	6.83
м	3.20	7.05
L	3.30	7.27
XL	3.40	7.50



NYLON 420 D FLAT LOCK AID BACK CELL WEIGHT SYSTEM

SCUBA / BCD'S

CARBON

| JACKET-STYLE | INTEGRATED WEIGHT POCKETS

The Carbon jacket is a classically built BCD. Its intermediate buoyancy level makes it extremely versatile and suitable in any situation. The ergonomic design of the inflator mechanism makes inflating and deflating extra easy and the practical

CODE	SIZE	CASE PACK
IC741300	XS	1
IC741301	5	1
IC741302	Μ	1
IC741303	L	1
IC741304	XI	1

OPTIONAL ACCESSORIES

CODE	PRODUCT
IZ750094	INTEGRATED FLAT-LOCK WEIGHT POCKET 10 LB
IC760099	TANK STRAP WEIGHT POCKET

SPARE PARTS

CODE IZ750275 O-RING MAINTENANCE KIT for BCD INFLATOR FLAT







re c Ll			TURES
ссп	NICA	с гса	IURES

 ATELIER offline product
 MADE IN ITALY

- 420 denier nylon air cell
 Ultralight, rigid back plate with carrying handle
 Next generation ergonomic inflator with hose retainer
 2 multipurpose zip pockets
 Rear ballast pockets
 Shoulder straps with 50 mm quick-release buckles
 3 pressure relief valves

BUOYANCY

SIZE	NEWTON	KG	POUNDS
XS	80	8.2	18.0
5	90	9.2	20.2
м	130	13.3	29.2
L	160	16.3	36.0
XL	190	19.4	42.7

PRODUCT WEIGHT

SIZE	KG	LBS
XS	3.00	6.61
5	3.10	6.83
м	3.20	7.05
L	3.30	7.27
XL	3.40	7.50

hose retainer keeps it compact and safe. Its special ultralight back plate maintains the tank body compact which significantly improves both underwater and surface buoyancy and comfort.



ZIPPED POCKETS

ALU D-RINGS // 50MM BUCKLES



II BUYER'S GUIDE 2022 94



BACK WEIGHT POCKETS

ഗ

BCD'

SCUBA /



I ONE SIZE FITS ALL + WEIGHT POCKETS

ANODISED LIGHT ALLOY BACK PLATE



WEIGHT POCKETS INCLUDED

Aquawing Plus is the one-size donut jacket designed to adapt to all anatomies (male and female) using the new patented MAS (MAS (Modular Adjustment System): in fact, the single 50 mm belt that embraces the shoulders and waist can be rapidly adjusted to your size. The shape of the air bladder has been designed to ensure perfect buoyancy with a monocylinder. The anodised light alloy back plate reduces the overall weight of the jacket while guaranteeing stability and safety in use. The special cylinder rests in thermoplastic

CODE	SIZE	CASE PACK
IC79010	XS/XL	1
ACCESSORIES		

CODE PRODUCT IZ790000 AQUAWING OPTIONAL D-RING IC760099 TANK STRAP WEIGHT POCKET

SPARE PARTS

CODE PRODUCT IZ750275 O-RING MAINTENANCE KIT for BCD INFLATOR FLAT

INTEGRATED CYLINDER REST

AIR-NET MATERIAL









SPECIALIZED

TECHNICAL FEATURES

Air bladder: 210 D nylon Air bladder cover: 1500 D cordura MAS (Modular Adjustment

KG

13.3

POUNDS

29.3

LBS

One-size-fits-all (XS / XL)

5 Stainless steel D-ring

System)

BUOYANCY

XS-XL

SIZE

SIZE NEWTON

130

PRODUCT WEIGHT

KG

MODULAR ADJUSTMENT SYSTEM

The single belt that embraces the shoulders and waist can be rapidly adjusted

CREES



UAWING NEW 2022

.

I ONE SIZE FITS ALL

ANODISED LIGHT ALLOY BACK PLATE

MODULAR ADJUSTMENT SYSTEM



Aquawing is the one-size donut jacket designed to adapt to all anatomies (male and female) using the new patented MAS (MAS (Modular Adjustment System): in fact, the single 50 mm belt that embraces the shoulders and waist can be rapidly adjusted to your size.

The shape of the air bladder has been designed to ensure perfect buoyancy with a monocylinder. The anodised light alloy back plate reduces the overall weight of

the jacket while guaranteeing stability and safety in use. The special cylinder rest in thermoplastic rubber integrated with the back of the jacket guarantees the positioning of the tank for optimum trim. The shoulder straps and back cover are made with an air-net material to enhance comfort and improve water drainage. The back cover is equipped with a special pocket designed to house the decompression buoy.

CODE	SIZE	CASE PACK	
1C790000	XS/XL	1	
ACCESSORIES			
CODE	PRODUCT		
IZ790000	AQUAWING OPT	IONAL D-RING	
IC760099	TANK STRAP WE	EIGHT POCKET	
5PARE PARTS			
CODE	PRODUCT		
IZ750275	O-RING MAINTER	NANCE KIT for BCD) INFLATOR FLAT
INTEGRATED	CYLINDER RES	т	AIR-NET MATER





II BUYER'S GUIDE 2022 96

MODULAR ADJUSTMENT SYSTEM

rubber integrated with the back of the jacket guarantees the positioning of the tank for optimum trim.

The shoulder straps and back cover are made with an air-net material to enhance comfort and improve water drainage. The jacket is equipped with two weight pockets attached directly to the back plate in correspondence with your flanks. The back cover is equipped with a special pocket designed to house the decompression buoy.









TECHNICAL FEATURES

- One-size-fits-all (XS / XL) Air bladder: 210 D nylon
- Air bladder cover: 1500 D cordura MAS (Modular Adjustment
- System)
- 4 Stainless steel D-ring + 1 optional

BUOYANCY

SIZE	NEWTON	KG	POUNDS
XS-XL	130	13.3	29.3

PRODUCT WEIGHT

SIZE	KG	LBS
XS-XL	2.90	6.39



PATENTED MODULAR ADJUSTMENT SYSTEM The single belt that embraces the shoulders and waist can be rapidly adjusted

OPTIONAL D-RING



BACK WEIGHT POCKETS INCLUDED



|| BUYER'S GUIDE 2022

DESIGNED FOR FEMALE ANATOMY



ഗ

FLAT LOCK AID WEIGHT SYSTEM

I SPECIFICALLY DESIGNED FOR WOMEN

The Elettra jacket has been conceived to adapt to the female anatomy. The exclusive design and technical features provide perfect buoyancy with a close-fitting profile. The 40 mm buckles (shoulderwaist) adapt perfectly to the female anatomy. The lower band of the shoulder strap is anchored to a ring to ensure rotation and therefore maximum adaptability to the female anatomy. The internal part is fully lined with air-net material, with thicker padding to increase comfort and

CODE	SIZE	CASE PACK
IC774001	XS	1
IC774002	S	1
IC774003	Μ	1
IC774004	L	1

ACCESSORIES

CODE PRODUCT IZ750094 INTEGRATED FLAT-LOCK WEIGHT POCKET 10 LB IC760099 TANK STRAP WEIGHT POCKET

SPARE PARTS

CODE PRODUCT

IZ750275 O-RING MAINTENANCE KIT for BCD INFLATOR FLAT



improve water drainage. The two-piece waist band uses the new patented SPWB (Self Pivoting Waist Band) system.

The soft and padded semi-rigid back plate permits the BCD to be folded and transported with the minimum possible volume. The Cressi Flat Lock integrated ballast system makes the extraction of the weight bags particularly easy. The jacket's two integrated cylinder supports improve the diver's trim.



STEEL D-RINGS ZIPPED POCKETS



SPECIALIZED

TECHNICAL FEATURES

(SIZES: XS-S-M-L) Air bladder: nylon 420 D Pockets and shoulder straps:

Self Pivoting Waist Band Integrated Cressi Flat-Lock Aid

weight System • 2 zip up pockets for accessories

6 D-rings in stainless steel 3 discharge and overpressure

Female anatomy

cordura 1500 D

Semi-rigid harness

SPWB

valves



| SEMI-RIGID PADDED BACK | INTEGRATED WEIGHT POCKETS

NYLON 420 D STANDARD CELL

FLAT LOCK AID WEIGHT SYSTEM

AVIATOR



The Aviator is a full vest inflation B.C.D. featuring many accessories and pockets for tools but made with a classic structure designed for travel. The new modular system of the abdominal band, with

exclusive Cressi design, offers the possibility to quickly change the band itself – divided into two parts – to adapt to different sizes.

CODE	SIZE	CASE PACK
IC772000	XS	1
IC772001	5	1
IC772002	Μ	1
IC772003	L	1
IC772004	XL	1

ACCESSORIES

CODE PRODUCT IZ750094 INTEGRATED FLAT-LOCK WEIGHT POCKET 10 LB IC760099 TANK STRAP WEIGHT POCKET



SPARE PARTS

CODE PRODUCT IZ750275 O-RING MAINTENANCE KIT for BCD INFLATOR FLAT

LIGHT ALLOY D-RINGS

ZIPPED POCKETS









MADE IN ITALY



TECHNICAL FEATURES

- 210 Denier nylon fabric New modular cummerbund svstem
- Integrated flat-lock weight pocket system 2 Zip-up wide side pockets
- 2 Rear ballast pockets
 Semi-rigid padded backplate
- D-rings in light alloy
- 3 Pressure relief valves: on top of the inflator, on top of right shoulder, on the bottom right of the air cell. All controlled by the front



BUOYANCY

SIZE	NEWTON	KG	POUNDS
XS	60	6.1	13.5
S	80	8.2	18.0
м	90	9.2	20.2
L	130	13.3	29.2
XL	160	16.3	36.0

PRODUCT WEIGHT

SIZE	KG	LBS
XS	2.40	5.29
5	2.40	5.29
м	2.50	5.51
L	2.50	5.51
XL	2.60	5.73





50 MM ROTATING BUCKLES



SELF PIVOTING WAIST BAND



II BUYER'S GUIDE 2022

99

NYLON 420 D STANDARD CELL FLAT LOCK AID WEIGHT SYSTEM

SCORPION

| BACK INFLATION | VERTICAL INTEGRATED WEIGHT POCKETS

ഗ





The Scorpion jacket is an impressively light highbuoyancy rear-mounted BC, anatomically designed for maximum comfort and wearability. Its main features are its detachable harness and air cell. The rear-mounted air cell interferes neither with the main underwater component nor with the adjustment straps, not even when it is inflated to the maximum: this means extra freedom of

CODE	SIZE	CASE PACK
IC770000	XS	1
IC770001	S	1
IC770002	Μ	1
IC770003	L	1
10770004	XI	1

ACCESSORIES

CODE PRODUCT IZ750094 INTEGRATED FLAT-LOCK WEIGHT POCKET 10 LB

IC760099 TANK STRAP WEIGHT POCKET

SPARE PARTS

CODE PRODUCT IZ750275 O-RING MAINTENANCE KIT for BCD INFLATOR FLAT



movement and buoyancy for the diver. The special air cell compression strap guarantees extra quick

deflation and volume control. The ultralight semi-

comfort with its air-net fabric. Its integrated Cressi

Flat-Lock-Aid Weight system makes it extra easy to

rigid harness ensures optimal stability and high

release the pockets.



NYLON 420 D STANDARD CELL FLAT LOCK AID WEIGHT SYSTEM

LIGHTWING | BACK INFLATION | INTEGRATED WEIGHT POCKETS



The Lightwing is a rear-mounted air cell B.C.D. with extremely low weight. Its 2 kg for size M makes it indispensable for travel. The semi-rigid, soft and padded backplate allows you to fold and carry the device in the smallest possible space, thanks also to a strap with Velcro for instant packaging.

The special air-net material is present in the shoulder straps and backrest to ensure greater

DDE	SIZE	CASE PACK
773000	XS	1
773001	5	1
773002	Μ	1
773003	L	1
773004	XL	1


ACCESSORIES

CODE PRODUCT IZ750094 INTEGRATED FLAT-LOCK WEIGHT POCKET 10 LB IC760099 TANK STRAP WEIGHT POCKET

SPARE PARTS

CODE PRODUCT

IZ750275 O-RING MAINTENANCE KIT for BCD INFLATOR FLAT



straps and chest strap. It features a hideaway pocket on the right for extra space for the accessories. The Flat-Lock Integrated Weight Aid System makes it very easy to remove the ballast from the sides.

Two supports, integrated on the back lower part for fixing the tank, improve the diver trim.

CODE	SIZE	CASE PA
IC773000	XS	1
IC773001	5	1
IC773002	Μ	1
IC773003	L	1
IC773004	XL	1

ZIPPED POCKETS

REAR ATTACHMENT





SPECIALIZED Retailer-Product

TECHNICAL FEATURES

Development of rear-mounted

Air cell fabric: 420 denier nylon

right-hand side of the shoulder

and a third on the lower right-

 Two 50 mm aluminium D-rings on the shoulder straps Two 25 mm aluminium D-rings

KG

13.3

13.3

15.3

15.3

15.3

POLINDS

29.2

29.2

33.7 33.7

33.7

Integrated flat-lock weight pocket

air cell

system

In vertical position

3 pressure relief valves: one on the upper part of the hose, one reel-operated valve on the

hand side of the air cell

on the pockets Ultralight semi-rigid harness Next generation anatomical inflator with hose retainer Multipurpose zip pockets 40 Mm quick-release buckles on shoulder straps Side adjustable lumbar flaps

BUOYANCY SIZE NEWTON

130

130

150

150

150

XS

s

м

L

XL

X





MADE IN ITALY

D'S m ~ 4 CUB,

TECHNICAL FEATURES

- 420 Denier nylon fabric Integrated flat-lock weight
- pocket system Semi-rigid padded backplate Hideaway pocket on the right Adjustable shoulder and
- chest stran 3 Pressure relief valves: on top of the inflator, on top of right shoulder, on the bottom right of the air cell. All controlled by the front

BUOYANCY

SIZE	NEWTON	KG	POUNDS
XS	90	9.2	20.2
S	90	9.2	20.2
м	90	9.2	20.2
L	150	15.3	33.7
XL	150	15.3	33.7

comfort and water drainage. Adjustable shoulder



FAST FOLDING SYSTEM







BACK WEIGHT POCKETS (OPTIONAL)

NYLON 420 D STANDARD CELL FLAT LOCK AID WEIGHT SYSTEM

SCUBA / BCD'S

TRAVELIGHTTM

| FLEXIBLE PADDED BACK | INTEGRATED WEIGHT POCKETS



The Travelight from Cressi is designed as a superserious travel BCD; The basic design was drawn from the Cressi Flex BCD the first worldwide travel BCD in the Scuba Industry.

Dry weight of the Travelight is only 6 lb. (2.7 kg). The back is amply padded, for a comfortable fit. The BCD uses Cressi's Lock Aid integrated weight system,

and can store 20 lb (9 kg) in the front pockets and a further 10 lb (4.5 kg) in the no - detachable back pockets. With an eye on keeping the weight down, all of the D-rings are made from a lightweight material. The air cell inflates away from the body, which avoids constricting the diver. The Cressi Travelight has 13.5 lb of lift (6 kg) in its smallest size and 36 lb (16.3 kg) in its largest sizes.



PINK		
CODE	SIZE	CASE PACK
IC740620	XS	1
IC740621	S	1
IC740622	M	1
IC740622 BLUE CODE	M	1 CASE PACK
BLUE		1 CASE PACK 1
BLUE	SIZE	1 CASE PACK 1 1
BLUE CODE IC740600	SIZE XS	1 CASE PACK 1 1 1
BLUE CODE IC740600 IC740601	SIZE XS S	1 CASE PACK 1 1 1 1 1

BLUE

NK		
ODE	SIZE	CASE PACK
740620	XS	1
740621	S	1
740622	Μ	1
UE		
ODE	SIZE	CASE PACK
740600	XS	1
740601	S	1
740602	М	1
740603	L	1

E	SIZE	CASE PACK
0600	XS	1
0601	S	1
0602	Μ	1
0603	L	1
0604	XL	1

FLAT LOCK SYSTEM	

TECHNICAL FEATURES

- 2 zip up pockets
 2 rear weight carrying pockets
 Soft, padded back, with double strap for fixing the tank
- Three discharge and pressure valves
- Rear release valve with control brought to the front

BUOYANCY

SIZE	NEWTON	KG	POUNDS
XS	60	6.1	13.5
5	80	8.2	18.0
м	90	9.2	20.2
L	130	13.3	29.2
XL	160	16.3	36.0



2.50 kg · 5.5 lb SIZE M



ACCESSORIES

CODE	PRODUCT
IZ750094	INTEGRATED FLAT-LOCK WEIGHT POCKET 10 LB
IC760099	TANK STRAP WEIGHT POCKET

SPARE PARTS

CODE	PRODUCT
IZ750080	O-RING MAINTENANCE KIT for BCD INFLATOR







II BUYER'S GUIDE 2022 103

NVI ON 420 D FLAT LOCK AID STANDARD CEL

ഗ

AQUARIDE

// SEMI-CLASSIC STRUCTURED // INTEGRATED WEIGHT POCKETS



The Aquaride is a semi-classic structured BC with a special feature: it has adjustable shoulder straps that aren't restricted by the air cell, improving the grip on the tank and improving comfort. Thanks to their anatomical, preformed profile, they are much easier to put on and make resting the tank more comfortable on the shoulders.

The BC features the Flat type Lock Aid System of integrated weight. It is very effective and comfortable thanks to its extremely flat profile and the easy and intuitive arrangement of the pockets. Finally, the anatomical control has a hose retainer,

CODE	SIZE	CASE PACK
IC740800	XS	1
IC740801	S	1
IC740802	Μ	1
IC740803	L	1
IC740804	XL	1

ACCESSORIES

CODE PRODUCT IZ750094 INTEGRATED FLAT-LOCK WEIGHT POCKET 10 LB IC760099 TANK STRAP WEIGHT POCKET

SPARE PARTS

CODE	PRODUCT
IZ750080	O-RING MAINTENANCE KIT for BCD INFLATOR

making all inflation and deflation operations very easy and intuitive. Fully redesigned in 2015, the Aquaride Blue Pro offers the the best option for your dive experience.

The Aquaride has been considered the only BC in its test group to earn solid scores in all performances for two years. The Aquaride passed and placed first in all tests thanks to the size range, efficient adjustments, and its super-stability at depth. In the final countdown for Testers' Choice, it earned almost twice as many favourite points as its closest competitor.



TECHNICAL FEATURES

Adjustable shoulder straps

Next generation anatomical

inflator with hose retainer

handle

zip closure

the front

BUOYANCY SIZE NEWTON

80

90

130

160

190

XS

5

Μ

Т

XL

BACK WEIGHTS POCKETS

Superlight rigid backpack with

Expandable sundries pocket with

Quick-attach rear weight pockets

(capacity 2 kg/5 pounds) 3 purge and overpressure valves

of the air cell. All controlled by

KG

8.2

9.2

13.3

16.3

19.4

POUNDS

18.0

20.2

29.2

36.0

42.7

ZIPPED POCKETS



FLAT LOCK SYSTEM

CORDURA 500 D STANDARD CELL FLAT LOCK AID WEIGHT SYSTEM

QUARTZ | JACKET-STYLE | INTEGRATED WEIGHT POCKETS



Quartz, which has good buoyancy, is the ideal B.C.D. for scuba diving schools and equipment rental centers. The Integrated Cressi Flat-Lock Aid weight System makes it very easy to remove

the lead pockets. It features a colored reinforcement band in the upper part of the back, at neck level, to enhance visibility in the water and protect the jacket from the abrasive action of the first stage.

CODE	SIZE	CASE PACK
JIC741900	XS	1
JIC741901	S	1
JIC741902	Μ	1
JIC741903	L	1
JIC741904	XL	1

ACCESSORIES

CODE PRODUCT IZ750094 INTEGRATED FLAT-LOCK WEIGHT POCKET 10 LB IC760099 TANK STRAP WEIGHT POCKET

SPARE PARTS

CODE PRODUCT IZ750275 O-RING MAINTENANCE KIT for BCD INFLATOR FLAT

HIGH VISIBILITY BACK PAD





TECHNICAL FEATURES

- Cordura 500 Denier fabric
- (exterior and interior part)
- Integrated Cressi Flat-Lock Aid
- weight System 2 large accessory holder zip-up pockets
- Light-weight, rigid backplate with carry handle
- 3 overpressure dump valves
- 225 mm technopolymer D-rings on the nockets Size shown on shoulder straps
- 50 mm shoulder straps with buckles

BUOYANCY

SIZE	NEWTON	KG	POUNDS
XS	120	12.2	27.0
S	140	14.3	31.5
м	160	16.3	36.0
L	190	19.4	42.7
XL	220	22.4	49.5



ZIPPED POCKETS



ULTRA RESISTANT MATERIALS



II BUYER'S GUIDE 2022

105

NVI ON 420 D FLAT LOCK AID STANDARD CELL

ഗ BCD' SCUBA /

PATROL

| BACK INFLATION | INTEGRATED WEIGHT POCKETS



The Patrol BC is an impressively lightweight, rear inflation BC that is anatomically designed for maximum comfort and durability. The special air cell compression strap guarantees extra guick deflation and volume control. The ultralight rigid back plate with its integrated carrying handle ensures optimal stability. The Patrol also features Cressi's Flat-Lock-Aid integrated weight system that makes it easy to

CODE	SIZE	CASE PACK
IC741600	XS	1
IC741601	S	1
IC741602	Μ	1
IC741603	L	1
IC741604	XL	1

ACCESSORIES

CODE	PRODUCT
IZ750094	INTEGRATED FLAT-LOCK WEIGHT POCKET 10 LB
IC760099	TANK STRAP WEIGHT POCKET

SPARE PARTS

PRODUCT

IZ750275 O-RING MAINTENANCE KIT for BCD INFLATOR FLAT

40MM BUCKLES

FULLY ADJUSTABLE SHOULDER HARNESS

HIDEAWAY POCKET



release the pockets. There are 3 pressure relief valves: one on the upper part of the hose, one valve on the right-hand side of the shoulder and a third on the lower right-hand side of the air cell. The Patrol also features plastic D-rings to help reduce weight and the shoulder and the waist harness is fully adjustable to one full size up or down from the stated size.



POUNDS

29.2

29.2

42.7

49.5

49.5

TECHNICAL FEATURES

KG

13.3

13.3

19.4

22.4

22.4

Back inflation bcd

BUOYANCY

XS

s м

1

XL

SIZE NEWTON

130

130

190

220

200

Ultralight rigid back plate
 Soft, padded back

BACK WEIGHT POCKETS OPTIONAL





FULLY ADJUSTABLE WAIST HARNESS



CORDURA 500 D FIXED GRAVITY STANDARD CELL POCKETS HIGH LIFT

START PRO 2.0

| JACKET-STYLE | GRAVITY WEIGHT POCKETS



Designed primarily as a rental BC for resorts and dive schools, the Start Pro gives students and customers the stability of a jacket style BC and the convenience of weight integration.

on the shoulder.

	CODE	SIZE	CASE PACK
NEW	IC721905	2X5	1
	IC721900	XS	1
	IC721901	5	1
	IC721902	Μ	1
	IC721903	L	1
	IC721904	XL	1
NEW	IC721906	2XL	1

ACCESSORIES

CODE PRODUCT IZ750094 INTEGRATED FLAT-LOCK WEIGHT POCKET 10 LB IC760099 TANK STRAP WEIGHT POCKET

SPARE PARTS

PRODUCT IZ750275 O-RING MAINTENANCE KIT for BCD INFLATOR FLAT



ഗ CD' B ~ 4 CUB/ Ś

Dive operators will appreciate its bullet-proof construction using 1000 and 500 Denier Nylon Cordura® and large, easily seen size markings

TECHNICAL FEATURES

- Ultra durable construction
- Integrated weight pockets use rugged quick-release buckles
- · 2 Large pockets cargo pockets with ykk zipper closure
- Rigid padded backpack and carry handle
- Three exhaust valves for buoyancy adjustment
- in any position 250mm technopolymer d-rings
- available in the shoulder straps 4 available d-rings: 1 above, 1 at
- the bottom of each pocket
- Size clearly visible on the shoulder strap Cordura 500 Denier fabric (exterior and interior part)
- Integrated Cressi Flat-Lock Aid weight System
- 2 large accessory holder zip-up pockets
- Light-weight, rigid backplate with carry handle
- 3 overpressure dump valves
 225 mm technopolymer D-rings on the pockets
- Size shown on shoulder straps
 50 mm shoulder straps
- with buckles

BUOYANCY

SIZE	NEWTON	KG	POUNDS
XXS	70	7.14	15.7
XS	130	13.3	29.2
5	140	14.3	31.5
м	150	15.3	33.7
L	170	17.3	38.2
XL	200	20.4	45.0
XXL			



BACK VIEW

II BUYER'S GUIDE 2022

HIGH LIFT CORDURA 500 D CAPACITY STANDARD CELL



S

NEW 2XL SIZE S | JACKET-STYLE | 500D/420D NYLON



Jacket Solid: good buoyancy, ideal for scuba diving schools and equipment rental centers. It features a colored reinforcement band in the upper part of the back, at neck level, to

CODE	SIZE	CASE PACK
JIC741705	2X5	1
JIC741700	XS	1
JIC741701	S	1
JIC741702	Μ	1
JIC741703	L	1
JIC741704	XL	1
JIC741706	2XL	1

ACCESSORIES

CODE	PRODUCT
IC760099	TANK STRAP WEIGHT POCKET

SPARE PARTS

CODE	PRODUCT	

IZ750275 O-RING MAINTENANCE KIT for BCD INFLATOR FLAT





ZIPPED POCKETS

enhance visibility in the water and protect the jacket from the abrasive action of the first

stage. The sternal attachment is closed by a

buckle which also serves as a safety whistle.



TECHNICAL FEATURES

- Exterior: Cordura 500D nylon Interior: Cordura 420D nylon 2 large accessory holder zip-up
- pockets Light-weight, rigid backplate with carry handle
- 3 overpressure dump valves
 232 mm technopolymer O-rings
- on the pockets
- Size clearly visible on the shoulder strap
- 50 Mm shoulder straps with buckles

BUOYANCY				
SIZE	NEWTON	KG	POUNDS	
XXS	80	8.2	18.0	
XS	120	12.2	27.0	
5	140	14.3	31.5	
м	160	16.3	36.0	
L	190	19.4	42.7	
XL	220	22.4	49.5	
XXL				

GAUGE AND OCTOPUS HOLDER





HIGH LIFT CORDURA 500 D CAPACITY STANDARD CELL

START | JACKET-STYLE | 1000D/500D NYLON



Designed primarily as a rental BCD for resorts and dive schools, the Start is a simple, functional jacket-style BCD without weight integration. Diver operators will appreciate its

CODE	SIZE	CASE PACK
IC721700	XS	1
IC721701	S	1
IC721702	Μ	1
IC721703	L	1
IC721704	XL	1

ACCESSORIES

CODE PRODUCT IC760099 TANK STRAP WEIGHT POCKET

SPARE PARTS

CODE PRODUCT IZ750275 O-RING MAINTENANCE KIT for BCD INFLATOR FLAT





TECHNICAL FEATURES

- Ultra durable construction
- Ideal for frequently use
 2 Large pockets cargo pockets
- with velcro closure Rigid padded backpack and
- carry handle Three exhaust valves for

- Adjustment in any position
 4 Available D-rings: 1 above, 1 at the bottom of each pocket
- Size clearly visible on the shoulder strap

BUOYANCY

SIZE	NEWTON	KG	POUNDS
XS	130	13.3	29.2
S	140	14.3	31.5
м	150	15.3	33.7
L	170	17.3	38.2
XL	200	20.4	45.0



bullet-proof construction using Cordura 1000 and 500 Denier Nylon fabric and large, easily seen size markings on the shoulder.

SIZE ON SHOULDER PAD



COMPACT TANK BACKPACK




II BUYER'S GUIDE 2022

109



		- V													
	ELETTRA	AQUAWING	AQUAWING PLUS	COMMANDER EVOLUTION	CARBON	AVIATOR	LIGHTWING	AQUARIDE	SCORPION	TRAVELIGHT MAN - WOMAN	QUARTZ	PATROL	START PRO 2.0	SOLID	START
TYPE OF AIR CELL	Standard	Back cell	Back cell	Back cell	Back cell	Standard	Back cell	Standard	Back cell	Standard	Standard	Back cell	Standard	Standard	Standard
MATERIAL	Nylon 420	Nylon 210	Nylon 210	Nylon 420 Denier	Nylon 420 Denier	Cordura 210 Denier	Cordura 210 Denier	Cordura 420 Denier	Cordura 210 Denier	Cordura 210 Denier	Cordura 500 Denier	Cordura 420 Denier	Cordura 500 Denier	Cordura 500 Denier	Cordura 500 Denier
	Denier	Denari	Denari	Deniel	Demer	Denier	Demer	Deniel	Denier	Deniel	Deniei	Denier	Denier	Denier	Deniel
BUOYANCY (NEWTON	- KG - LB)		_									70 71 45 7			
XXS	-	-		130	80	60	90	80	130	60	120	70 7.1 - 15.7 130	130	80	130
XS	n/a	130	130	13.3 - 29.2	8.2 - 18.0	6.1 - 13.5	9.2 - 20.2	8.2 - 18.0	13.3 - 29.2	6.1 - 13.5	12.2 - 27.0	13.3 - 29.2	13.3 - 29.2	8.2 - 18.0	13.3 - 29.2
s	n/a	130	130	130 13.3 - 29.2	90 9.2 - 20.2	80 8.2 - 18.0	90 9.2 - 20.2	90 9.2 - 20.2	130 13.3 - 29.2	80 8.2 - 18.0	140 14.3 - 31.5	130 13.3 - 29.2	140 14.3 - 31.5	120 12.2 - 27.0	140 14.3 - 31.5
м	150	130	130	190	130	90	90	130	150	90	160	190	150	160	150
M	150	150	150	19.4 - 42.7	13.3 - 29.2	9.2 - 20.2	9.2 - 20.2	13.3 - 29.2	15.3 - 33.7	9.2 - 20.2	16.3 - 36.0	19.4 - 42.7	15.3 - 33.7	14.3 - 31.5	15.3 - 33.7
L	n/a	130	130	225 22.9 - 50.6	160 16.3 - 36.0	130 13.3 - 29.2	150 15.3 - 33.7	160 16.3 - 36.0	150 15.3 - 33.7	130 13.3 - 29.2	190 19.4 - 42.7	225 22.9 - 50.58	170 17.3 - 38.2	160 16.3 - 36.0	170 17.3 - 38.2
XL	-	130	130	225 22.9 - 50.6	190 19.4 - 42.7	160 16.3 - 36.0	150 15.3 - 33.7	190 19.4 - 42.7	150 15.3 - 33.7	160 16.3 - 36.0	220 22.4 - 49.5	225 22.9 - 50.58	200 20.4 - 45.0	190 19.4 - 42.7	200 20.4 - 45.0
Type of Backplate	Soft	Rigid	Rigid	Rigid	Rigid	Soft	Soft	Rigid	Soft	Soft	Rigid	Rigid	Rigid	Rigid	Rigid
Cylinder fixing	Double strap	Double strap	Double strap	Single Strap	Single Strap	Double strap	Double strap	Single Strap	Double strap	Double Strap	Single Strap	Single Strap	Single Strap	Single Strap	Single Strap
Compatible	Mono	Mono	Mono	Mono	Mono	Mono	Mono	Mono	Mono	Mono		Mono	Mono	Mono	Mono
cylinders • Internal volume											10 - 12 - 15				
(liters)	10-12-15-18	10/12/15/18	10-12-15-18	10 - 12 - 15 - 18	10 - 12 - 15 - 18	10 - 12 - 15 - 18	10 - 12 - 15 - 18	10 - 12 - 15 - 18	10 - 12 - 15 - 18	10 - 12 - 15 - 18	- 18	10 - 12 - 15 - 18	10 - 12 - 15 - 18	10 - 12 - 15 - 18	10 - 12 - 15 -
• Internal volume (cu. ft.)				0.35 - 0.42 - 0.53 - 0.63	0.35 - 0.42 - 0.53 - 0.63	0.35 - 0.42 - 0.53 - 0.63	0.35 - 0.42 - 0.53 - 0.63	0.35 - 0.42 - 0.53 - 0.63	0.35 - 0.42 - 0.53 - 0.63	0.35 - 0.42 - 0.53 - 0.63	0.35 - 0.42 - 0.53 - 0.63	0.35 - 0.42 - 0.53 - 0.63	0.35 - 0.42 - 0.53 - 0.63	0.35 - 0.42 - 0.53 - 0.63	0.35 - 0.42 0.53 - 0.63
• Cylinder diameter (mm)	171/203/216	171/203/216	171/203/216	171/203/216	171/203/216	171/203/216	171/203/216	171/203/216	171/203/216	171/203/216	171/203/216	171/203/216	171/203/216	171/203/216	171/203/216
• Cylinder diameter (in)				6.73/8.0/8.5	6.73/8.0/8.5	6.73/8.0/8.5	6.73/8.0/8.5	6.73/8.0/8.5	6.73/8.0/8.5	6.73/8.0/8.5	6.73/8.0/8.5	6.73/8.0/8.5	6.73/8.0/8.5	6.73/8.0/8.5	6.73/8.0/8.
Weight pocket	Flat lock aid	No	Fixed pocket	Integrated Flat Lock System + 2 Tank Weight Pockets		Integrated Flat Lock System + 2 back pockets	Integrated Flat Lock System	Integrated Flat Lock System	Vertical Inte- grated Flat Lock System	Integrated Flat Lock System + 2 back pockets	Integrated Flat Lock System	Integrated Flat Lock System	Fixed Gravity Pocket	No	No
Max for pocket (kg)	4.5+4.5	No	3+3	4.5 + 4.5 + 4.5 + 4.5	4.5 + 4.5 + 3.5 + 3.5	4.5 + 4.5 + 3.5 + 3.5	4.5 + 4.5	4.5 + 4.5	4.5 + 4.5	4.5 + 4.5 + 3.5 +3.5	4.5 + 4.5	4.5 + 4.5	2+2 (XX5, X5, 5) 3+3 (M, L, XL)		
Max for pocket (lb)				9.9 + 9.9 + 9.9 + 9.9	9.9 + 9.9 + 7.7 + 7.7	9.9 + 9.9 + 7.7 + 7.7	9.9 + 9.9	9.9 + 9.9	9.9 + 9.9	9.9 + 9.9	9.9 + 9.9	9.9 + 9.9	4.41 + 4.41 (XX5, X5, 5) 6.61 + 6.61 (M, L, XL)		
Abdominal adjustment	Buckle+sp- wb (self pivotting waistband)	Buckle	Buckle	Adjustable Waist Band + Buckle	Standard Waist Band + Buckle	Reverse Buckle	Reverse Buckle	Standard Waist Band + Buckle	Reverse Buckle	Standard Waist Band + Buckle	Standard Waist Band + Buckle	Buckle + LAS (Length Adj. System)	Standard Waist Band + Buckle	Standard Waist Band + Buckle	Standard W Band + Buck
Sternal Adjustment	Movable	No	No	Movable	Fixed	Fixed	Movable	Fixed	Movable	Fixed	Fixed	Movable	Fixed	Fixed	Fixed
Shoulder Strap Adjustment	Standard	Mas (Modular Adjustment System)	Mas (Modular Adjustment System)	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard + LAS (Length Adj.	Standard	Standard	Standard
QUICK DUMP AND OVE			Systemy									System)			
N°	2	1	1	2	2	2	2	2	2	2		2	2	2	2
Discharge Knob Position	At the front,		At the back, lower left area	At the back, lower right area	At the front, 2/3 upper right	At the back, lower right area At the front, 2/3 upper right		At the back, lower right area	At the back, lower right area At the front, 2/3 upper right	At the back, lower right area		At the back, lower right area At the front, 2/3 upper right	At the back, lower right area At the front, 2/3 upper right Area	At the back, lower right area At the front, 2/3 upper right Area	At the back, lower right a
				Area	Area	Area	Area	Area	Area	Area					
Total Dump Valves	4	3	3	Area 4	Area 4	Area 4	Area 4	Area 4	Area 4	Area 4		Area 4	4	4	4
•	-	3	3										4		
Total Dump Valves N° Charge Valves Type of Control Unit POCKETS AND D-RINGS	4			4	4	4	4	4	4	4		4		4	4
N° Charge Valves Type of Control Unit POCKETS AND D-RINGS	4	2	2	4 2	4 2	4 2	4 2	4 2	4 2	4 2	2	4 2	2	4 2	4 2
N° Charge Valves Type of Control Unit POCKETS AND D-RINGS N° of Pockets	4 2 Flat	2 Flat	2 Flat	4 2 Flat	4 2 Flat	4 2 Flat	4 2 Flat	4 2 Flat	4 2 Flat	4 2 Flat	2	4 2 Flat	2 Flat	4 2 Flat	4 2 Flat
N° Charge Valves Type of Control Unit POCKETS AND D-RINGS N° of Pockets N° of Back Pockets	4 2 Flat 2	2 Flat No	2 Flat No	4 2 Flat 2	4 2 Flat 2	4 2 Flat 2	4 2 Flat	4 2 Flat 2	4 2 Flat	4 2 Flat 2	2	4 2 Flat	2 Flat	4 2 Flat	4 2 Flat
N° Charge Valves Type of Control Unit POCKETS AND D-RINGS N° of Pockets N° of Back Pockets N° of D° Rings	4 2 Flat 2 No 6	2 Flat No 2 4	2 Flat No 2 5	4 2 Flat 2 2	4 2 Flat 2 2	4 2 Flat 2 2	4 2 Flat 1	4 2 Flat 2 2	4 2 Flat 2	4 2 Flat 2 2		4 2 Flat 1	2 Flat 2	4 2 Flat 2	4 2 Flat 2
N" Charge Valves Type of Control Unit POCKETS AND D-RINGS N" of Pockets N" of Back Pockets N" of D" Rings B.C.D. WEIGHT TOTAL	4 2 Flat 2 No 6	2 Flat No 2 4	2 Flat No 2 5	4 2 Flat 2 2	4 2 Flat 2 2	4 2 Flat 2 2	4 2 Flat 1	4 2 Flat 2 2	4 2 Flat 2	4 2 Flat 2 2		4 2 Flat 1	2 Flat 2	4 2 Flat 2	4 2 Flat 2
N" Charge Valves Type of Control Unit POCKETS AND D-RINGS N" of Pockets N" of Back Pockets N" of D" Rings B.C.D. WEIGHT TOTAL XXS	4 2 Flat 2 No 6 BALLAST THA	2 Flat No 2 4 T CAN BE USED	2 Flat No 2 5 9 (kg - lb)	4 2 Flat 2 2 8 3.05 - 14	4 2 Flat 2 2 8 3.0 - 14	4 2 Flat 2 2 6 2 24-14	4 2 Flat 1 4	4 2 Flat 2 2 8 30 - 14	4 2 Flat 2 6 24-11	4 2 Flat 2 2 6 2 24-14	4 2.4 - 14	4 2 Flat 1 6 26-9	2 Flat 2 6 24-4 529-8.82 25-4	4 2 Flat 2 4 24-No	4 2 Flat 2 4 2.4-No
N" Charge Valves Type of Control Unit POCKETS AND D-RINGS N" of Pockets N" of Back Pockets B.C.D. WEIGHT TOTAL XXS XS	4 2 Flat 2 No 6 BALLAST THA	2 Flat 2 4 T CAN BE USED -	2 Flat No 2 5 5 (kg - lb) -	4 2 Flat 2 2 8 8 3.05 - 14 6.72 - 30.86 3.1 - 14	4 2 Flat 2 2 8 3.0 - 14 6.61 - 30.86 3.1 - 14	4 2 Flat 2 2 6 2 2 6 2 2 4-14 529-30.86 2,4-14	4 2 Flat 1 4 4 19 - 9 4 20 - 19.84 195 - 9	4 2 Flat 2 2 8 8 3.0 - 14 6.72 - 30.86 3.1 - 14	4 2 Flat 2 6 2 2 4-11 529-24.25 245-11	4 2 Flat 2 2 6 6 2 2 4-14 529-30.86 2,4-14	4 2.4 - 14 5.29 - 30.86 2.5 - 14	4 2 Flat 1 6 26-9 5.73-19.84 26-9	2 Flat 2 6 24-41529-882 25-4 551-882 26-4	4 2 Flat 2 4 4 224- No 529 - No 2.5- No	4 2 Flat 2 2 4 2 2 2 2 2 2 5 2 9 - No 2 5 - No
N° Charge Valves Type of Control Unit POCKETS AND	2 Flat 2 No 6 EALLAST THA - 3,15 - 9	2 Flat No 2 4 T CAN BE USED - 3,34 - 6	2 Flat No 2 5 5 (kg - lb) - 2,90 - 6	4 2 Flat 2 2 8 8 305-14 6.72-30.86 31-14 6.83-30.86 32-14	4 2 Flat 2 2 8 8 3.0 - 14 6.61 - 30.86 6.61 - 30.86 3.1 - 14 6.83 - 30.86	4 2 Flat 2 2 2 6 5 2 2 4 - 14 529 - 30.86 2 2 - 14	4 2 Flat 1 4 4 4 4 20-19.84 1,95-9 4,20-19.84 2,0-9	4 2 Flat 2 2 8 30 - 14 6.72 - 30.86 31 - 14 6.83 - 30.86 32 - 14	4 2 Flat 2 6 6 2.4-11 5.29-24.25 2.45-11 5.51-24.25 2.5-13	4 2 Flat 2 2 2 6 5 2 2 4 - 14 529 - 30.86 2 2 - 14	4 24 - 14 529 - 30.86 25 - 14 5.51 - 30.86 26 - 14	4 2 Flat 1 6 2.6 - 9 5.73 - 19.84 2.6 - 9 5.73 - 19.84 2.75 - 9	2 Flat 2 6 24-4 529-8.82 25-4 551-8.82 26-4 573-8.82 275-6	4 2 Flat 2 4 4 2.4 - No 5.29 - No 2.5 - No 5.51 - No 2.6 - No	4 2 Flat 2 4 4 2.4 - No 5.29 - No 2.5 - No 5.51 - No 2.6 - No
N" Charge Valves Type of Control Unit POCKETS AND D-RINGS N" of Pockets N" of Back Pockets N" of D" Rings B.C.D. WEIGHT TOTAL XXS S	4 2 Flat 2 No 6 BALLAST THA - 3,15 - 9 3,15 - 9	2 Flat 2 4 T CAN BE USED - 3,34 - 6	2 Flat 2 5 ((kg-tb) - 2,90-6 290-6	4 2 Flat 2 2 8 3.05 - 14 6.72 - 30.86 3.1 - 14 6.83 - 30.86 3.2 - 14 3.3 - 14	4 2 Flat 2 2 8 3.0 - 14 6.61 - 30.86 3.1 - 14 6.83 - 30.86 3.2 - 14 7.05 - 30.86 3.3 - 14	4 2 Flat 2 2 6 2 2 4 - 14 529 - 30.86 24 - 14 529 - 30.86 25 - 14 25 - 14	4 2 Flat 1 4 4 19 - 9 4.20 - 19.84 195 - 9 4.20 - 19.84 2.0 - 9 4.30 - 19.84 2.0 - 9	4 2 Flat 2 2 8 3.0 - 14 6.72 - 30.86 3.1 - 14 6.83 - 30.86 3.2 - 14 3.3 - 14	4 2 Flat 2 6 2 24-11 529-2425 245-11 551-2425 25-13 25-13 26-13	4 2 Flat 2 2 6 2 2 4 - 14 529 - 30.86 24 - 14 529 - 30.86 25 - 14 25 - 14	4 24 - 14 5.29 - 30.86 2.5 - 14 5.51 - 30.86 2.6 - 14 5.73 - 30.86 2.7 - 14	4 2 Flat 1 6 2.6 - 9 5.73 - 19.84 2.6 - 9 5.73 - 19.84 2.75 - 9 6.06 - 19.84 2.9 - 9	2 Flat 2 6 24-4 529-882 25-4 551-882 26-4 573-882 275-6 6,06-1323 28-6	4 2 Flat 2 2 4 2 2 4 2 2 4 2 2 4 2 5 2 9 - No 2 5 5 1 - No 2 6 - No 2 2 7 - No	4 2 Flat 2 2 4 2.4 - No 5.29 - No 2.5 - No 5.51 - No 2.6 - No 2.6 - No 2.7 - No
N" Charge Valves Type of Control Unit POCKETS AND D-RINGS N" of Pockets N" of Back Pockets N" of D" Rings B.C.D. WEIGHT TOTAL XXS S S M	4 2 Flat 2 No 6 BALLAST THA 3,15 - 9 3,15 - 9 3,15 - 9	2 Flat 2 4 T CAN BE USED - 3,34 - 6 3,34 - 6	2 Flat 2 5 (kg-tb) - 2,90-6 2,90-6	4 2 Flat 2 2 8 8 3.05 - 14 6.72 - 30.86 3.1 - 14 6.83 - 30.86 3.2 - 14 7.05 - 30.86	4 2 Flat 2 2 8 8 3.0 - 14 6.61 - 3.0.86 3.1 - 14 6.83 - 30.86 3.2 - 14 7.05 - 30.86	4 2 Flat 2 2 6 6 2 2 4 - 14 529 - 30.86 2 2 - 14 551 - 30.86	4 2 Flat 1 4 4 1.9 - 9 4.20 - 19.84 1.95 - 9 4.30 - 19.84 2.0 - 9 4.41 - 19.84	4 2 Flat 2 2 8 8 30 - 14 6.72 - 30.86 31 - 14 6.83 - 30.86 32 - 14 7.05 - 30.86	4 2 Flat 2 2 6 6 2 2 4-11 529-2425 245-11 551-2425 25-13 573-2866	4 2 Flat 2 2 6 6 2 2 4 - 14 529 - 30.86 2 2 5 - 14 551 - 30.86	4 2.4 - 14 5.29 - 30.86 2.5 - 14 5.51 - 30.86 2.6 - 14 5.73 - 30.86	4 2 Flat 1 6 2.6 - 9 5.73 - 19.84 2.6 - 9 5.73 - 19.84 2.75 - 9 6.06 - 19.84 2.9 - 9	2 Flat 2 6 24-41529-8.82 25-4 551-8.82 26-4 275-6 6.06-1323	4 2 Flat 2 4 4 22-No 529-No 25-No 25-No 25-No 26-No 5,73-No	4 2 Flat 2 2 4 4 2 2 4 2 2 5 29 - No 2 5 - No 2 5 - No 5 7 3 - No

		COMMANDER EVOLUTION	CARBON	AVIATOR	LIGHTWING	SCORPION	AQUARIDE	TRAVELIGHT MAN - WOMAN	PATROL	START PRO 2.0	START	QUARTZ	SOLID
VEAR	ABILITY												
	CHEST (cm - in)									70/85 27.5/33.5			
	WAIST (cm - in)									74/82 29/32.5			
XS	OVER THE SHOULDER (cm - in)									76/83 30/32.5			
	WEIGHT (kg - lb)									48/60 106/132.5			
	CHEST	80/90	80/90	80/90	80/90	80/90	80/90	80/90	80/90	80/90	80/90	80/90	80/90
	(cm - in)	31.5/35.5	31.5/35.5	31.5/35.5	31.5/35.5	31.5/35.5	31.5/35.5	31.5/35.5	31.5/35.5	31.5/35.5	31.5/35.5	31.5/35.5	31.5/3!
	WAIST	75/90	75/90	75/90	75/90	75/90	75/90	75/90	75/90	75/90	75/90	75/90	75/90
	(cm - in)	29/35	29/35	29/35	29/35	29/35	29/35	29/35	29/35	29/35	29/35	29/35	29/35
i	OVER THE SHOULDER (cm - in)	81/94 32/37	81/94 32/37	81/94 32/37	81/94 32/37	81/94 32/37	81/94 32/37	81/94 32/37	78/105 37.5/41.5	81/94 32/37	81/94 32/37	81/94 32/37	81/94 32/37
	WEIGHT	55/65	55/65	55/65	55/65	55/65	55/65	55/65	55/65	55/65	55/65	55/65	55/65
	(kg - lb)	121.5/143.5	121.5/143.5	121.5/143.5	121.5/143.5	121.5/143.5	121.5/143.5	121.5/143.5	121.5/143.5	121.5/143.5	121.5/143.5	121.5/143.5	121.5/1
	CHEST	90/100	90/100	90/100	90/100	90/100	90/100	90/100	90/100	90/100	90/100	90/100	90/10
	(cm - in)	35.5/39.5	35.5/39.5	35.5/39.5	35.5/39.5	35.5/39.5	35.5/39.5	35.5/39.5	35.5/39.5	35.5/39.5	35.5/39.5	35.5/39.5	35.5/3
	WAIST	85/95	85/95	85/95	85/95	85/95	85/95	85/95	85/95	85/95	85/95	85/95	85/95
	(cm - in)	33.5/37.5	33.5/37.5	33.5/37.5	33.5/37.5	33.5/37.5	33.5/37.5	33.5/37.5	33.5/37.5	33.5/37.5	33.5/37.5	33.5/37.5	33.5/3
	OVER THE SHOULDER (cm - in)	83/96 32.5/38	83/96 32.5/38	83/96 32.5/38	83/96 32.5/38	83/96 32.5/38	83/96 32.5/38	83/96 32.5/38	78/105 37.5/41.5	83/96 32.5/38	83/96 32.5/38	83/96 32.5/38	83/96 32.5/3
	WEIGHT	63/78	63/78	63/78	63/78	63/78	63/78	63/78	63/78	63/78	63/78	63/78	63/78
	(kg - lb)	139/172	139/172	139/172	139/172	139/172	139/172	139/172	139/172	139/172	139/172	139/172	139/17
	CHEST	100/110	100/110	100/110	100/110	100/110	100/110	100/110	100/110	100/110	100/110	100/110	100/11
	(cm - in)	39.5/43.5	39.5/43.5	39.5/43.5	39.5/43.5	39.5/43.5	39.5/43.5	39.5/43.5	39.5/43.5	39.5/43.5	39.5/43.5	39.5/43.5	39.5/4
	WAIST	95/105	95/105	95/105	95/105	95/105	95/105	95/105	95/105	95/105	95/105	95/105	95/10
	(cm - in)	37.5/41	37.5/41	37.5/41	37.5/41	37.5/41	37.5/41	37.5/41	37.5/41	37.5/41	37.5/41	37.5/41	37.5/4
	OVER THE SHOULDER (cm - in)	85/106 33.5/41.5	85/106 33.5/41.5	85/106 33.5/41.5	85/106 33.5/41.5	85/106 33.5/41.5	85/106 33.5/41.5	85/106 33.5/41.5	82/120 32.5/47	85/106 33.5/41.5	85/106 33.5/41.5	85/106 33.5/41.5	85/10 33.5/4
	WEIGHT	75/85	75/85	75/85	75/85	75/85	75/85	75/85	75/85	75/85	75/85	75/85	75/85
	(kg - lb)	165.5/187.5	165.5/187.5	165.5/187.5	165.5/187.5	165.5/187.5	165.5/187.5	165.5/187.5	165.5/187.5	165.5/187.5	165.5/187.5	165.5/187.5	165.5,
	CHEST	105/115	105/115	105/115	105/115	105/115	105/115	105/115	105/115	105/115	105/115	105/115	105/1
	(cm - in)	41.5/45	41.5/45	41.5/45	41.5/45	41.5/45	41.5/45	41.5/45	41.5/45	41.5/45	41.5/45	41.5/45	41.5/4
	WAIST	100/110	100/110	100/110	100/110	100/110	100/110	100/110	100/110	100/110	100/110	100/110	100/11
	(cm - in)	39.5/43.5	39.5/43.5	39.5/43.5	39.5/43.5	39.5/43.5	39.5/43.5	39.5/43.5	39.5/43.5	39.5/43.5	39.5/43.5	39.5/43.5	39.5/4
	OVER THE SHOULDER (cm - in)	86/110 34/43.5	86/110 34/43.5	86/110 34/43.5	86/110 34/43.5	86/110 34/43.5	86/110 34/43.5	86/110 34-43.5	82/120 32.5/47	86/110 34/43.5	86/110 34/43.5	86/110 34/43.5	86/110 34/43
	WEIGHT	80/100	80/100	80/100	80/100	80/100	80/100	80/100	80/100	80/100	80/100	80/100	80/10
	(kg - lb)	176.5/220.5	176.5/220.5	176.5/220.5	176.5/220.5	176.5/220.5	176.5/220.5	176.5/220.5	176.5/220.5	176.5/220.5	176.5/220.5	176.5/220.5	176.5/
	CHEST	115/125	115/125	115/125	115/125	115/125	115/125	115/125	115/125	115/125	115/125	115/125	115/12
	(cm - in)	45.5/49	45.5/49	45.5/49	45.5/49	45.5/49	45.5/49	45.5/49	45.5/49	45.5/49	45.5/49	45.5/49	45.5/4
	WAIST	110/120	110/120	110/120	110/120	110/120	110/120	110/120	110/120	110/120	110/120	110/120	110/12
	(cm - in)	39.5/47	39.5/47	39.5/47	39.5/47	39.5/47	39.5/47	39.5/47	39.5/47	39.5/47	39.5/47	39.5/47	39.5/4
	OVER THE SHOULDER (cm - in)	87/120 34.5/47	87/120 34.5/47	87/120 34.5/47	87/120 34.5/47	87/120 34.5/47	87/120 34.5/47	87/120 34.5/47	82/120 32.5/47	87/120 34.5/47	87/120 34.5/47	87/120 34.5/47	87/120 34.5/4
	WEIGHT	110/120	110/120	110/120	110/120	110/120	110/120	110/120	110/120	110/120	110/120	110/120	110/12
	(kg - lb)	242.5/264.5	242.5/264.5	242.5/264.5	242.5/264.5	242.5/264.5	242.5/264.5	242.5/264.5	242.5/264.5	242.5/264.5	242.5/264.5	242.5/264.5	242.5



BCD MEASURING TIPS

Take the measurement

CHEST MEASUREMENT (B) W OVER THE SHOULDER M.

MEASUREMENT (C) to the back top of the waist. WOMAN When measuring or to the back top of the waist. A

GUIDE the m

PLEASE NOTE

Larger one. Example: If 2 measurements give the size M and 2 give the size L then choose the size L. Consider the thickness of your wetsuit when choosing your BCD size. Diving in cold water requires a thicker wetsuit, which can mean a larger BCD size. Allow about 2 inches (5 cm) of extra room for your waist for suits thicker than 5mm and above.

WAIST MEASUREMENT (A) MAN When measuring waist size for man, remember do not measure at the belt line.

Take the measurement right above the belly button and below rib cage for the most accurate size.

WOMAN When measuring waist size for woman, remember the measurement always comes from above the pelvic bone. This is usually the narrowest part of your torso.


When measuring the chest, take the circumference of the torso just below the arms.

MAN When measuring over the shoulder, start at the top of the waist, go over the shoulder, to the back top of the waist.

WOMAN When measuring over the shoulder, start at the top of the waist, go over the shoulder,

to the back top of the waist. For woman please note the waist starts just above the pelvic bone.

Take the measurement of each indicated in the chart and get the corresponding size. The size that will appear the most number of times will be the correct one. If the number of times is equal between two sizes choose the larger one. Example: if 2 measurements give the size M and 2 give the size L then choose the size L.



START-ER PRO PACKAGE



DEALER PRICE \$479.95 USD* ORIGINAL PRICE \$561.43 USD

MAP PRICE
\$799 ^{.95 USD*}
°ORIGINAL PRICE \$894.80 USD

XS

CODE IY722100 IY722101

IY722102 IY722103 IY722104 IY722105 IY722106



QUARTZ ESSENCE PACKAGE

ITEMS



DEALER PRICE **\$649**.95 USD* *ORIGINAL PRICE \$746.53 USD





CODE	SIZE
IY741901	XS
IY741902	5
IY741903	Μ
IY741904	L
IY741905	XL

B.C.D. OUARTZ REGULATOR MC9/COMPACT OCTOPUS COMPACT INCLUDED DIVE COMPUTER+ PRESSURE GAUGE DONATELLO CONSOLE 2

*This offer cannot be used in conjunction with any other promotion or offer | We reserve the right to discontinue or alter the terms of these offers at any time | No product substitution | Minimum Quantity 2 Packages

OUARTZ ESSENCE COLD PACKAGE

C⊗LD WATER

DEALER PRICE
\$699 .95 USD*
*ORIGINAL PRICE \$781.70 USD







COLD WATERS

ERTIFIED PRODUC

CODE SIZE IY741911 X5 IY741912 5 IY741913 M IY741914 L IY741915 XL

B.C.D. QUARTZ REGULATOR MC9-SC/COMPACT PRO OCTOPUS COMPACT PRO PRESSURE GAUGE + DEPTH GAUGE DONATELLO CONSOLE 2

TRAVEL PATROL PACKAGE



*This offer cannot be used in conjunction with any other promotion or offer | We reserve the right to discontinue or alter the terms of these offers at any time | No product substitution | Minimum Quantity 2 Packages

BCD POCKETS & ACCESSORIES

FLAT-LOCK AID SYSTEM WEIGHT POCKET 10LB

DESCRIPTION: Flat Lock Aid System weight pocket for Cressi Jacket

SUITABLE FOR: Check compatibility at B.C.D.'s comparison table





HOSE CLIP FOR BCD

The Hose Clip is the quick solution for holding the Octopus hose retained to your scuba BCD. It can retain also gauges hoses. It features a double attachment for making a loop with the hose, but that can be easily released in case of an emergency. Thanks to the clip you can attach it to any D-Ring of your scuba BCD.



CODE 12750012

LIBRA

The Libra is the bag for carrying the ballast needed for your scuba diving equipment. It can carry also the weights used by the freedivers. It is made in strong and resistant Denier fabric, for long-lasting use and for a huge weight. Built rugged, the double webbing encircles the entire bag for added strength and joins to form a padded handle. Double-slider zipper makes it easy to access the main compartment. Personal tag or business card compartment on one side.

LIBRA BALLAST WEIGHT BAG - BLACK



CASE PACK

/ BCD'S ACCESSORIES

SCUBA



DESCRIPTION: Cam Band Trim / Tank Strap Back Weight Pocket

SUITABLE FOR: COMMANDER EVOLUTION -LIGHTWING - PATROL




CODE 1C760099

MULTIPURPOSE HANGER

The multi purpose hanger is water resistant and semi flexible. It allows users to safely place various types of scuba diving equipment, such as regulators, octopus and hoses, vests and/or suits in any environment instead of keeping it in a damp bag or tub. The hanger allows scuba material to drain and dry effectively while saving space.







TECHNICAL FEATURES

 Capacity: 14 liters, 0.5 cu ft
 Dimension: 30.5 x 30.5 x 15.2 cm, 12 x 12 x 6 in



ACCESSORIES

BCD'S

1

SCUBA

CODE

TA627020

PRODUCTS CASE PACK

10

10

10

high stretch neoprene socks. The inner is lined in Metallite so they are easy to put on.The sole has an effective non-slip lining. They can be used with both closed foot fins for greater warmth and to protect the skin from scratches and chafing, as well as with firm-soled socks, using open-heel fins. In this case, warmth is considerably increased and it is also easier to put on your wetsuit.

UW100000 METAL BUCKLE -BLACK

UW100001 METAL BUCKLE -NEON YELLOW

HARD PLASTIC

BUCKLE - BLUE

10	
METAL STAINLESS STEEL BUCKLE	
HARD PLASTIC BUCKLE	



AVIATOR WAIST BAND

DESCRIPTION:

Interchangeable abdominal bands with Cressi self-pivoting system for Aviator B.C.D. jacket



CODE PRODUCT IZ750140 AVIATOR WAIST BAND STANDARD IZ750146 AVIATOR WAIST BAND EXTENDED +5/10cm IZ750147 AVIATOR WAIST BAND EXTENDED +10/20 cm

CUMMERBUND TYPE A



CUMMERBUND TYPE B

CODE	PRODUCT
IZ7501200	CUMMERBUND TYPE A (XS) for S2011T / BACK JAC
IZ7501201	CUMMERBUND TYPE A (S) for S2011T / BACK JAC
IZ7501202	CUMMERBUND TYPE A (M) for S2011T / BACK JAC
IZ7501203	CUMMERBUND TYPE A (L) for S2011T / BACK JAC
IZ7501204	CUMMERBUND TYPE A (XL) for S2011T / BACK JAC
IZ7501210	CUMMERBUND TYPE B (XS)
IZ7501211	CUMMERBUND TYPE B (S)
IZ7501212	CUMMERBUND TYPE B (M)
IZ7501213	CUMMERBUND TYPE B (L)
IZ7501214	CUMMERBUND TYPE B (XL)
IZ7501215	CUMMERBUND TYPE B (2XL)
IZ7501220	CUMMERBUND TYPE C (XS) for TRAVELIGHT
IZ7501221	CUMMERBUND TYPE C (S) for TRAVELIGHT
IZ7501222	CUMMERBUND TYPE C (M) for TRAVELIGHT
IZ7501223	CUMMERBUND TYPE C (L) for TRAVELIGHT
IZ7501224	CUMMERBUND TYPE C (XL) for TRAVELIGHT
IZ7501225	CUMMERBUND TYPE C (2XL) for TRAVELIGHT

*This offer cannot be used in conjunction with any other promotion or offer | We reserve the right to discontinue or alter the terms of these offers at any time | No product substitution | Minimum Quantity 2 Packages

IZ750102 SQUARE DRIVER for BCD INFLATOR IZ750103 SCHRADER VALVE TOOL IZ760101 SOCKET WRENCH 12mm for BCD INFLATOR IZ760102 COMPASS SPANNER IZ760103 ALLEN KEY 2.5mm **MAINTENANCE KIT**

SOUARE DRIVER

B.C.D.'S

TOOLS



SCHRADER VALVE TOOL

COMPLETE INFLATOR



CODE	PRODUCT
IZ750243	COMPLETE INFLATOR for B.C.D.
IZ750273	COMPLETE INFLATOR FLAT
12/302/3	

SPARE PARTS

IZ750039

IZ750040

17750060





TANK BAND for BCD STANDARD INFLATION HOSE (69cm - 27.16 in) for BCD INFLATOR COMPLETE RIGID BACKREST for B.C.D.

UPPER / LOWER BACK VALVE for BCD (LANYARD 70cm + KNOB) IZ750110 IZ750244 COMPLETE POWER INFLATOR

CUMMERBUND TYPE C

116 **|| BUYER'S GUIDE** 2022








SOCKET WRENCH 12mm

COMPASS SPANNER

ALLEN KEY 2.5 mm







UPPER/LOWER BACK VALVE



COMPLETE POWER INFLATOR






Brand new design for this extremely effective and yet, very easy to use fin. The special arched profile of the fins combined with the two central ribs promote a significant flow convection effect, known as "spoon effect", which stabilises and boosts propulsion. Two lateral holes discharge the negative forces

CODE	COLOR	SIZE	CASE PACK
BE151036	Yellow	XS/S	3
BE151039	Yellow	S/M	3
BE151042	Yellow	L	3
BE151045	Yellow	XL	3
BE152036	Blue	XS/S	3
BE152039	Blue	S/M	3
BE152042	Blue	L	3
BE152045	Blue	XL	3
BE154036	Pink	XS/S	3
BE154039	Pink	S/M	3
BE155036	Black/Silver	XS/S	3
BE155039	Black/Silver	S/M	3
BE155042	Black/Silver	L	3
BE155045	Black/Silver	XL	3

CRESSI EBS Wearing fins has never been easier thanks to the special elastic, even with just one hand! The Elastic Bungee Strap holds the fin firmly to the foot and no ent is required!





BLACK/SILVER

BLUE/SILVER



 SPECIALIZED
 MADE IN ITALY

TECHNICAL FEATURES

Made using the exclusive 3-material injection system patented by Cressi
 Foot pocket increased by 5%
 Under blade foot pocket

 Very fast transmission of the applied energy Great structural rigidity

YELLOW/SILVER

WHITE/PINK

put on, even when wearing thick put on, even when wearing thick gloves or three-fingered gloves for winter water. The wrapping section is highly flexible, making adjustments unnecessary, and as a result it's much easier to get all your equipment right in the first few meters of your descent and the fin stays in place against your foot despite the increase in hydrostatic pressure.




OPTIONAL ACCESSORIES

CODE	PRODUCT
BZ150004	EBS Fin Strap for Ara/Frog/Pro Light/Thor (Short fit)
BZ150005	EBS Fin Strap for Ara/Frog/Pro Light/Thor (Regular fit)
BZ150006	EBS Fin Strap for Ara/Frog/Pro Light/Thor (Extended fit)

SPARE PARTS

CODE PRODUCT BZ150004 EBS FIN STRAP for ARA/FROG/PRO LIGHT/THOR - SHORT FIT EBS FIN STRAP for ARA/FROG/PRO LIGHT/THOR - REGULAR FIT BZ150005 BZ150006 EBS FIN STRAP for ARA/FROG/PRO LIGHT/THOR - EXTENDED FIT





	RUNS	12 L	1	RUNS LARGE	BARE	FOOT	NEOPRENE SOCKS		Soots	HARD SOLE
		PRO	DUCT DIMEI	NSION CHART				SIZE CO	VERSION CHA	RT
FIN SIZE	A LENGTH	B WIDTH	C BLADE	D WIDTH FIT	FIN HEIGHT FIT	SINGLE FIN WEIGHT	EU FOOT SIZE	UK FOOT SIZE	US MEN'S FOOT SIZE	US WOMEN'S FOOT SIZE
XS/S	589 mm	206 mm	325 mm	95 mm	83	760 g	36 / 38	3/5	4/6	5/7
s/M	629 mm	218 mm	346 mm	100 mm	85	850 g	39 / 41	6 / 7.5	7 / 8.5	8 / 9.5
L	668 mm	234 mm	368 mm	108 mm	92	1021 g	42 / 44	8 / 9.5	9 / 10.5	10 / 11.5
XL	680 mm	246 mm	390 mm	114 mm	86	1134 GR	45 / 48	10 / 12	11 / 13	12 / 14
	ART MEASURE			BOOT WITH SO JK SIZES ONLY	LE		CRESSI'S	SIZE CHART IS	TO BE USED AS	A REFERENCE ONLY



BS

Cressi has developed this special strap to meet the needs of the most demanding divers, who need a comfortable fastening for their foot but one that is still practical and manageable. Its special amply sized slot makes it very easy to put on even when wearing thick

II BUYER'S GUIDE 2022 120

To maximize performance and comfort, wear fins with:



Cressi's most technically advanced fin, the Reaction uses a completely new polypropylene blade material that is more reactive, flexible and trimmer than previous designs. It kicks easily yet powerfully and is suitable for divers of every experience level. The new, longer blade efficiently transfers energy from the computer-

CODE	COLOR	SIZE	CASE PACK
BE091038	Yellow/Silver	XS/S	3
BE091040	Yellow/Silver	S/M	3
BE091042	Yellow/Silver	M/L	З
BE091044	Yellow/Silver	L/XL	З
BE092038	Blue/Azure	XS/S	З
BE092040	Blue/Azure	S/M	З
BE092042	Blue/Azure	M/L	З
BE092044	Blue/Azure	L/XL	З
BE095538	Black/Silver	XS/S	З
BE095540	Black/Silver	S/M	З
BE095542	Black/Silver	M/L	З
BE095544	Black/Silver	L/XL	З
BE096438	White/Pink	XS/S	З
BE096440	White/Pink	S/M	З

designed foot pocket, and like other Cressi fins, the blade extends from the top of the foot pocket to maximize its effective surface area for more thrust. Other innovations include new locking strap buckles and no-slip material for better traction out of the water.

Wearing fins has never been easier thanks to the special elastic, even with just one hand! The Elastic Bungee Strap holds the fin firmly to the foot and no ent is required!

I EBS ELASTIC BUNGEE SYSTEM







BLUE/AZURE


WHITE/PINK





BLACK/SILVER






OPTIONAL ACCESSORIES

CODE	PRODUCT
BZ150004	EBS Fin Strap for Ara/Frog/Pro Light/Thor (Short fit)
BZ150005	EBS Fin Strap for Ara/Frog/Pro Light/Thor (Regular fit)
BZ150006	EBS Fin Strap for Ara/Frog/Pro Light/Thor (Extended fit)

SPARE PARTS

BZ150004 EBS FIN STRAP for ARA/FROG/PRO LIGHT/THOR - SHORT FIT EBS FIN STRAP for ARA/FROG/PRO LIGHT/THOR - REGULAR FIT BZ150005 BZ150006 EBS FIN STRAP for ARA/FROG/PRO LIGHT/THOR - EXTENDED FIT



С

FITSIZE	-	
RUNS SMALL	RUNS LARGE	
		٨D

	RUN5 SMALL			RUNS LARGE	BARE	FOOT	NEOPRENE SOCKS			ARD SOLE
		PRO	DUCT DIMEI	NSION CHART	•			SIZE COI	NVERSION CHA	RT
FIN SIZE	A LENGTH	B WIDTH	C BLADE	D WIDTH FIT	FIN HEIGHT FIT	SINGLE FIN WEIGHT	EU FOOT SIZE	UK FOOT SIZE	US MEN'S FOOT SIZE	US WOMEN'S FOOT SIZE
XS/S	587 mm 23 in	201 mm 8 in	325 mm 12.7 in	95 mm 3.7 in	83 mm 3.2 in	760 g 26.8 oz	35 / 38	2/4	3/5	4/6
5/M	621 mm 24.5 in	215 mm 8.4 in	346 mm 13.6 in	100 mm 3.9 in	100 mm 3.9 in	850 g 29.9 oz	38 / 41	4/7	5/8	6/9
M/L	665 mm 26 in	228 mm 8.9 in	368 mm 14.4 in	108 mm 4.2 in	104 mm 4.1 in	1021 g 36.1 oz	41 / 44	7 / 10	8.5 / 11	9.5 / 12
L/XL	698 mm 27.5 in	240 mm 9.4 in	390 mm 15.3 in	114 mm 4.5 in	107 mm 4.2 in	1134 g 40 oz	44 / 47	10 / 13	11 / 13	12 / 14
	SIZE XS/S S/M M/L L/XL	SMALL FIN A SIZE LENGTH XS/S 587 mm 23 in 24.5 in M/L 665 mm L/XL 698 mm	SMALL PRO FIN A B WIDTH XS/S 587 mm 201 mm 8in S/M 587 mm 201 mm 8in S/M 621 mm 215 mm 8.4 in M/L 665 mm 228 mm 8.9 in L/XL 698 mm 240 mm 9.4 in	SMALL PRODUCT DIMENT FIN A B C SIZE LENGTH WIDTH BLADE XS/S 587 mm 201 mm 325 mm S/M 23 in 8 in 12.7 in S/M 621 mm 215 mm 346 mm M/L 665 mm 228 mm 368 mm L/XL 698 mm 240 mm 390 mm	SMALL PRODUCT DIMENSION CHART FIN A B C D MIDTH SIZE LENGTH WIDTH BLADE D D XS/S 587 mm 201 mm 325 mm 93 mm S/M 621 mm 215 mm 346 mm 100 mm S/M 621 mm 215 mm 346 mm 100 mm M/L 665 mm 228 mm 368 mm 108 mm L/XL 698 mm 240 mm 390 mm 114 mm	SMALL PRODUCT DIMENSION CHART FIN A B C D FIN HEIGHT FIT SIZE LENGTH WIDTH BLADE WIDTH FIT HEIGHT FIT XS/S 587 mm 201 mm 325 mm 95 mm 83 mm S/M 621 mm 215 mm 346 mm 100 mm 3.9 in S/M 621 mm 215 mm 346 mm 100 mm 3.9 in M/L 665 mm 228 mm 368 mm 108 mm 104 mm 4.1 in 14.4 in 108 mm 107 mm	SWALL PRODUCT DIMENSION CHART FIN A B C D FIN FIN SINGLE FIN SIZE LENGTH WIDTH BLADE WIDTH FIT HEIGHT FIT SINGLE FIN XS/S 587 mm 201 mm 325 mm 95 mm 3.7 in 3.2 in 26.8 oz S/M 621 mm 215 mm 346 mm 100 mm 100 mm 3.9 in 29.9 oz S/M 665 mm 228 mm 368 mm 108 mm 104 mm 1021 g M/L 665 mm 240 mm 390 mm 114 mm 4.2 in 4.1 in 36.1 oz L/XL 698 mm 240 mm 390 mm 114 mm 4.5 in 4.2 in 40 oz	RUNS SMALL RUNS LARGE BARE FOOT NEOPRENE SOCKS FIN SIZE A LENGTH BUD WIDTH BLADE D WIDTH FIT FIN HEIGHT FIT SINGLE FIN WEIGHT EU FOOT SIZE LENGTH WIDTH BLADE D WIDTH FIT FIN HEIGHT FIT SINGLE FIN WEIGHT EU FOOT SIZE 21 mm 23 in 325 mm 8 in 325 mm 12.7 in 93 mm 3.7 in 83 mm 3.9 in 760 g 26.8 oz 35 / 38 S/M 621 mm 24.5 in 215 mm 8.4 in 346 mm 13.6 in 100 mm 3.9 in 850 g 29.9 oz 38 / 41 M/L 665 mm 26 in 228 mm 8.9 in 368 mm 14.4 in 108 mm 4.2 in 100 mm 36.1 oz 41 / 44 L/XL 698 mm 9.4 in 240 mm 15.3 in 390 mm 4.5 in 107 mm 4.2 in 40 oz 44 / 47	RUNS SMALL PRODUCT DIMENSION CHART BARE FOOT NEGOPRENE SOCKS NEGOPRENE SOCKS FIN A WIDTH BLADE WIDTH FIT FIN SINGLE FIN EU FOOT SIZE COT SIZE LENGTH WIDTH BLADE WIDTH FIT FIN SINGLE FIN EU FOOT SIZE COT SIZE Jain 325 mm 325 mm 33 mm 326 mg 35 / 38 2 / 4 S/M 621 mm 215 mm 346 mm 100 mm 320 mm 39 in 39 in 39 in 39 in 39 mg 38 / 41 4 / 7 M/L 665 mm 228 mm 368 mm 108 mm 104 mm 1021 g 41 / 44 7 / 10 L/XL 698 mm 240 mm 390 mm 114 mm 4.2 in 40 oz 44 / 47 10 / 13	RUNS SMALL RUNS LARGE BARE FOOT NEOPRENE SOCKS NEOPRENE SOCKS NEOPRENE SOCKS FIN A B C D VIDTH FIT FIN SINGLE FIN EU FOOT UK FOOT US MEN'S FOOT SIZE SIZE LENGTH WIDTH BLADE VIDTH FIT HEIGHT FIT SINGLE FIN WEIGHT EU FOOT UK FOOT US MEN'S FOOT SIZE XS/S 587 mm 201 mm 325 mm 95 mm 83 mm 760 g 26.8 oz 35 / 38 2 / 4 3 / 5 S/M 621 mm 215 mm 346 mm 100 mm 3.9 in 3.9 in 3.9 in 3.9 in 850 g 2.9.9 oz 38 / 41 4 / 7 5 / 8 M/L 665 mm 228 mm 368 mm 108 mm 104 mm 1021 g 36.1 oz 41 / 44 7 / 10 8.5 / 11 L/XL 698 mm 240 mm 390 mm 14.5 in 4.2 in 40 oz 44 / 47 10 / 13 11 / 13

CHART MEASUREMENTS TAKEN WITH 3MM BOOT WITH SOLE FINS COULD COME LABELED WITH EU AND UK SIZES ONLY



To maximize performance and comfort, wear fins with:

SCUBA / FINS

CRESSI





The Frog Plus features many of the great characteristics of a traditional paddle fin while introducing a revolutionary new blade material that is both extremely durable and nearly indestructible. The Frog Plus utilizes Cressi's patented three material injection molding process. The three materials consist of a nice comfortable rubber on the foot pocket that extends up the side rails of the blade. The second material is the revolutionary new dual density techno polymer which forms the blade, and in conjunction with the third silicone-based material, creates a channeling effect. The

channeling effect is the characteristic of the fin that enables a high level of energy to be transferred in both up and down strokes of the kick pattern. The Frog Plus also incorporates Cressi's patented positioning of the foot pocket below the blade. This design increases the working surface area of the blade by 20%. The combination of the channeling effect and the foot pocket mounted beneath the blade creates a very powerful and efficient fin with minimal leg strain. Because of these characteristics, the Frog Plus fin is an ideal choice for the entry-level to advanced diver.

CODE	COLOR	SIZE	CASE PACK
BF202038	Blue/Silver	XS/S	3
BF202040	Blue/Silver	S/M	3
BF202042	Blue/Silver	M/L	3
BF202044	Blue/Silver	L/XL	3
BF203038	White/Black	XS/S	3
BF203040	White/Black	S/M	3
BF203042	White/Black	M/L	3
BF203044	White/Black	L/XL	3
BF205138	Black/Yellow	XS/S	3
BF205140	Black/Yellow	S/M	3
BF205142	Black/Yellow	M/L	3
BF205144	Black/Yellow	L/XL	3
BF205438	Black/Pink	XS/S	3
BF205440	Black/Pink	S/M	3
BF205538	Black/Silver	XS/S	3
BF205540	Black/Silver	S/M	3
BF205542	Black/Silver	M/L	3
BF205544	Black/Silver	L/XL	3



TECHNICAL FEATURES

Double density technology Superior performance







BLACK/PINK










OPTIONAL ACCESSORIES				
CODE	PRODUCT			
BZ170002	Fin Strap for Scuba Fins			
BZ170016	Buckles for Frog Plus/Reaction			

SPARE PARTS

CODE	PRODUCT
BZ170002	FIN STRAP for SCUBA FINS (not PALAU)
BZ170016	BUCKLES for FROG PLUS/REACTION
BZ150004	EBS FIN STRAP for ARA/FROG/PRO LIGHT/THOR - SHORT FIT
BZ150005	EBS FIN STRAP for ARA/FROG/PRO LIGHT/THOR - REGULAR FIT
BZ150006	EBS FIN STRAP for ARA/FROG/PRO LIGHT/THOR - EXTENDED FIT



FITS17F

	11012L								✓		✓
	RUNS RUNS SMALL LARGE			Ē	ARE FOOT		NEOPRENE SOCKS		NEOPRENE BOOTS		
			PRO	DUCT DIME	NSION CHART	•			SIZE CO	VERSION CHAR	T
	FIN SIZE	A LENGTH	B WIDTH	C BLADE	D WIDTH FIT	FIN HEIGHT FIT	SINGLE FIN WEIGHT	EU FOOT SIZE	UK FOOT SIZE	US MEN'S FOOT SIZE	US WOMEN'S FOOT SIZE
Α	XS/S	569 mm 22.5 in	198 mm 7.8 in	315 mm 12.5 in	93 mm 3.7 in	83 mm 3.3 in	675 g 24.0 oz	35/38	2/5	3/6	4/7
	S/M	606 mm 23.8 in	209 mm 8.2 in	333 mm 13.1 in	99 mm 3.9 in	88 mm 3.5 in	750 g 26.5 oz	38/41	5/7	6/8	7/9
	M/L	649 mm 25.5 in	223 mm 8.8 in	355 mm 14 in	104 mm 4.1 in	92 mm 3.6 in	900 g 32.0 oz	41/44	8 / 10	8 / 10	9 / 11
	L/XL	683 mm 26.8 in	236 mm 9.3 in	376 mm 14.8 in	112 mm 4.4 in	94 mm 3.7 in	1025 g 36.0 oz	44/47	10 / 11	10 / 13	11 / 14

CHART MEASUREMENTS TAKEN WITH 3MM BOOT WITH SOLE FINS COULD COME LABELED WITH EU AND UK SIZES ONLY



To maximize performance and comfort, wear fins with:



A classic in the Cressi range, this has been on the market for many years and has a huge number of appreciators in every corner of the planet. The fin is made with a skillful combination of a strong copolymer and a soft elastomer, the latter used for the foot pocket, for the side stringers, and for some inserts. The blade originates from the upper part of the foot pocket, with a 20% increase in useful surface area compared to a traditional fin of the same length. The foot pocket is computer

CODE	COLOR	SIZE	CASE PACK
BF195038	Black	XS/S	3
BF195040	Black	S/M	3
BF195042	Black	M/L	З
BF195044	Black	L/XL	З
JBF195838	Red	XS/S	3
JBF195840	Red	S/M	3
JBF195842	Red	M/L	3
JBE195844	Red	1/XI	3

OPTIONAL ACCESSORIES

CODE	PRODUCT
BZ170002	Fin Strap for Scuba Fins

BZ170016 Buckles for Frog Plus/Reaction

SPARE PARTS

CRESSI

FINS

SCUBA /

- CODE PRODUCT BZ170002 FIN STRAP for SCUBA FINS (not PALAU) BZ170016 BUCKLES for FROG PLUS/REACTION BZ150004 EBS FIN STRAP for ARA/FROG/PRO LIGHT/THOR - SHORT FIT
- BZ150005 EBS FIN STRAP for ARA/FROG/PRO LIGHT/THOR REGULAR FIT
- BZ150006 EBS FIN STRAP for ARA/FROG/PRO LIGHT/THOR EXTENDED FIT



Fo maximize performance and comfort , wear fins with

excellent transmission of the leg-fin thrust. The

Frog is heavier than the more recently designed

equivalent Cressi models. It is this feature that

makes it agreeable to whoever uses very thick

underwater will appreciate this fin a great deal because it is strong and comfortable, very popular

also in diving schools and excellent for rental.

suits or watertight suits. Anyone who works

ادلے BARE F) DOT	NEOPRENE SOCKS	میں ۲۳۳۶ NEOPRENE BOOTS					
	SIZE CONVERSION CHART							
EU FOOT SIZE	UK FOOT SIZE	US MEN'S FOOT SIZ	E US WOMEN'S FOOT SIZE					
36 / 39	2/5	4 / 6.5	5 / 7.5					
39 / 42	5/7	6.5 / 9	7.5 / 10					
42 / 45	8 / 10	9 / 11	10 / 12					
45 / 47	10 / 11	11 / 12.5	12 / 13.5					

CHART MEASUREMENTS TAKEN WITH 3MM BOOT WITH SOLE INS COULD COME LABELED WITH EU AND UK SIZES ONLY CRESSI'S SIZE CHART IS TO BE USED AS A REFERENCE ONLY





Double density technology Superior performance

ibility of assembly wi tic hungee system (2)



RED

BLACK





CLASSIC EXTREMELY LIGHT DESIGN AND WELL-BALANCED

PRO LIGHT

These highly responsive blades are also very lightweight, and a great choice for traveling divers who want an open-heel fin. The dualmaterial blade balances power with kicking

CODE	COLOR	SIZE	CASE PACK			
BG171038	Yellow	XS	З			
BG171040	Yellow	S/M	З			
BG171042	Yellow	M/L	З			
BG171044	Yellow	XL	З			
BG172038	Blue	XS	З			
BG172040	Blue	S/M	З			
BG172042	Blue	M/L	З			
BG172044	Blue	XL	З			
BG175038	Black	XS	З			
BG175040	Black	S/M	З			
BG175042	Black	M/L	З			
BG175044	Black	XL	З			
BG175046	Black	2XL	З			
OPTIONAL ACCESSORIES						


CODE PRODUCT BZ170002 Fin Strap for Scuba Fins BZ170016 Buckles for Frog Plus/Reaction

SPARE PARTS

C

CODE PRODUCT BZ170002 FIN STRAP for SCUBA FINS (not PALAU) BUCKLES for FROG PLUS/REACTION BZ170016 BZ150004 EBS FIN STRAP for ARA/FROG/PRO LIGHT/THOR - SHORT FIT BZ150005 EBS FIN STRAP for ARA/FROG/PRO LIGHT/THOR - REGULAR FIT

BZ150006 EBS FIN STRAP for ARA/FROG/PRO LIGHT/THOR - EXTENDED FIT






CHART MEASUREMENTS TAKEN WITH 3MM BOOT WITH SOLE FINS COULD COME LABELED WITH EU AND UK SIZES ONLY





CRESSI



TECHNICAL FEATURES

- Dual material blade uses strong polypropylene and soft elastomer Full length side-rails help direct
- waterflow for improved thrust Elastomer foot pocket improves
- comfort Blade extends from the top of the
- foot for increased surface area Quick-release strap buckles

comfort, and full-length side rails help it track naturally through the water using a standard scissor kick. The soft elastomer foot pocket is shaped for an ergonomic and comfortable fit.



YELLOW



BLUE



BLACK

			\checkmark			\checkmark	
	اد کے		5				
E	BARE FOOT		NEOPRENE SOCKS		NEOPRENE BOOTS		
			SIZE CO	VERSION	CHART		
'IN HT FIT	SINGLE FIN WEIGHT	EU FOOT SIZE	UK FOOT SIZE	US ME FOOT S		US WOMEN'S FOOT SIZE	;
mm 3 in	675 g 23.8 oz	35 / 38	2/4	4/6	.5	5 / 7.5	
mm 5 in	795 g 28.0 oz	38 / 41	4/7	6.5 /	8	7.5 / 9	
mm .7 in	935 g 33.0 oz	41 / 44	7 / 10	8.5 /	11	9.5 / 12	
mm 8 in	1015 g 35.8 oz	44 / 45	10 / 11	11 / 1	2	12 / 13	
mm 8 in	1100 g 38.8 oz	46 / 47	11 / 12	12 / 1	з	13 / 14	
		CDCCC					LV.

To maximize performance and comfort, wear fins with:



The principal characteristics of the Maui fin are lightness and ease of use, even for those without well-trained legs. Its weight and dimensions make it easy to stow, but without compromising performance.

The Maui has been designed with the same sophisticated and advanced finite elements technology used for the first time on the Impulse and Sprint models.

The dual material technology used for the blade means that it is substantially composed of two rigid lateral wings that direct the flow of water to the central section, where the overlaying of a softer and more elastic material makes it more flexible. In this way the blade flexes to create a "spoon effect", thereby contributing considerable propulsive force.

CODE	COLOR	SIZE	CASE PACK
CA155238	Blue	S/M	З
CA155241	Blue	M/L	З
CA155244	Blue	L/XL	З
CA155838	Black/Red	S/M	З
CA155841	Black/Red	M/L	З
CA155844	Black/Red	L/XL	З

The fin can be used with bare feet or light socks. The fabric covering of the EBS strap prevents perishing of the elastic elements. The heel piece is in soft, anatomical rubber. The grab handle for fitting the fin wraps around the ankle so as to reduce protrusion and avoid chafing while swimming.

Even though the EBS itself permits great adaptability and makes donning the fin particularly easy, we have fitted a cleat to the elastic strap to permit further adjustment. This function permits the user to obtain micro-adjustments – depending on whether they are wearing a sock or not - or simply to loosen or tighten to ensure the foot is held firmly in place but without excessive pressure. Dive Centres fins will have heel pieces colour-coded according to sizes to facilitate identification.



5/M M/L L/XL RED STRAP BLACK STRAP GREY STRAP



ELASTIC BUNGEE STRAP (EBS)

HOOK HOLDER



SPARE PARTS

CODE	PRODUCT
CZ145200	EBS STRAPS MAUI - BLUE (pair)
CZ145500	EBS STRAPS MAUI - BLACK (pair)
CZ145550	EBS STRAPS MAUI - GREY (pair)
CZ145800	EBS STRAPS MAUI - RED (pair)

Short blade adjustable open heel fins. Elastic Bungee Strap (EBS) system patented by Cressi.
Colored strap by size for dive centers.

TECHNICAL FEATURES

TRAVEL C ALSO FOR RENTAL C SPECIALIZED MADE IN ITALY



BLACK / RED

EBS STRAPS FOR DIVE CENTERS

Dive Centers fins will have heel pieces colour-coded according to sizes to facilitate identification. Only on black/red version.

BLUE





FINS

SCUBA /

SHORTER FOOT SHORTER BLADE HIGH PROPULSIVE POCKET PERFORMANCE

GARA MODULAR SPRINT TURBO

| 29° DEGREE ANGLED INTERCHANGEABLE BLADE



The Gara Sprint Turbo fin is a shorter version of the Gara Turbo fin. Sprint is designed to meet the needs of freedivers and spearfishers who practice this sport in wintertime and when a blade as long as Impulse is not necessary. Both fins have been designed using expensive finite element software programs that allow highly complex and equally highperformance sections to be defined.

The blade of Sprint, like the Impulse blade, is made of a single thermoplastic elastomer, although it would be more correct to refer to an angled sublayer and an overlay. The sublayer follows the shape and dimensions of almost the entire fin. It has a uniform thickness and a flexible longitudinal propulsion wing of variable length. When disassembled, the blade and foot pocket occupy the space of a normal snorkeling fin.



CODE	COLOR	SIZE	CASE PACK
BH175036	Black	36/37	З
BH175038	Black	38/39	З
BH175040	Black	40/41	3
BH175042	Black	42/43	З
BH175044	Black	44/45	3
BH175046	Black	46/47	3

TECHNICAL FEATURES

 SPECIALIZED Retailer Product
 MADE IN ITALY

- Excellent propulsive performance without tiring anyone, beginners
- or professionals Thermoplastic rubber foot pocket,
- certified Full Contact Standard blade/stringer interface
- with screws under the foot pocket
- and side clips Extremely thin and light blade in compound made of elastomerized
- technopolymers developed by Cressi with different thicknesses
- Stringer consisting of
- technopolymers with elastomeric loads with high flexural modulus Foot pocket/blade angle of
- 29 degrees
- All fin components are also supplied separately.





INCLUDED GARA MODULAR INSOLE

The insole for Gara Modular fins is recommended for use with thin boots in temperate waters, because it improves the kick performance. The semi-rigid material of the insole is completely recycled. The insoles are supplied as a pair (right and left foot) and can be cut into their shape in three different sizes, according to pre-printed guidelines.

- Down-size Gara Fins foot pocket preformed sole
- Easly adjust size
- Non- corrosive plastic construction






OPTIONAL ACCESSORIES

CODE	PRODUCT
BZ175032	RUBBER FIN KEEPER (PAIR) - BLACK (S)
BZ175033	RUBBER FIN KEEPER (PAIR) - BLACK (M)
BZ175034	RUBBER FIN KEEPER (PAIR) - BLACK [L]
BZ180022	INSOLE FOR GARA FINS
SPARE PARTS	

RODUCT GARA MODULAR ASSEMBLY KIT BZ180020 BH015036 GARA MODULAR TURBO FOOT POCKET (36/37) GARA MODULAR TURBO FOOT POCKET (38/39) BH015038 BH015040 GARA MODULAR TURBO FOOT POCKET [40/41] BH015042 GARA MODULAR TURBO FOOT POCKET [42/43] BH015044 GARA MODULAR TURBO FOOT POCKET [44/45] BH015046 GARA MODULAR TURBO FOOT POCKET [46/47]

FITSIZE



-		-		T	\checkmark	✓			
	RUNS		RUI		لکے BARE FOOT	NEOPRE		NEOPRENE BOOTS	HARD SOLE BOOTS
	PR	ODUCT DIM	ENSION CH	ART			SIZE CON	VERSION CHAR	Γ
FIN SIZE	A LENGTH	B WIDTH	C BLADE	FIN HEIGHT FIT	SINGLE FIN WEIGHT	EU FOOT SIZE	UK FOOT SIZE	US MEN'S FOOT SIZE	US WOMEN'S FOOT SIZE
36 / 37	671 mm 26.4 in	215 mm 8.5 in	430 mm 16.9 in	83 mm 3.3 in	678 g 23.9 oz	36 / 37	3/4	4/5	5/6
37 / 38	683 mm 26.9 in	215 mm 8.5 in	430 mm 16.9 in	84 mm 3.3 in	712 g 25.1 oz	37 / 38	5/6	6/7	7/8
39 / 40	700 mm 27.6 in	215 mm 8.5 in	430 mm 16.9 in	87 mm 3.4 in	738 g 26.0 oz	39 / 40	6.5 / 7	7.5 / 8	8.5 / 9
41/42	712 mm 28.0 in	215 mm 8.5 in	430 mm 16.9 in	92 mm 3.6 in	783 g 27.6 oz	41 / 42	8/9	9 / 10	10 / 11
43 / 44	725 mm 28.5 in	215 mm 8.5 in	430 mm 16.9 in	97 mm 3.8 in	848 g 29.9 oz	43 / 44	10 / 10.5	11 / 11.5	12 / 12.5
45 / 46	734 mm 28.9 in	215 mm 8.5 in	430 mm 16.9 in	103 mm 4.1 in	916 g 32.3 oz	45 / 46	11 / 12	12 / 13	13 / 14

43 / 44	725 mm	215 mm	430 mm	97 n
	28.5 in	8.5 in	16.9 in	3.8
45 / 46	734 mm	215 mm	430 mm	103 ı
	28.9 in	8.5 in	16.9 in	4.1
	ASUREMENTS T			rh sole

II BUYER'S GUIDE 2022 130



To maximize performance and comfort, wear fins with:

FINS

SCUBA /

 SUPERIOR
 SUPERIOR
 29° DEGREE ANGLES
 SELF ADJUSTIN

 COMFORT
 PERFORMANCE
 INTERCHANGEABLE BLADE
 FOOT POCKET
 SELF ADJUSTING

129° DEGREE ANGLED INTERCHANGEABLE BLADE



and side clips

TECHNICAL FEATURES

Excellent propulsive performance without fatigue, ideal for beginners or professionals

Thermoplastic rubber foot pocket, certified Full Contact

Standard blade/stringer interface

with screws under the foot pocket

Extremely thin and light blade in

technopolymers developed by

compound made of elastomerized

REACTION PRO

The Reaction Pro is a great all around fin for scuba, snorkeling and freediving. The Reaction Pro is a full foot pocket style fin, with a long blade and built in runners to effectively direct water flow down the blade. The Reaction Pro is constructed using multiple materials, bonded together with our patented three-material molding process. This provides comfort and suppleness in the foot area as well as strength and rigidity in the heel and blade for added power and efficiency. The soles are completely covered in thermo-rubber to give them exceptional grip on boat decks. Can comfortably be worn with or without dive socks.

CODE	COLOR	SIZE	CASE PACK
BG192036	Blue	36/37	3
BG192038	Blue	38/39	3
BG192040	Blue	40/41	3
BG192042	Blue	42/43	3
BG192044	Blue	44/45	3
BG192046	Blue	46/47	3
BG195036	Black	36/37	3
BG195038	Black	38/39	3
BG195040	Black	40/41	3
BG195042	Black	42/43	3
BG195044	Black	44/45	3
BG195046	Black	46/47	3

ACCESSORIES	
CODE	PRODUCT
BZ175032	RUBBER FIN KEEPER (PAIR) - BLACK (S)
BZ175033	RUBBER FIN KEEPER (PAIR) - BLACK (M)
BZ175034	RUBBER FIN KEEPER (PAIR) - BLACK (L)


FITSIZE



FINS COULD COME LABELED WITH EU AND UK SIZES ONLY

The new Gara Modular Sprint fin is a shorter version of the Impulse fin, which proved to be hugely popular with freedivers worldwide, both amateurs and the most demanding professional

Sprint is designed to meet the needs of freedivers and spearfishers who practice this sport in wintertime and when a fin as long as Impulse is not necessary. Both fins have been designed using expensive finite element software programs that allow e sections to be blade, is made of a vould be more correct



CODE	COLOR	SIZE	CASE PACK
BH082036	Blue	36/37	З
BH082038	Blue	38/39	З
BH082040	Blue	40/41	З
BH082042	Blue	42/43	З
BH082044	Blue	44/45	3
BH082046	Blue	46/47	З
BH085036	Black	36/37	З
BH085038	Black	38/39	З
BH085040	Black	40/41	З
BH085042	Black	42/43	З
BH085044	Black	44/45	З
BH085046	Black	46/47	З

ACCESSORIES

CODE	PRODUCT
BZ175032	RUBBER FIN KEEPER (PAIR) - BLACK (S)
BZ175033	RUBBER FIN KEEPER (PAIR) - BLACK (M)
BZ175034	RUBBER FIN KEEPER (PAIR) - BLACK (L)
BZ180022	INSOLE FOR GARA FINS

SPARE PARTS

CODE	PRODUCT
BZ180020	GARA MODULAR ASSEMBLY KIT
BH005036	GARA MODULAR FOOT POCKET (PAIR) (36/37)
BH005038	GARA MODULAR FOOT POCKET (PAIR) (38/39)
BH005040	GARA MODULAR FOOT POCKET (PAIR) [40/41]
BH005042	GARA MODULAR FOOT POCKET (PAIR) [42/43]
BH005044	GARA MODULAR FOOT POCKET (PAIR) [44/45]
BH005046	GARA MODULAR FOOT POCKET (PAIR) [46/47]

defined. Th	ne blade o	f Sprint, lik	gh performa e the Impul r, although i	se
CODE	COLOR	SIZE	CASE PACK	
BH082036	Blue	36/37	3	
BH082038	Blue	38/39	З	
BH082040	Blue	40/41	З	
BH082042	Blue	42/43	З	
BH082044	Blue	44/45	З	
BH082046	Blue	46/47	З	
BH085036	Black	36/37	3	
BH085038	Black	38/39	3	
BH085040	Black	40/41	3	
BH085042	Black	42/43	3	


GARA MODULAR SPRINT

BLUE METAL RI ACK



freedivers. This is also confirmed by the large number of articles dedicated to it by specialized journalists in sector magazines.

occupy the space of a normal snorkeling fin.







TECHNICAL FEATURES

- Excellent propulsive performance
- Full footpocket for comfort Long blade for efficiency
- Thermo-Rubber soles for extra grip on wet surfaces



BLUE/AZURE



BLACK/SILVER

To maximize performance and comfort, wear fins with:

\checkmark			✓			
اد کے			5		2 3 M M 5 M M 7 M M	3 M M 5 M M 7 M M
BARE FO	от	NEOPRENE SOCKS		NEOPRENE BOOTS		HARD SOLE BOOTS
			SIZE C	ONVER	SION CHART	
SINGLE FIN WEIGHT	EU FOO	T SIZE	UK FOOT SI	ZE	US MEN'S FOOT SIZE	US WOMEN'S FOOT SIZE
625 g 22.0 oz	36/	37	3/4		4/5	5/6
710 g 25.0 oz	38/	39	5/6		6/7	7/8
765 g 27.0 oz	40/	/41	6.5 / 7		7.5 / 8	8.5 / 9
830 g 29.2 oz	42/	43	8/9		9 / 10	10 /11
880 g 31.0 oz	44/	45	10 / 10.5		11 / 11.5	12 / 12.5
935 g 33.0 oz	46/	/47	11 / 12		12 / 13	13 / 14

PRO STAR


The Pro Star is another versatile fin in the Cressi line and is an exceptional choice for Scuba, Snorkeling and Freediving. Inspired by the Pro Light, the Pro Star is a lightweight and comfortable full footpocket style fin. For power transference, it incorporates the blade beneath the footpocket and the angle of the blade provides the ultimate in efficiency during the kick cycle, requiring less energy to load the blade. This fin is constructed using multiple compounds bonded together to provide comfort around the foot, yet strong enough to transfer strength where needed. Can comfortably be worn with or without neoprene socks.

CODE	COLOR	SIZE	CASE PACK
BG181037	Yellow	37/38	4
BG181039	Yellow	39/40	4
BG181041	Yellow	41/42	4
BG181043	Yellow	43/44	4
BG181045	Yellow	45/46	4
BG185037	Black	37/38	4
BG185039	Black	39/40	4
BG185041	Black	41/42	4
BG185043	Black	43/44	4
BG185045	Black	45/46	4

ACCESSORIES

С

CODE	PRODUCT
BZ175032	RUBBER FIN KEEPER (PAIR) - BLACK (S)
BZ175033	RUBBER FIN KEEPER (PAIR) - BLACK (M)
BZ175034	RUBBER FIN KEEPER (PAIR) - BLACK (L)



🔨 FINS COULD COME LABELED WITH EU AND UK SIZES ONLY



TECHNICAL FEATURES

Full footpocket for comfort
 Long blade for efficiency



CI.ASSIC GREAT FLEXIBILITY SOFTNESS AND DURABILITY DESIGN

FREE FROG


The Free Frog is back! The fin has been remade with the new molding technology. The foot pocket has been improved to fit better to most different foot shapes.

The Free Frog enjoys the exclusive characteristics of the Cressi diving fins maintaining the spirit of the legendary Frog. It features a below blade foot pocket in order to have a bigger surface that increases the kicking thrust. It is manufactured in a variant of low-modulus polypropylene that, combined with a particular structure, combines a great flexibility, softness, and resistance to a demanding use (even in rental and instructional facilities), durability and an unprecedented aesthetics in fins projected with this philosophy.

CODE	COLOR	SIZE	CASE PACK
BR155037	Black	37/38	3
BR155039	Black	39/40	З
BR155041	Black	41/42	3
BR155043	Black	43/44	3
BR155045	Black	45/46	3
JBR155837	Red	37/38	3
JBR155839	Red	39/40	З
JBR155841	Red	41/42	3
JBR155843	Red	43/44	3
JBR155845	Red	45/46	3

ACCESSORIES

CODE	PRODUCT
BZ175032	RUBBER FIN KEEPER (PAIR) - BLACK (S)
BZ175033	RUBBER FIN KEEPER (PAIR) - BLACK (M)
BZ175034	RUBBER FIN KEEPER (PAIR) - BLACK (L)



II BUYER'S GUIDE 2022 134

SCUBA / FINS





CRESSI







BLACK

RED





BACK VIEW

To maximize performance and comfort, wear fins with:

	✓		~			
	ادلے		5		2 3 M M 5 M M 7 M M	3 M M 5 M M 7 M M
	BARE FOO	т	NEOPRENE SOCKS	N	EOPRENE BOOTS	HARD SOLE BOOTS
			_			
T				SIZE CU	NVERSION CH	ARI
FIT	FIN HEIGHT FIT	Single Fin Weight	EU FOOT SIZE	UK FOOT SIZE	US MEN'S FOOT SIZE	US WOMEN'S FOOT SIZE
m n	71 mm 2.8 in	578 g 20.4 oz	37/38	4/5	5/6	6/7
m n	71 mm 2.8 in	623 g 22.0 oz	39/40	5.5 / 6.5	6.5 / 7.5	7.5 / 8.5
m n	74 mm 2.9 in	646 g 22.8 oz	41/42	7/8	8/9	9 / 10
nm n	76 mm 3.0 in	725 g 23.7 oz	43/44	8.5 / 9.5	9.5 / 10.5	10.5 / 11.5
ım n	77 mm 3.0 in	782 g 24.3 oz	45/46	10/11	11/12	12/13

ELASTIC BUNGEE SYSTEM

Cressi has developed this special strap to meet the needs of the most demanding divers, who need a comfortable fastening for their foot that is still practical and manageable. Its amply sized slot makes it very easy to put on, even when wearing thick gloves or three-fingered gloves. The wrapping section is highly flexible, making adjustments while underwater unnecessary. The EBS system ensures fins will stay in place against your foot despite the increase in hydrostatic pressure.



ELASTIC BUNGEE SYSTEM (1) Designed for Ara / Frog / Pro Light / Thor



ELASTIC BUNGEE SYSTEM (2) Designed for Frog Plus / Reaction



CODE	PRODUCT	FIN SIZE
BZ150001	EBS Fin Strap - Short Fit - Pair	XS/S - S/M
BZ150002	EBS Fin Strap - Regular Fit - Pair	S/M - M/L
BZ150003	EBS Fin Strap - Extended Fit - Pair	M/L - L/XL

Straps for open heel fins are made with long lasting rubber. The strap is padded in the area which is in contact with the back of the heel,

CODE	PRODUCT
BZ170002	Fin Strap (Compatibility all scuba fins) - Pair
BZ170015	Buckles (1) (Frog Pro Light Thor) - Pair
BZ170016	Buckles (2) (Frog Plus Reaction) - Pair

to ensure better comfort. Each strap is designed with ridges to adjust the length by use of the buckles.



DVANCED

SCUBA / MASK



I NEW REVOLUTIONARY ANTI-FOG SYSTEM

The major innovation with the Quantum mask is that as well as offering enhanced downwards vision it avoids the fogging phenomenon through the internal thermoregulation of the warm, damp air exiting the nose. This air is channelled by a system of membranes set in the moulding around the eyes and nose and deviating

the flow towards the rubber skirt rather than the lenses.

The external part of the skirt features a cooling system composed of two small heat exchangers that act as radiators. The effect is that the temperature inside mask drops, coming closer to the external temperature and the droplets of humidity

are trapped before the air reaches the lenses, preventing them from fogging up.

R

SPECIALIZED

etailer Product


Despite the presence of the small internal membranes deviating the air flow and the external heat exchangers, the body of the Quantum mask is nonetheless compact and represents the most advanced design offered on the underwater vision market.

125mm - 4.92inch

The lenses are not treated chemically and it should be remembered that when the mask is new, as is the case with all masks, we advise you to clean the lenses carefully with water and proper detergent for dive mask lenses.

FOOT POCKET

INNER MEMBRANES + HEAT EXCHANGER



HEAT EXCHANGER

The external part of the skirt features a cooling system composed of two small heat exchangers that act as radiators (3). Thanks to this system, the temperature inside mask drops, coming closer to the external temperature and the droplets of humidity are trapped before the air reaches the lenses, preventing them from fogging up.



BLACK/BLACK



CODE	COLOR	CASE PACK
DS510020	Clear/Blue	6
DS510040	Clear/Pink	6
DS510050	Clear/Black	6
DS512020	Blue Metal	6
DS515010	Black/Yellow	6
DS515020	Black/Blue	6
DS515050	Black/Black	6
DS515080	Black/Red	6

SPARE PARTS

CODE PRODUCT

CLEAR/BLUE

CLEAR/PINK

CLEAR/BLACK

BLUE METAL

BLACK /YELLOW

BLACK/BLUE

BLACK/RED



CRESSI

the inner eyes pockets (2) which acts as a barrier and traps any moisture escaping from the diver's nose involuntarily when breathing through the mouth. The result is that not only is the moisture channeled away from

DZ215009 STRAP LOOP SMALL for PRO DIVE MASKS - CLEAR (PAIR) DZ215011 STRAP LOOP SMALL for PRO DIVE MASKS - BLACK (PAIR)

IIS DAT

MA

SCUBA /

ZEUS

CERTIFIED

| NEW BUCKLE WITH LARGER BUTTON | DOUBLE INJECTION SILICONE STRAP

BUCKLE

GLASS

major interruptions of the curvature continuity.

hydrodynamic shape and, visibility being equal,

a significantly smaller size. The field of view

obtained is particularly wide, laterally and in

The result is a mask with an extremely

TECHNICAL FEATURES

Fog stop system: inner nose pocket new Patent pending A patented membrane surrounding the inner nose pocket which acts as a barrier and traps any moisture escaping from the diver's nose involuntarily when breathing through the mouth. Not only is the moisture channeled away from the lenses, thus avoiding the fogging up of them, but it also reduces the need to compensate for pressure To further improve the anti-fog effect, Cressi suggests, the first times that the dive mask is used, to spray some anti-fog solution or to apply some saliva on the inside of the lenses and then to rinse them with water Thanks to its matte coating, the mask's components all match,

enhancing the underwater experience since it prevents reflections in the water that may disturb marine life The new micrometric adjustable buckles, with a larger button, allow a more easier regulation

- while also wearing dive gloves. The new strap is made of two different silicone colors
- IDF-TECHNOLOGY INTEGRATED
- TEMPERED GLASS

DOUBLE INJECTION SILICONE STRAP








BLACK/BLACH



SPARE PARTS

CODE PRODUCT DZ215009 STRAP LOOP SMALL for PRO DIVE MASKS - CLEAR (PAIR) DZ215011 STRAP LOOP SMALL for PRO DIVE MASKS - BLACK (PAIR)



Zeus is the perfect mask for diving. This mask has a particular tapered structure deriving directly from the highly popular Nano-mask patent. The same IDF-INTEGRATED DUAL FRAME TECHNOLOGY SYSTEM allows you to

join the silicone skirt to the lens frame without

DS470020 Clear/Blue DS470040 Clear/Pink DS470050 Clear/Black DS470058 Clear/Red DS475009 Black/Gold DS475050 Black/Black DS4750509 Black/Black, Iridium Lens DS475051 Black/Silver DS475058 Black/Red DS475150 Dark Grey/Black DS475550 Blue/Blue



CLEAR/BLUE METAL CLEAR/PINK

BLACK/BLACK



PROTECTION FILTER






BLACK/RED

the lower zone.

BLACK/SILVER







BLACK/GOLD







LLC DAT

6272693 B1

INTEGRATED

DUAL FRAME

III TRA I OW

VOLUME

| BUILT WITH THE IDF TECHNOLOGY INTEGRATED DUAL FRAME | BUCKLE WITH LARGER BUTTON | DOUBLE INJECTION SILICONE STRAP



GLASS IDF-TECHNOLOGY ADJUSTABLE BUCKLE INTEGRATED DUAL FRAME BUCKLE

GLASS

100% HIGH OLIALITY

SILICONE SKIRT

R

Cressi's next generation diving masks are all equipped with the IDF-INTEGRATED DUAL FRAME TECHNOLOGY which offers exceptional field of view, and the new Calibro is no exception. The mask is designed so that the integrated face and frame allow for an extremely hydrodynamic and compact shape and a particularly wide lens, maintaining the mask extremely close to the face. Cressi's Calibro combines minimal internal volume with a phenomenal field of view due to the raked



CLEAR/BLUE METAL

Clear/Blue Metal

Clear/Pink

Black/Blue

Black/Red

		1	
CL	EAR	/PII	ΝК





angle of the frame. The buckles are, as always,

directly integrated into the rigid skirt through a

solid but flexible rubber attachment that allows

you to adjust and place the mouthpiece without

shifting the mask. Thanks to its matte coating,

the mask's components all match, enhancing

reflections in the water that may disturb marine

the underwater experience since it prevents

life. Calibro is the perfect mask for freediving

since it is designed to provide the diver with a


feeling of total freedom and comfort.

BLACK/RED

INNER NOSE POCKET - NEW PATENT PENDING

A patented membrane surrounding the inner nose pocket which acts as a barrier and traps any moisture escaping from the diver's nose involuntarily when breathing through the mouth. The result is that not only is the moisture channeled away from the lenses, thus avoiding the fogging up of them, but it also reduces the need to compensate for pressure.

To further improve the anti-fog effect, Cressi suggests, the first times that the dive mask is used, to spray some anti-fog solution or to apply some saliva on the inside of the lenses and then to rinse them with water.



ATELIER offline product

TECHNICAL FEATURES

Made with Cressi's patented IDF technology

Stop Fog system that traps the moisture escaping from the nose reducing drastically the fogging up Low internal volume mask Adjustable buckles connected with a rubber strip to the frame increasing the comfort Inverted teardrop tempered glasses increase the field of view and downwards visibility New improved dual strap made of a double injection

DOUBLE INJECTION SILICONE STRAP



CRESSI PATENTED TECHNOLOGIES






The patented technology is to provide a mask for aquatic activities that avoid loss of watertight during strap-tightening by a diver when the mask is in use underwater The object of the invention is to avoid evention of a tensil force or stress during mask adjustment and in turn, rupture of the skirt. The buckles are not directly fixed to the frame but anchored to the rubber of the skirt. Howing it to freque yawiel and pivot in all directions. The buckles are joined with lateral sides. To add of a sterior but activities the trans sides of the frame by brackets extending from the lateral sides. The brackets are made of a selecture flexible material. This features facilitates the mask storage when not a lite.

SPARE PARTS

DZ215009 STRAP LOOP SMALL for PRO DIVE MASKS - CLEAR (PAIR) DZ215011 STRAP LOOP SMALL for PRO DIVE MASKS - BLACK (PAIR)





DS480020

DS480040

DS485020

DS485058



INTEGRATED BUCKLES US 8281417 B2







The Patented Integrated Dual Frame Technology consists of the joining of two rigid frames, the first on the rear of the silicone skirt and the second, anterior to the first one, that support the lenses. When the two frames are joined and locked together, the silicone skirt remains locked in the middle to guarantee a perfect seal between the face piece and the lens. This technology produces a deactic reduction in the internal volume. reduction in the intern while keeping the lenses close to the eyes to ensure a wide view laterally and in the lower zone. The result is a mask with an extremely hydrodynamic shape and low volume.



PRODUCT DIMENSION CHART (SKIRT SIZE)

B HEIGHT (mm)	
103	

A WIDTH (in) 4 7/16

B HEIGHT (in)

4 1/16

CRESSI'S SIZE CHART IS TO BE USED AS A REFERENCE ONLY

CALIBRO



Cressi's next generation diving masks are all equipped with the Integrated Dual Frame Technology which offers exceptional field of view, and the new Calibro is no exception.

The mask is designed so that the integrated face and frame allow for an extremely hydrodynamic and compact shape and a particularly wide lens, maintaining the mask extremely close to the face. Cressi's Calibro combines minimal internal volume with a phenomenal field of view due to the raked angle of the frame.







The buckles are, as always, directly integrated

into the rigid skirt through a solid but flexible rubber attachment that allows you to adjust

and place the mouthpiece without shifting

the mask. Thanks to its matte coating the

mask's components all match, enhancing

feeling of total freedom and comfort.

the underwater experience since it prevents

reflections in the water that may disturb marine

life. Calibro is the perfect mask for freediving

since it is designed to provide the diver with a

HD GREEN

CODE	COLOR	CASE PACK
DS424030	White/Pink	6
DS425050	Black/Black	6
DS425550	Blue Metal/Black	6
DS426000	Clear/Black	6
DS426050	Black/Black HD Lens	6
DS429850	Green/Green	6

SPARE PARTS

 CODE
 PRODUCT

 DZ215003
 SILICONE STRAP - CLEAR for ITALIAN SCUBA MASK

 DZ215004
 SILICONE STRAP - BLACK for ITALIAN SCUBA MASK

 DZ215009
 STRAP LOOP SMALL for PRO DIVE MASKS - CLEAR (PAIR)


 DZ215011
 STRAP LOOP SMALL for PRO DIVE MASKS - BLACK (PAIR)






TECHNICAL FEATURES

- Ultra low volume
- Tempered glass lens Micrometric adjustable buckle
- Flexible buckle Cressi's Fog-Stop system
- Lressi's Fog-Stop system



HD MIRRORED LENSES INCREASE THE VISION'S CLEARNESS BY 15%







CRESSI'S SIZE CHART IS TO BE USED AS A REFERENCE ONLY



| ANTI-FOG SPECIAL LENS

The A1 has been designed with an attractive style, boasting high performance for scuba diving and freediving. It features a singlelens made of tempered glass with a special sun ray protection to better protect your eyes. The lenses are inclined and they have an inverted teardrop shape, increasing the downward visibility. This allows better control of your scuba diving equipment.

The skirt and the strap are made of a soft silicone ensuring a proper fit for most

shaped faces. The top of the skirt features a double edge for a better seal. The skirt design improves water expulsion during mask clearance and minimizes water pooling. The buckles are connected to the frame with a soft and elastic flap, not only for a flexible fit, but also to reduce drag and the risk of breakage. The buckles allow a quick and immediate adjustment of the strap length with one hand, even while wearing gloves. It features a soft nose pocket for ease of equalization.





BLACK/BLUE BLACK/BLUE



WHITE/WHITE



Gol

BLACK/GRAPHITE BLACK/GRAPHITE

CODE	COLOR	CASE PACK
XDN400013	Black/Blue - Clear anti-fog lens	10
XDN400014	Black/Blue - Yellow anti-fog lens	10
XDN400021	Black/Pink - Clear anti-fog lens	10
XDN400022	Black/Pink - Yellow anti-fog lens	10
XDN400057	Black/Graphite - Clear anti-fog lens	10
XDN400058	Black/Graphite - Yellow anti-fog lens	10
XDN400061	White/White - Clear anti-fog lens	10
XDN400062	White/White - Yellow anti-fog lens	10

SPARE PARTS

CODE	PRODUCT
DZ222050	STRAP for SCUBA MASK TW - BLACK
DZ222030	STRAP for SCUBA MASK TW - WHITE
DZ221050	BUCKLES for SCUBA MASK TW - BLACK/BLACK
DZ221030	BUCKLES for SCUBA MASK TW - WHITE/CLEAR









- Skirt and the strap made of a soft silicone ensuring a proper fit for most facial shapes
- The top of the internal skirt features a double edge that increases drastically the sealing
- The skirt design improves water expulsion during mask clearance
- and minimizes water pooling
 Soft nose pocket for ease of equalization
- The buckles allow for a quick and immediate adjustment of the strap length with one hand, even while wearing gloves
- while wearing gloves Yellow lens increases the contrast, making the objects more visible, and increases the vibrancy of the colors underwater



Cressi's Anti Fog Lens Coating Technology is a new, innovative method to allow the snorkeler or the diver to enjoy the mask right from the beginning. The new Anti Fog The lens is possible thanks to an exclusive coating method based on an invisible film that attaches to the lens during the mask production





PRODUCT DIMENSION CHART (SKIRT SIZE)			
A WIDTH (mm)	B HEIGHT (mm)	A WIDTH (in)	B HEIGHT (in)
130	118	5 2/16	4 10/16

CRESSI'S SIZE CHART IS TO BE USED AS A REFERENCE ONLY ++MEASURE EAR TO EAR WITH A RULER



BLACK/PINK



WHITE/WHITE

US PAT

6272693 B1 GLASS

NANO & NANO CRYSTAL®

MICROMETRIC FLEXIBLE ADJUSTABLE BUCKLE BUCKLE

ELEXIBLE

| 85 CM3: ULTRA LOW VOLUME

TEMPERED




100% HIGH OUALITY ULTRA LOW

VOLUME

SILICONE SKIRT

INTEGRATED

This mask has a particular tapered structure deriving directly from the highly popular Nano-mask patent. The Dual Integrated Frame Technology System joins the silicone skirt to the lens frame without major interruptions of the curvature continuity. The result is a mask with an extremely hydrodynamic shape and a significantly smaller size, with equal visibility. Thanks to the Inclined Lens Patented Technology, the field of view obtained is particularly wide,



The Nano is for advanced divers, freediving and spearfishing lovers, designed to offer an extremely hydrodynamic and compact shape to help divers cut through the water and aid movements in small spaces.

GREEN

EDITION



TECHNICAL FEATURES

- Extremely hydrodynamic and compact design
 Internal volume just 85 cm³
 Reduced lens-face distance
- Angle lenses and slender
- structure optimize visibility
- Swivel buckles with micrometric adjustment
- Lenses in tempered glass
- Anatomical strap



HD MIRRORED LENSES INCREASE THE VISION'S CLEARNESS BY 15%

CRESSI CIYStal

THE SILICONE REVOLUTION

CRYSTAL silicone® is an exclusive CRESSI material that revolutionizes swim mask skirt clarity.

It offers incredibly clear vision and features long-lasting advanced technology components within the pure silicone skirt which prevents premature discoloration, reduces fogging, and guarantees many years of CRYSTAL clear viewing.



LENS



BLACK BLUE METAL

CODE	COLOR	CASE PACK
DS360010	Yellow	6
DS360020	Blue	6
DS360040	Pink	6
DS360060	White	6
DS365050	Black/Black	6
DS365550	Blue/Black	6
DS366050	Black/Black, HD Edition	6
DS369850	Green/Green	6






CRESSI PATENTED TECHNOLOGIES





SPARE PARTS

CODE	PRODUCT
DZ215002	SILICONE STRAP - SILVER for CRYSTAL MASKS
DZ215003	SILICONE STRAP - CLEAR for ITALIAN SCUBA MASK
DZ215004	SILICONE STRAP - BLACK for ITALIAN SCUBA MASK
DZ210021	BUCKLES - BLACK for AIR/BIG EYES EVO/EYES EVO/NANO/OCCHIO P.
DZ215009	STRAP LOOP SMALL for PRO DIVE MASKS - CLEAR (PAIR)
DZ215011	STRAP LOOP SMALL for PRO DIVE MASKS - BLACK (PAIR)



II BUYER'S GUIDE 2022 146



INTEGRATED BUCKLES

Ine patented technology is to provide a mask for aquatic activities that avoid loc of watertight during strap-tightening by a diver when the mask is in use underwal The object of the invention is to avoid exertion of a tensile force or stress during mask adjustment and, in turn, rupture of the skirt. The buckles are not directly fits to the frame but anchored to the rubber of the skirt. The suckets are most and pivot in all directions. The buckles are joined with latertal sides of the frame by brackets extending from the lateral sides. The brackets are made of a selecter flexible material. This features facilitates the mask storage when not in use



INTEGRATED DUAL FRAME US 20140013494 A1

The Patented Integrated Dual Frame Technology consists of the joining of two rigid frames, the first on the rear of the silicone skirt and the second anterior to the first one, that support the lenses. When the two frames are joined and locked together, the silicone skirt remains locked in the middle to guarantee a perfect seal between the face piece and the lens. This technology produces a drastic reduction in the internal volume. g the lens ose to the eves t ure a wide view laterally and in the lowe ne. The result is a mask with an extremel rodynamic shape and low volume



PRODUCT DIMENSION CHART (SKIRT SIZE) B HEIGHT A WIDTH **B HEIGHT** (mi

(mm)	(in)	(in)
104	4 10/16	4 2/16

SCUBA / MASK

TEMPERED GLASS

U.S. PAT MICROMETRIC 100% HIGH QUA 6272693 B1 ADJUSTABLE BUCKLE SILICONE SKIRT


100% HIGH QUALITY FLEXIBLE SILICONE SKIRT BUCKLE

INCLINED DOUBLE INJECTION LENSES TECHNOLOGY



The ultimate in comfort and performance, the Big Eyes Evolution Crystal combines the best of Cressi technology.

Raked lenses, with Cressi's inverted tear-drop shape, are placed close to the eyes for an exceptional field of view, and the Crystal Silicone





YELLOW/BLACK

BLUE/BLACK WHITE/PINK

CODE	COLOR	CASE PACK
DS340010	Yellow/Black	6
DS340025	Blue/Black	6
DS340040	White/Pink	6
DS340060	Clear/Black	6
DS340062	White/Blue	6



TECHNICAL FEATURES

- Extremely hydrodynamic and compact design
 Internal volume just 85 cm³
- Reduced lens-face distance
- Angle lenses and slender
- structure optimize visibility Swivel buckles with micrometric
- adjustment
- Lenses in tempered glass Anatomical strap



THE SILICONE REVOLUTION

CRYSTAL silicone® is an exclusive CRESSI material that revolutionizes swim mask skirt clarity.

It offers incredibly clear vision and features long-lasting advanced technology components within the pure silicone skirt which prevents premature discoloration, reduces fogging, and guarantees many years of CRYSTAL clear viewing.

OPTICAL LENSES

Possibility of mounting optical lenses CORRECTION -1.0 > -6.00



to DI336010 from DI336060

OPTICAL LENSES INSTALLATION \$ 5.00

NOT SYMMETRICAL LENSES The lenses are positive for correcting negative dioptres (myopia)

COMPLETE INFORMATION OPTICAL LENSES Please refer to page 172 chart




CRESSI PATENTED TECHNOLOGIES





SPARE PARTS

PRODUCT DZ215003 SILICONE STRAP - CLEAR for ITALIAN SCUBA MASK DZ215004 SILICONE STRAP - BLACK for ITALIAN SCUBA MASK DZ210021 BUCKLES - BLACK for AIR/BIG EYES EVO/EYES EVO/NANO/OCCHIO P. DZ215009 STRAP LOOP SMALL for PRO DIVE MASKS - CLEAR (PAIR) DZ215011 STRAP LOOP SMALL for PRO DIVE MASKS - BLACK (PAIR)







The patented technology is to provide a mask for aquatic activities that avoid los of watertight during strap-tightening by a diver when the mask is in use underwat The object of the invention is to avoid exertion of a tensile force or stress during

mask adjustment and, in turn, rupture of the skirt. The buckles are not directly fixe mask adjustment and, in turn, rupture of the skirt. The buckles are not directly fixe to the frame but anchored to the rubber of the skirt, allowing it to freely swivel, and pivot in all directions. The buckles are gioined with lateral sides of the frame by brackets extending from the lateral sides. The brackets are made of a selecter flexible material. This features facilitates the mask storage when not in use.

148

CLEAR/BLACK

WHITE/BLUE









PACKAGING





The Patented Integrated Dual Frame Technology consists of the joining of two rigid frames, the first on the rear of the silicone skirt and the second, anterior to the first one, that support the lenses. When the two frames are joined and locked together, the silicone kirt remains locked to the middle to tion in the interna while keeping the lenses close to the eyes to ensure a wide view laterally and in the lower zone. The result is a mask with an extremely hydrodynamic shape and low volume



PRODUCT DIMENSION CHART (SKIRT SIZE)			
B HEIGHT (mm)	A WIDTH (in)	B HEIGHT (in)	
110	4 14/16	4 5/16	
ART IS TO BE US	ED AS A REFERENCE ONL	-Y	

MASK

SCUBA /

I ENSES

TECHNOLOG

EYES EVOLUTION CRYSTAL®



The Eyes Evolution Crystal comes with all of the great features of the Big Eyes Evolution Crystal, but in a smaller size that makes it ideal for women and smaller faces. The Crystal Silicone is an exclusive Cressi material that's

so clear the mask's skirt is virtually invisible when diving.

The thickness of the mask frame has been reduced to such an extent that it is practically invisible when the mask is being worn.

BLACK/BLACK







CLEAR/YELLOW CLEAR/BLUE CLEAR/PINK


CLEAR/BLACK

CODE	COLOR	CASE PACK
DS350010	Yellow	6
DS350020	Blue	6
DS350040	Pink	6
DS350060	Black	6
DS355050	Black/Black	6

SPARE PARTS

- DZ215002 SILICONE STRAP SILVER for CRYSTAL MASKS DZ210021 BUCKLES - BLACK for AIR/BIG EYES EVO/EYES EVO/NANO/OCCHIO P. DZ215009 STRAP LOOP SMALL for PRO DIVE MASKS - CLEAR (PAIR)

CRESSI PATENTED TECHNOLOGIES





PRODUCT DIMENSION CHART (SKIRT SIZE)

CRESSI'S SIZE CHART IS TO BE USED AS A REFERENCE ONLY

WIDTH

(in)

4 8/16 4 3/16

неібнт

(mm)

106

PACKAGING



TECHNICAL FEATURES

Flexible buckle Designed for those with a

CRESSI CIYSIO

CRYSTAL silicone® is an exclusive CRESSI

features long-lasting advanced technology

Between

110-140 mm [4.5 -5.5 in]

REGULAR

3

2

HEIGHT

(in)

NARROW

1

components within the pure silicone skirt which prevents premature discoloration. reduces fogging, and guarantees many years of CRYSTAL clear viewing.

material that revolutionizes swim mask

It offers incredibly clear vision and

narrow or small face

THE SILICONE REVOLUTION

skirt clarity.

MASK Size

4056 SIZE

WIDTH

(mm)

114

WIDE

FNSES GLASS 6272693 B1 ADJUSTABLE BUCKLE SILICONE SKIRT

US PAT

MICROMETRIC

DOUBLE INJECTION

BIG EYES EVOLUTION

The Big Eyes Evolution's signature inverted tear-drop lenses are raked inward and provide outstanding field of view with very low internal volume. A redesigned skirt now uses internal ribs to provide the ultimate in fit and support. Fully flexible, easy to adjust buckles are attached using Cressi's double injection molding technology for both comfort and extreme durability.

INCLINED

TEMPERED







CLEAR/YELLOW CLEAR/BLU CLEAR/BLACH

DARK BLUE


DARK	YELL	С

BLACK/BLACK BLACK/BLACK LENS HD

CODE	COLOR	CASE PACK
DS336010	Clear/Yellow	6
DS336020	Clear/Blue	6
DS336040	Clear/Pink	6
DS336060	Clear/Black	6
DS336080	Clear/Red	6
DS336510	Black/Yellow	6
DS336520	Black/Blue	6
DS336550	Black/Black	6
DS336950	Black/Black, HD Edition	6

SPARE PARTS

PRODI ICT DZ215003 SILICONE STRAP - CLEAR for ITALIAN SCUBA MASK DZ215004 SILICONE STRAP - BLACK for ITALIAN SCUBA MASK DZ210021 BUCKLES - BLACK for AIR/BIG EYES EVO/EYES EVO/NANO/OCCHIO P. DZ215009 STRAP LOOP SMALL for PRO DIVE MASKS - CLEAR (PAIR) DZ215011 STRAP LOOP SMALL for PRO DIVE MASKS - BLACK (PAIR)



100% HIGH OLIALITY FLEXIBLE









TECHNICAL FEATURES

Double injection technology Raked lenses provide excellent field-of-view low internal volume allows for effortless clearing dual-density silicone skirt flexes for a perfect seal along the face and full support around the frame.

OPTICAL LENSES

Possibility of mounting optical lenses CORRECTION -1.0 > -6.00



LEFT to DI336110 from DI336160

> RIGHT to DI336010 from DI336060



OPTICAL LENSES INSTALLATION \$ 5.00

NOT SYMMETRICAL LENSES

The lenses are positive for correcting negative dioptres (myopia)

COMPLETE INFORMATION OPTICAL LENSES

Please refer to page 172 chart

PRODUCT
Optical Lens -1.0 (Right)
Optical Lens -1.5 (Right)
Optical Lens -2.0 (Right)
Optical Lens -2.5 (Right)
Optical Lens -3.0 (Right)
Optical Lens -3.5 (Right)
Optical Lens -4.0 (Right)
Optical Lens -4.5 (Right)
Optical Lens -5.0 (Right)
Optical Lens -5.5 (Right)
Optical Lens -6.0 (Right)
Optical Lens -1.0 (Left)
Optical Lens -1.5 (Left)
Optical Lens -2.0 (Left)
Optical Lens -2.5 (Left)
Optical Lens -3.0 (Left)
Optical Lens -3.5 (Left)
Optical Lens -4.0 (Left)
Optical Lens -4.5 (Left)
Optical Lens -5.0 (Left)
Optical Lens -5.5 (Left)
Optical Lens -6.0 (Left)



PACKAGING

SCUBA / MASK

IDE-TECHNOLOGY 6272693 B1 INTEGRATED DUAL FRAME

AIR CRYSTAL® & AIR

MICROMETRIC

ADJUSTABLE

DOUBLE INJECTION TECHNOLOGY

INCLINED LENSES

100% HIGH OLIALITY

SILICONE SKIRT

FI EXIBLE

BUCKLE

TEMPERED

GLASS



This mask has a particular tapered structure deriving directly from the highly popular Nano-mask patent. The Dual Integrated Frame Technology System joins the silicone skirt to the lens frame without major interruptions of the curvature continuity. The result is a mask with an extremely hydrodynamic shape and a significantly smaller size, with

equal visibility. Thanks to the Inclined Lens Patented Technology, the field of view obtained is particularly wide, laterally and in the lower zone. The skirt, in the front part, has a structural silicone insert which increases the sealing ability of the mask and creates an exceptionally pleasant chromatic play. Micrometer adjustable buckles.



BLACK/LILAC BLUE/WHITE





BLACK/BLU

BLUE METAL

BLACK/WHITE

BLACK/YELLOW BLACK/BLACK

BLACK/BLUE

CODE	COLOR	CASE PACK
DS400020	Blue/White	6
DS400041	Lilac/Black	6
DS400060	White/Black	6
DS400062	Blue/Black	6
DS405010	Black/Yellow	6
DS405050	Black/Black	6
DS405062	Black/Blue	6
DS405550	Blue Metal	6



MADE IN ITALY

Double injection technology Flexible buckle



THE SILICONE REVOLUTION

CRYSTAL silicone® is an exclusive CRESSI material that revolutionizes swim mask skirt clarity.

It offers incredibly clear vision and features long-lasting advanced technology components within the pure silicone skirt which prevents premature discoloration, reduces fogging, and guarantees many years of CRYSTAL clear viewing.

The Air mask has a particular tapered structure deriving directly from the highly popular Nano-mask patent. The Dual Integrated Frame Technology System joins the silicone skirt to the lens frame without major interruptions of the curvature continuity. The result is a mask with an extremely hydrodynamic shape and a significantly smaller size, with equal visibility. Thanks to the Inclined Lens Patented Technology, the field of view obtained is particularly wide, laterally and in the lower zone. The skirt, in the front part, has a structural silicone insert which increases the sealing ability of the mask and creates an exceptionally pleasant chromatic play. Micrometer adjustable buckles.





CRESSI PATENTED TECHNOLOGIES






The patented technology is to provide a mask for aquatic activities that avoid loss of watertight during strap-tightening by a diver when the mask is in use underwate The object of the invention is to avoid exertion of a tensile force or stress during mask adjustment and, in turn, rugture of the skirt. The buckles are not directly fixe to the frame but anchored to the rubber of the skirt. Allowing it to freely swivel and pixot in all directions. The buckles are joined with lateral sides of the frame by brackets extending from the lateral sides. The backets are made of a selected flexible material. This features facilitates the mask storage when not in use.

SPARE PARTS

DZ215002 SILICONE STRAP - SILVER for CRYSTAL MASKS DZ210021 BUCKLES - BLACK for AIR/BIG EYES EVO/EYES EVO/NANO/OCCHIO P. DZ215009 STRAP LOOP SMALL for PRO DIVE MASKS - CLEAR (PAIR)



PACKAGING





INTEGRATED BUCKLES





INTEGRATED DUAL FRAME US 20140013494 A1

he Patented Integrated Dual Frame The Patented Integrated Dual Frame Technology consists of the joining of two rigid frames, the first on the rear of the silicone skirt and the second, anterior to sile first one, that support the lenses. When the two frames are joined and locked together, the silicone skirt remains locked in the middle to guarantee a perfect seal between the face guarantee a perfect seal between the face piece and the lens. This technology produces a drastic reduction in the internal volume. while keeping the lenses close to the eyes to ensure a wide view laterally and in the lower zone. The result is a mask with an extremely hydrodynamic shape and low volume.



FRAMELESS

CRESSI

SF

TECHNOLOGY

MICROMETRIC

| SQUARED FRAMELESS DIVE MASK

ADIUSTABLE


BUCKLE

100% HIGH OUALITY SOFT NOSE POCKET




TECHNICAL FEATURES

- Cressi frameless technology
- Micrometric adjustable buckle Tempered glass
- Ultra low-volume, single lens
- design for excellent field-of-view Silicone skirt bonds directly to
- the lens for lower weight and reduced drag Quick adjustable buckles mounted
- on the skirt High-quality flexible silicone that gently and securely adheres
- to the face



Between 110-140 mm [4.5 -5.5 in] WIDE REGULAR NARROW 3 2 1





HEIGHT A WIDTH HEIGHT WIDTH (mm) (mm) (in) (in)

5 1/16

4 3/16



129





F-DUAL I SOUARED FRAMELESS DIVE MASK



Single-lens mask featuring a unique assembly of lens and skirt without a frame. Cressi's F-Dual Mask Design Bonds a High-Grade Silicone Double Feathered Edge Skirt directly to a Single Tempered Glass Lens for

facial is assembled directly on the glass without the need for a frame. This system guarantees good visibility in all directions.

The Low Internal Volume allows for effortless clearing and the Ouick-Adjust Strap Buckles are molded directly into the Skirt for a Flexible Fit and Reduced Drag. The Cressi F-Dual Mask has a Wide Split Mask Strap Design for Comfort and to give Even-Tension on the Skirt for a Proper Seal.

the Ultimate in Simplicity. Colorful Frameless technology. The silicone



CLEAR/YELLOW CLEAR/BLUE





BLACK/WHITE BLACK/BLUE

BLACK/RED

CODE	COLOR	CASE PACK
DS500010	Clear/Yellow	30
DS500020	Clear/Blue	30
DS500050	Clear/Black	30
DS503040	White/Pink	30
DS505020	Black/Blue	30
DS505030	Black/White	30
DS505080	Black/Red	30

SPARE PARTS

CODE	PRODUCT
DZ222000	STRAP for SCUBA MASK TW - CLEAR
DZ222050	STRAP for SCUBA MASK TW - BLACK
DZ221030	BUCKLES for SCUBA MASK TW - WHITE/CLEAR
DZ221050	BUCKLES for SCUBA MASK TW - BLACK/BLACK
DZ215014	STRAP LOOP for SCUBA MASK TW - CLEAR (PAIR)

MITTUE

The SF1 is the new 2020 Cressi's frameless scuba diving mask for ladies and men. The frameless masks are loved by many divers for their low-profile and ability to fold flat for easy carrying, even in a BC pocket. The silicone face is assembled directly on the glass without mounting. This system guarantees good visibility in all directions, especially towards the sides, since it allows a maximum eye/lens approach without annoving pressure on the forehead or upper part of the nose.

The low-internal volume allows for effortless clearing and quick-adjust strap buckles are molded directly into the skirt for a flexible fit and reduced drag. It also represents an unbeatable value, with a cost roughly half that of similar masks.



COLOR CASE PACK Clear ZDN331000 R ZDN331020 Blue ЗŪ ZDN331051 Titanium 30 ZDN331058 Red 30 ZDN332000 Black 30 ZDN333000 White 30

SPARE PARTS

CODE	PRODUCT
DZ222020	STRAP for SCUBA MASK TW - BLUE
DZ222030	STRAP for SCUBA MASK TW - WHITE
DZ222050	STRAP for SCUBA MASK TW - BLACK
DZ222051	STRAP for SCUBA MASK TW - SILVER
DZ222080	STRAP for SCUBA MASK TW - RED
DZ221030	BUCKLES for SCUBA MASK TW - WHITE/CLEAR
DZ221050	BUCKLES for SCUBA MASK TW - BLACK/BLACK
DZ215014	STRAP LOOP for SCUBA MASK TW - CLEAR (PAIR)





TECHNICAL FEATURES


- Frameless technology for
- maximum comfort Single tempered glass lens Wide field of view

- High-grade soft silicone Double feathered edge skirt Quick-adjustable strap buckles
- Easy-access nose pocket for 1-handed ear equalization the face









PRODUCT DIMENSION CHART (SKIRT SIZE)			
A WIDTH (mm)	B HEIGHT (mm)	A WIDTH (in)	B HEIGHT (in)
130	104	5 2/16	4 2/16

CRESSI'S SIZE CHART IS TO BE USED AS A REFERENCE ONLY ++MEASURE EAR TO EAR WITH A RULER



II BUYER'S GUIDE 2022

PACKAGING

155

FRAMELESS MICROMETRIC TECHNOLOGY ADJUSTABLE

100% HIGH OLIALITY TEMPERED GLASS SILICONE SKIRT



Z1 is a frameless mask that boasts a low internal volume while offering a wide field of view in all directions.

The specific design uses the assembly of the silicone skirt directly over the single glass. This system guarantees great sturdiness and a perfect watertight seal. The lower weight of the mask makes it ideal for travel. The flexible fit and reduced drag are appreciated for freediving and spearfishing, snorkeling and diving. The micrometrically adjustable buckles are comfortable and effective.

RED/RED



CLEAR/CLEAR







BLUE/BLUE BLACK/BLACK

GRAPHITE/ GRAPHITE

CODE	COLOR	CASE PACK
DN410000	Clear/Clear	30
DN410020	Blue/Blue	30
DN410050	Black/Black	30
DN410057	Graphite/Graphite	30
DN410080	Red/Red	30

SPARE PARTS

CODE	PRODUCT
DZ222020	STRAP for SCUBA MASK TW - BLUE
DZ222030	STRAP for SCUBA MASK TW - WHITE
DZ222050	STRAP for SCUBA MASK TW - BLACK
DZ222072	STRAP for SCUBA MASK TW - TITANIUM
DZ222080	STRAP for SCUBA MASK TW - RED
DZ221050	BUCKLES for SCUBA MASK TW - BLACK/BLACK
DZ215014	STRAP LOOP for SCUBA MASK TW - CLEAR (PAIR)




TECHNICAL FEATURES

 Low-volume, single lens design for a wide field-of-view
 Frameless: silicone skirt bonds directly to the lens for lower weight and reduced drag Fast-adjust ratcheting strap buckles mounted to skirt High-grade silicone seals Tempered glass lens Easy-access nose pocket for

equalization

TEMPERED GLASS





Between MASK Size 110-140 mm [4.5 -5.5 in] WIDE REGULAR NARROW




PRODUCT DIMENSION CHART (SKIRT SIZE)



CRESSI'S SIZE CHART IS TO BE USED AS A REFERENCE ONLY ++MEASURE EAR TO EAR WITH A RULER







TEMPERED

GLASS

MICROMETRIC

ADJUSTABLE

100% HIGH OUALITY

SILICONE SKIRT

ZS1 is the Small version, suitable for adults with small faces, of the Z1, a frameless mask that boasts a low internal volume while offering a wide field of view in all directions. The specific design uses the assembly of the silicone skirt directly over the single glass. This system guarantees great sturdiness and a perfect watertight seal.

The lower weight of the mask makes it ideal for travel. The flexible fit and reduced drag are appreciated for freediving and spearfishing, snorkeling and diving. The micrometrically adjustable buckles are comfortable and effective.



PINK FLUO

CODE	COLOR	CASE PACK
DN420000	Clear/Clear	30
DN422828	Turquoise/Turquoise	30
DN423030	White/White	30
DN424545	Pink Fluo/Pink Fluo	30
DN425050	Black/Black	30

SPARE PARTS

FOR ADULTS WITH

A SMALL FACE

ERAMELESS

NEW 2022

TECHNOLOGY

CODE	PRODUCT
DZ222020	STRAP for SCUBA MASK TW - BLUE
DZ222030	STRAP for SCUBA MASK TW - WHITE
DZ222050	STRAP for SCUBA MASK TW - BLACK
DZ222072	STRAP for SCUBA MASK TW - TITANIUM
DZ222080	STRAP for SCUBA MASK TW - RED
DZ221050	BUCKLES for SCUBA MASK TW - BLACK/BLACK
DZ215014	STRAP LOOP for SCUBA MASK TW - CLEAR (PAIR)

PACKAGING



TECHNICAL FEATURES



PACKAGING

II BUYER'S GUIDE 2022

157

SCUBA / MASK

TEMPERE

GLASS

LIBERTY SPE

LIBERTY DUO SPE



The Liberty Duo features 2 big inverted teardrop lenses to ensure a complete view of equipment. The originality of the mask lies in the skirt's design, which is made to fit every facial profile. The skirt is made in hypoallergenic silicone to ensure comfort

and a perfect seal. It is a breeze to adjust the length of the strap thanks to the two buttons on the buckle, which can also be used while wearing gloves. The variety of colors is a great option to coordinate the mask with the equipment.



BLACK/BLUE/

SILVER





BLACK/ SII VER

CODE	COLOR	CASE PACK
DS440025	Clear/Blue/Silver	10
DS440051	Clear/Black/Silver	10
DS445020	Black/Blue/Blue	10
DS445025	Black/Blue/Silver	10
DS445050	Black/Black/Black	10
DS445051	Black/Black/Silver	10
DS445150	Black/Black/Black, Anti-Fog Lens	10

BLACK/ BLUE

SPARE PARTS

CODE	PRODUCT
DZ222000	STRAP for SCUBA MASK TW - CLEAR
DZ222050	STRAP for SCUBA MASK TW - BLACK
DZ221030	BUCKLES for SCUBA MASK TW - WHITE/CLEAR
DZ221050	BUCKLES for SCUBA MASK TW - BLACK/BLACK
DZ215012	STRAP LOOP for SCUBA MASK TW - BLACK (PAIR)
DZ215014	STRAP LOOP for SCUBA MASK TW - CLEAR (PAIR)



Cressi's Liberty mask offers divers freedom with a phenomenal field of vision in a single lens scuba mask. The exclusive painted, coated frame brings a cool tech design style. Along with the soft silicone skirt and strap, the tempered glass and the easy adjustable buckles, the Liberty is the easy-to-use mask for divers. Cressi's Liberty mask offers divers freedom with a phenomenal field of vision in a single lens scuba mask.

The exclusive painted, coated frame brings a cool tech design style. Along with the soft silicone skirt and strap, the tempered glass and the easy adjustable buckles, the Liberty is the easy-to-use mask for divers.







CLEAR BLACK

BLACK/BLUE



BLACK/BLACK ANTI-FOG LENS


CODE	COLOR	CASE PACK
DS390020	Clear/Blue	30
DS390050	Clear/Black	30
DS395020	Black/Blue	30
DS395050	Black/Black	30
DS395550	Black/Black, Anti-Fog Lens	30

SPARE PARTS

CODE	PRODUCT
DZ222000	STRAP for SCUBA MASK TW - CLEAR
DZ222050	STRAP for SCUBA MASK TW - BLACK
DZ221030	BUCKLES for SCUBA MASK TW - WHITE/CLEAR
DZ221050	BUCKLES for SCUBA MASK TW - BLACK/BLACK
DZ215012	STRAP LOOP for SCUBA MASK TW - BLACK (PAIR)
DZ215014	STRAP LOOP for SCUBA MASK TW - CLEAR (PAIR)



line dive mask.



MASK Size 110-140 mm [4.5 -5.5 in] WIDE REGULAR NARROW NOSE SIZE 1 4 3 2



A	B	A	B
WIDTH	HEIGHT	WIDTH	HEIGHT
(mm)	(mm)	(in)	(in)
125	135	15/16	5 5/16

CRESSI'S SIZE CHART IS TO BE USED AS A REFERENCE ONLY








BLACK/BLACK ANTI-FOG LENS


TECHNICAL FEATURES

- Tempered glass
 Micrometric adjustable buckle
- Flexible buckle



This airbrush technique blends two colors in a gradation design around the mask frame. The effect is a truly unique and visually stunning matte color incorporated with a top-of-theline dive mask.





PACKAGING

II BUYER'S GUIDE 2022

TEMPERED

GLASS

LIBERTY TRISIDE SPE

100% HIGH OUALITY

SILICONE SKIRT

FI EXIBLE

BUCKLE

MICDOMETRIC



The Liberty Triside features a wide mono front lens with 2-sided lenses to ensure a panoramic view without interruption. The result is a mask that allows maximum light and feels as open as the ocean itself. All lenses are tempered glass for the best clarity. The skirt is made in hypoallergenic silicone

to ensure comfort and a perfect seal. It is a breeze to adjust the length of the strap thanks to the two buttons on the buckle, which can also be used while wearing gloves. The frame is colored with a paint effect that makes the mask elegant and beautiful to see, which can be coordinated with your equipment.

> CLEAR/ROSE GEM

> > BLACK/ GRAPHITE





CLEAR/ SAPPHIRE



BLACK/ SAPPHIRE

32.35




CODE	COLOR	CASE PACK
DS450011	Clear/Gold	32.35
DS450027	Clear/Sapphire	32.35
DS450043	Clear/Rose Gem	32.35
DS455010	Black/Gold	32.35
DS455020	Black/Sapphire	32.35
DS455040	Black/Rose Gem	32.35

BLACK/GOLD

DS455040		Black/Rose Gem
	DS455050	Black/Graphite
	SPARE PARTS	

SPARE I


CODE	PRODUCT	
DZ222000	STRAP for SCUBA MASK TW - CLEAR	
DZ222050	STRAP for SCUBA MASK TW - BLACK	
DZ221030	BUCKLES for SCUBA MASK TW - WHITE/CLEAR	
DZ221050	BUCKLES for SCUBA MASK TW - BLACK/BLACK	
DZ215012	STRAP LOOP for SCUBA MASK TW - BLACK (PAIR)	
DZ215014	STRAP LOOP for SCUBA MASK TW - CLEAR (PAIR)	




 3 lens panoramic design Tempered glass Micrometric adjustable buckle Flexible buckle



This airbrush technique blends two colors in a gradation design around the mask frame. The effect is a truly unique and visually stunning matte color incorporated with a top-of-theline dive mask.







WIDTH BHEIGHT WIDTH HEIGHT (mm) (mm) (in) (in) 130 118 5 2/16 4 10/16

CRESSI'S SIZE CHART IS TO BE LISED AS A REFERENCE ONLY



FI FXIBI F 100% HIGH OLIALITY TEMPERE MICDOMETRIC GLASS ADJUSTABLE BUCKLE SILICONE SKIRT

LIBERTY QUATTRO SPE



The Liberty Quattro has the characteristics of guaranteeing a panoramic view thanks to the four window panels. The two side lenses are joined and adjoined with the front lenses to guarantee an uninterrupted view. All lenses are tempered glass for the best clarity. The skirt is made in hypoallergenic silicone to

ensure comfort and a perfect seal. It is a breeze to adjust the length of the strap thanks to the two buttons on the buckle, which can also be used while wearing gloves. The frame is colored with a paint effect that makes the mask elegant and beautiful to see, which can be coordinated with your equipment.



CLEAR GOLD SILVER

CODE	COLOR	CASE PACK
DS460015	Clear-Gold/Silver	10
DS465050	Black/Graphite	10

SPARE PARTS

CODE	PRODUCT
DZ222000	STRAP for SCUBA MASK TW - CLEAR
DZ222050	STRAP for SCUBA MASK TW - BLACK
DZ221030	BUCKLES for SCUBA MASK TW - WHITE/CLEAR
DZ221050	BUCKLES for SCUBA MASK TW - BLACK/BLACK
DZ215012	STRAP LOOP for SCUBA MASK TW - BLACK (PAIR)
DZ215014	STRAP LOOP for SCUBA MASK TW - CLEAR (PAIR)

II BUYER'S GUIDE 2022 160




MASK 1 SCUBA

TECHNICAL FEATURES

- 4-window mask made with
- Tempered Glass
- Skirt & Strap made in 100% Silicone combined for Perfect Fit and Seal on Face.
- Spray Painted Effect colored frame that makes the mask elegant and beautiful to see.



This airbrush technique blends two colors in a gradation design around the mask frame. The effect is a truly unique and visually stunning matte color incorporated with a top-of-theline dive mask.










CRESSI'S SIZE CHART IS TO BE USED AS A REFERENCE ONL'



II BUYER'S GUIDE 2022





BLACK/

GRAPHITE



The Penta+ is the restyling of the popular Penta mask. It has four lenses and also introduces to this sector all the exceptional characteristics of the Matrix and the Lince. The Cressi patented system of raked lenses with an "inverted drop" shape offers incredible downward visibility, ideal for having under control the scuba diving equipment. The clear side windows are made of scratchresistant material, more strong than glass or polycarbonate. Thanks to them, the mask

offers unprecedented lateral visibility and great luminosity for total vision with no compromises. The skirt and the strap are made of hypoallergenic silicone, a very soft material compared to the low-quality PVC, that ensures a perfect seal and comfort. The buckles are embedded in the frame to offer instant adjustment of the strap length, even with one hand. It offers a very low internal volume, a record weight of only 175 g (6.2 oz).






CLEAR/BLUE CLEAR/PINK

BLACK/BLUE

CODE	COLOR	CASE PACK
DS490020	Clear/Blue	6
DS490040	Clear/Pink	6
DS495020	Black/Blue	6
DS495050	Black/Black	6

BLACK/BLACK



TECHNICAL FEATURES

Front lenses: inverted teardrop

Strap buckles: pressure, with

DOUBLE INJECTION SILICONE STRAP

design to ensure maximum visibility, made of tempered glass

• Four-lens mask

instant adjustment Very low internal volume
Silicone skirt and double strap

Weight: 175 g | 6.2 oz



PRODUCT DIMENSION CHART (SKIRT SIZE)			
A WIDTH (mm)	B HEIGHT (mm)	A WIDTH (in)	B HEIGHT (in)
128	112	5 1/16	4 7/16

CRESSI'S SIZE CHART IS TO BE USED AS A REFERENCE ONLY ++MEASURE EAR TO EAR WITH A RULER





MATRIX

ILS DAT

6272693 B1

INCLINED

LENSES

MICROMETRIC

ADJUSTABLE



100% HIGH OLIALITY

SILICONE SKIRT

TEMPERED

GLASS

The compact twin-lens Matrix takes the basic design concepts of the Big Eyes Evolution and pushes them to a new level of performance.

lenses, raked inward to sit even closer to the eves, and a more compact build overall make the Matrix an ideal choice for divers and freedivers looking for the biggest view in the smallest package.

More pronounced inverted tear-drop shaped





CLEAR/YELLOW CLEAR/BLUE CLEAR/BLACK BLACK/BLACK

CODE	COLOR	CASE PACK
DS301010	Clear/Yellow	6
DS301020	Clear/Blue	6
DS301060	Clear/Clear	6
DS302050	Black/Black	6
DS309850	Green/Black	6

SPARE PARTS

PRODUCT DZ215003 SILICONE STRAP - CLEAR for ITALIAN SCUBA MASK DZ215004 SILICONE STRAP - BLACK for ITALIAN SCUBA MASK DZ210018 BUCKLES - BLACK for MATRIX/LINCE/PENTA DZ215009 STRAP LOOP SMALL for PRO DIVE MASKS - CLEAR (PAIR) DZ215011 STRAP LOOP SMALL for PRO DIVE MASKS - BLACK (PAIR) DZ400001 SIDE FRAME CLIPS for MATRIX MASK

CRESSI PATENTED TECHNOLOGIES





TECHNICAL FEATURES

Raked lenses provide excellent

Extremely low internal volume on par with the best freediving

field-of-view

masks Silicone skirt shaped to provide a wide sealing surface for a leakfree fit Micrometric adjustable buckles allow precise headband adjustments Inverted tear-drop lenses improve downward vision for viewing your BCD while diving Α Between 110-140 mm [4.5 -5.5 in] WIDE REGULAR N A R R O W NOSE Size 3 2 1 4 PRODUCT DIMENSION CHART (SKIRT SIZE) HEIGHT WIDTH HEIGHT WIDTH (mm) (mm) (in) (in) 112 111 4 13/16 4 6/16

CRESSI'S SIZE CHART IS TO BE USED AS A REFERENCE ONLY





PACKAGING



GREEN/BLACK



163

CRESSI

ILS DAT

100% HIGH OLIALITY TEMPERED SILICONE SKIRT GLASS



INCLINED.

MICROMETRIC



A trimmed down version of the Matrix, the Lince is a perfect fit for many younger divers or those with narrower faces. The extremely low internal volume makes it

comfortable to wear and effortless to clear. Divers and snorkelers alike will appreciate the exceptional field of view offered in this ultra compact mask.



CLEAR/ YELLOW



CLEAR/PINK



BLACK


NOSE SIZE


CODE	COLOR	CASE PACK
DS311010	Clear/Yellow	6
DS311020	Clear/Blue	6
DS311030	Clear/Lilac	6
DS311040	Clear/Pink	6
DS311063	Clear/Aquamarine	6
DS312050	Black/Black	6

SPARE PARTS

CODE PRODUCT SILICONE STRAP - CLEAR for ITALIAN SCUBA MASK DZ215003 DZ215004 SILICONE STRAP - BLACK for ITALIAN SCUBA MASK DZ210018 BUCKLES - BLACK for MATRIX/LINCE/PENTA DZ215009 STRAP LOOP SMALL for PRO DIVE MASKS - CLEAR (PAIR) DZ215011 STRAP LOOP SMALL for PRO DIVE MASKS - BLACK (PAIR)

CRESSI PATENTED TECHNOLOGIES









PACKAGING



TECHNICAL FEATURES

- Raked lenses provide excellent field-of-view Extremely low internal volume
- on par with the best free diving . masks
- Silicone skirt shaped to provide a wide sealing surface for a leak-free fit
- Micrometric adjustable buckles
- allow precise headband adjustments
- Inverted tear-drop lenses improve
- downward vision for viewing your BC while diving









CRESSI'S SIZE CHART IS TO BE USED AS A REFERENCE ONLY ++MEASURE EAR TO EAR WITH A RULER





100% HIGH OLIALITY

TEMPERED

The mask that began a revolution remains one of the most duplicated designs today. Its inverted tear-drop lens shape and raked lenses provide 30% greater field of view

than typical twin-lens masks. The high-grade silicone skirt's unique shape positions the lenses comfortably close to the eyes and provides an excellent seal.

CLEAR/ COBALT



BLACK/

BLUE

CODE	COLOR	CASE PACK
DS261010	Clear/Yellow	6
DS261020	Clear/Blue	6
DS261060	Clear/Clear	6
DS261062	Clear/Cobalt	6
DS262020	Black/Blue	6
DS262050	Black/Black	6


SPARE PARTS

ILS DAT

INCLINED


MICROMETRIC

PRODUCT DZ215005 SILICONE STRAP - CLEAR for BIG EYES/FOCUS DZ215006 SILICONE STRAP - BLACK for BIG EYES/FOCUS DZ215007 STRAP LOOP LARGE for FOCUS/BIG EYES - CLEAR (PAIR) DZ215013 STRAP LOOP LARGE for FOCUS/BIG EYES - BLACK (PAIR)









downward visibility for managing BC-mounted gear

TECHNICAL FEATURES

- Low internal volume allows for effortless clearing High-grade silicone skirt provides
- a leak-free seal
- Micrometrically adjusting bucklesBC while diving

OPTICAL LENSES

Possibility of mounting optical lenses CORRECTION -1.0 > -6.00



LEFT to DI336110 from DI336160

> RIGHT to DI336010 from DI336060



OPTICAL LENSES INSTALLATION \$ 5.00

NOT SYMMETRICAL LENSES

The lenses are positive for correcting negative dioptres (myopia)

COMPLETE INFORMATION

OPTICAL LENSES Please refer to page 172 chart

CODE	PRODUCT
DI260010	Optical Lens -1.0 (Right)
DI260015	Optical Lens -1.5 (Right)
DI260020	Optical Lens -2.0 (Right)
DI260025	Optical Lens -2.5 (Right)
DI260030	Optical Lens -3.0 (Right)
DI260035	Optical Lens -3.5 (Right)
DI260040	Optical Lens -4.0 (Right)
DI260045	Optical Lens -4.5 (Right)
DI260050	Optical Lens -5.0 (Right)
DI260055	Optical Lens -5.5 (Right)
DI260060	Optical Lens -6.0 (Right)
DI260110	Optical Lens -1.0 (Left)
DI260115	Optical Lens -1.5 (Left)
DI260120	Optical Lens -2.0 (Left)
DI260125	Optical Lens -2.5 (Left)
DI260130	Optical Lens -3.0 (Left)
DI260135	Optical Lens -3.5 (Left)
DI260140	Optical Lens -4.0 (Left)
DI260145	Optical Lens -4.5 (Left)
DI260150	Optical Lens -5.0 (Left)
DI260155	Optical Lens -5.5 (Left)
DI260160	Optical Lens -6.0 (Left)



BLACK/

BI ACK





|| BUYER'S GUIDE 2022

PACKAGING

165

CRESSI

EASY TEMPERED ADJUSTABLE GLASS BUCKLE 100% HIGH QUALITY SILICONE SKIRT **FOCUS**



The ultimate in versatility, this classic mask offers the best fit and performance for the greatest variety of facial shapes.

Its low-volume, twin-lens design gives divers


and snorkelers a proven combination of size, fit and durability. Lightweight and easy-toclear it has swiveling, quick-adjust buckles and accepts corrective lenses. It is also an excellent value.



CODE	COLOR	CASE PACK
DS241010	Clear/Yellow	6
DS241020	Clear/Blue	6
DS241040	Clear/Pink	6
DS241060	Clear/Black	6
DS241063	Clear/Aquamarine	6
DS242020	Black/Blue	6
DS242050	Black/Black	6

SPARE PARTS

CODE PRODUCT DZ215005 SILICONE STRAP - CLEAR for BIG EYES/FOCUS DZ215006 SILICONE STRAP - BLACK for BIG EYES/FOCUS DZ215007 STRAP LOOP LARGE for FOCUS/BIG EYES - CLEAR (PAIR) DZ215013 STRAP LOOP LARGE for FOCUS/BIG EYES - BLACK (PAIR)



3

2

1



BLACK/


BI ACK

TROBOC			
A WIDTH (mm)	B HEIGHT (mm)	A WIDTH (in)	B HEIGHT (in)
122	105	4 13/16	4 8/16
RESSI'S SIZE CI	HART IS TO BE US	ED AS A REFERE	NCE ONLY

MADE IN ITALY

TECHNICAL FEATURES

- Low internal volume allows for effortless clearing
- Lightweight, compact and rugged Ideal for travel or as a backup
- mask
- High-grade silicone skirt provides a leak-free seal
- Fixed quick-adjusting buckles



HD MIRRORED LENSES INCREASE THE VISION'S CLEARNESS BY 15%

OPTICAL LENSES

Possibility of mounting optical lenses CORRECTION -1.0 > -6.00



OPTICAL LENSES INSTALLATION \$ 5.00

SYMMETRICAL LENSES The lenses are positive for correcting negative dioptres (myopia)

COMPLETE INFORMATION OPTICAL LENSES Please refer to page 172 chart

CODE	PRODUCT
DI240010	Optical Lens -1.0
DI240015	Optical Lens -1.5
DI240020	Optical Lens -2.0
DI240025	Optical Lens -2.5
DI240030	Optical Lens -3.0
DI240035	Optical Lens -3.5
DI240040	Optical Lens -4.0
DI240045	Optical Lens -4.5
DI240050	Optical Lens -5.0
DI240055	Optical Lens -5.5
DI240060	Optical Lens -6.0
DI240065	Optical Lens -6.5
DI240070	Optical Lens -7.0
DI240075	Optical Lens -7.5
DI240080	Optical Lens -8.0

PACIFICO



CODE	CASE PACK
ZDN320050	10

TROPICAL



CODE	COLOR	CASE PACK
US401001	Black/Black	10
US401002	Clear/Blue	10
US401003	Black/Black	10


166 II BUYER'S GUIDE 2022

SON






CRESSI'S SIZE CHART IS TO BE USED AS A REFERENCE ONLY







REDUCED

SKIRT





EXCELLENT VISIBILITY

ADJUSTING BUCKLE

EASY COMPENSA-TION



100% HIGH QUALITY SILICONE SKIRT

This mask was designed specifically for deep sea diving, with innovative features that place it at the top of its category. The special reduced skirt, complete with a small seal ring, sticks like a suction cup to the face, leaving minimum air space inside the mask, which make compensation extremely easy, taking very little air from the lungs.

The lens-eye distance is the absolute smallest on the market and guarantees, even with small diameter lenses, excellent visibility in all directions.

The two optic glass lenses are thicker than the standard to allow a special safety mould. The strap comes with instantly adjusting buckles for an easy and precise fit.



MADE IN ITALY

TECHNICAL FEATURES

Materials: liquid silicone, hi-tech polymers Strap buckles: instant adjustment Internal very low volume Dimensions of frame: 168 x 45 mm

Weight: 118 g

CODE CASE PACK DS292050 SPARE PARTS

CODE PRODUCT DZ210019 SILICONE STRAP - BLACK for MINIMA

CRESSI PATENTED TECHNOLOGIES







LARGER

SMALLER

		/	o			
MASK		SKIRT (OUTER)		SIZING GUIDE	GENDER
	WIDTH (MM)	HEIGHT (MM)	WIDTH (IN)	HEIGHT (IN)		achben
LIBERTY	125	135	4 15 / 16	5 15 / 16	WIDE / REGULAR	ADULT
A1	130	118	52/16	4 10 / 16	WIDE / REGULAR	ADULT
PANO 3	126	110	4 15 / 16	4 8 / 16	WIDE / REGULAR	ADULT
LIBERTY QUATTRO	125	115	4 15 / 16	4 8 / 16	WIDE / REGULAR	ADULT
LIBERTY TRISIDE	125	110	4 15 / 16	4 5/16	WIDE / REGULAR	ADULT
F-DUAL	130	104	52/16	4 2/16	WIDE / REGULAR	ADULT
ONDA	125	103	4 15 / 16	4 1 / 16	WIDE / REGULAR	ADULT
SIRENA	120	114	4 12 / 16	4 8 / 16	WIDE / REGULAR	ADULT
ESTRELLA	125	106	4 15 / 16	4 3/16	WIDE / REGULAR	ADULT
BIG EYES EVO	124	110	4 14 / 16	4 5/16	REGULAR	ADULT
Z1	122	101	4 13 / 16	4	WIDE / REGULAR	ADULT
Z51	119	96	4 11 / 16	3 12 / 16	REGULAR	ADULT
LIBERTY DUO	125	108	4 15 / 16	4 4 / 16	WIDE / REGULAR	ADULT
BIG EYES	128	108	51/16	4 4 / 16	WIDE / REGULAR	ADULT
IKARUS	120	110	4 12 / 16	4 5/16	REGULAR	ADULT
MATRIX	122	111	4 13 / 16	4 6 / 16	REGULAR	ADULT
PENTA +	128	112	51/16	47/16	REGULAR	ADULT
TROPICAL	116	105	4 9 / 16	4 2 / 16	REGULAR	ADULT
F1	125	110	4 15 / 16	4 5/16	REGULAR	ADULT
FOCUS	122	115	4 13 / 16	4 8 / 16	REGULAR	ADULT
MAREA	120	106	4 12 / 16	4 3/16	REGULAR	ADULT
PERLA	122	105	4 13 / 16	4 2 / 16	REGULAR	ADULT
PACIFICO	128	140	5	4 6 / 16	REGULAR	ADULT
AIR	115	110	48/16	4 5/16	REGULAR	ADULT
ZEUS	116	108	49/16	4 4 / 16	REGULAR	ADULT
SF1	129	107	5 1/16	4 3 / 16	REGULAR	ADULT
EYES EVO	114	106	4 8 / 16	4 3/16	REGULAR	ADULT
METIS	120	105	4 12 / 16	4 2 / 16	REGULAR	ADULT
LINCE	115	118	48/16	4 10 / 16	REGULAR / NARROW	ADULT
F1 SMALL	117	102	4 10 / 16	4	REGULAR / NARROW	ADULT
CALIBRO	112	103	47/16	4 1 / 16	REGULAR / NARROW	ADULT
CALIBRO+	112	103	47/16	4 1/16	REGULAR / NARROW	ADULT
NANO	118	104	4 10/16	4 2 / 16	REGULAR / NARROW	ADULT
PEGASO	113	113	4 7/16	47/16		KIDS
ESTRELLA JR	112	106	4 7/16	4 3 / 16		KIDS
ONDINA	112	100	4 7/16	3 15 / 16		KIDS
PERLA JR	111	99	4 6/16	3 14 / 16		KIDS
MAREA JR	111	99	4 6/16	3 14 / 16		KIDS
MOON	127	73	5	2 14 / 16		KIDS
PIUMETTA	100	100	3 15 / 16	3 15 / 16		KIDS



CRESSI

MASK/SIZECHART



MASK STRAP LOOP	MASK STRAP LOOP	MASK STRAP LOOP
11		
CODE DZ215007	CODE DZ215013	CODE DZ215009
MASK STRAP LOOP SMALL BLACK (PAIR)	MASK STRAP CLEAR - FOCUS / BIG EYES	MASK STRAP BLACK - FOCUS / BIG EYES / SUPEROCCHIO / PINOCCHIO
00		
CODE DZ215011	CODE DZ215005	CODE DZ215006
PROFESSIONAL STRAP	PROFESSIONAL STRAP	STRAP CRYSTAL MASK
CODE DZ215003	CODE DZ215004	CODE DZ215002
TW MASK STRAP	MASK	STRAP
YELLOW BLUE WHITE PINK	LILAC BLACK	66-
SILVER TITANIUM RED BROWN	GREEN	

DZ210019

BUCKLES FOCUS MASK BLACK (PAIR) BIG EYES MASK BLACK (PAIR)





DZ210008

BIG EYES EVOLUTION / OCCHIO PLUS / EYES EVO (2PCS)

BUCKLES

CODE

BUCKLES

CODE

DZ210021

CODE

DZ210004

BUCKLES ONDA/INA /PERLA/JR/SIRENA/ETTA/PIUMETTA/SL A (2PCS)

CODE

DZ210010







BUCKLES FOR SUPEROCCHIO





COD DZ2 DZ2 DZ2



DZ222000 Clear

DZ222010 Yellow **DZ222020** Blue DZ222030 White

DZ222040 Pink

DZ222041 Lilac

SCUBA / MASK SPARE PARTS







BUCKLES





MAREA/MAREA JR /SKY /SKY JR/OCEAN/SL B (2PCS)



BUCKLES FOR TW MASK



CODE	COLOR
DZ221000	Black/Clear
DZ221030	White/Clear
DZ221040	Pink/Clear
DZ221050	Black/Black

CRESSI

OPTICAL LENSES

| FOCUS

Please also refer to the Cressi Spare Parts Catalog for further information and Technical Details

» The Optical Lens are sold individually. The Focus lenses can be mounted both for left and right.

CODE	SIZE	STYLE
DI240010	- 1.0 diopter	Focus
DI240015	- 1.5 diopter	Focus
DI240020	- 2.0 diopter	Focus
DI240025	- 2.5 diopter	Focus
DI240030	- 3.0 diopter	Focus
DI240035	- 3.5 diopter	Focus
DI240040	- 4.0 diopter	Focus
DI240045	- 4.5 diopter	Focus
DI240050	- 5.0 diopter	Focus
DI240055	- 5.5 diopter	Focus
DI240060	- 6.0 diopter	Focus
DI240065	- 6.5 diopter	Focus
DI240070	- 7.0 diopter	Focus
DI240075	- 7.5 diopter	Focus
DI240080	- 8.0 diopter	Focus

OPTICAL LENSES

| BIG EYES EVOLUTION | BIG EYES

Please also refer to the Cressi Spare Parts Catalog for further information and Technical Details

CODE	SIZE	STYLE
DI336010	Right -1.0	Big Eyes Evo
DI336015	Right -1.5	Big Eyes Evo
DI336020	Right -2.0	Big Eyes Evo
DI336025	Right -2.5	Big Eyes Evo
DI336030	Right -3.0	Big Eyes Evo
DI336035	Right -3.5	Big Eyes Evo
DI336040	Right -4.0	Big Eyes Evo
DI336045	Right -4.5	Big Eyes Evo
DI336050	Right -5.0	Big Eyes Evo
DI336055	Right -5.5	Big Eyes Evo
DI336060	Right -6.0	Big Eyes Evo
DI336110	Left -1.0	Big Eyes Evo
DI336115	Left -1.5	Big Eyes Evo
DI336120	Left -2.0	Big Eyes Evo
DI336125	Left -2.5	Big Eyes Evo
DI336130	Left -3.0	Big Eyes Evo
DI336135	Left -3.5	Big Eyes Evo
DI336140	Left -4.0	Big Eyes Evo
DI336145	Left -4.5	Big Eyes Evo
DI336150	Left -5.0	Big Eyes Evo
DI336155	Left -5.5	Big Eyes Evo
DI336160	Left -6.0	Big Eyes Evo
DI260010	Right -1.0	Big Eyes
DI260015	Right -1.5	Big Eyes
DI260020	Right -2.0	Big Eyes
DI260025 DI260030	Right -2.5 Right -3.0	Big Eyes
DI260030	Right -3.5	Big Eyes Big Eyes
DI260035	Right -4.0	Big Eyes
DI260045	Right -4.5	Big Eyes
DI260050	Right -5.0	Big Eyes
DI260055	Right -5.5	Big Eyes
DI260060	Right -6.0	Big Eyes
DI260110	Left -1.0	Big Eyes
DI260115	Left -1.5	Big Eyes
DI260120	Left -2.0	Big Eyes
DI260125	Left -2.5	Big Eyes
DI260130	Left -3.0	Big Eyes
DI260135	Left -3.5	Big Eyes
DI260140	Left -4.0	Big Eyes
DI260145	Left -4.5	Big Eyes
DI260150	Left -5.0	Big Eyes
DI260155	Left -5.5	Big Eyes
DI260160	Left -6.0	Big Eyes



ANTI-FOG SPRAY 1 60 ML



Effective anti-fog for masks and goggles. Spread on the inside of the lenses, before wetting them.

CODE DF200050

MINIFOG SPONGE 115 ML



It incorporates a sponge that allows a very precise dosage and, therefore, a great saving of product. The sponge contributes to the elimination of the grease film of the glass produced by the vapors of the silicone after its vulcanization.



SIMPLY MASK STRAP COVER NEW 2022 I SOFT NEOPRENE



PINK/WHITE

BLUE/WHITE

BLACK/YELLOW

CODE COLOR DQ011050 Yellow/Black DQ012030 Blue/White DQ015010 Black/Yellow

MASK ACCESSORIES

-

SCUBA

ANTIFOG GEL 1 30 ML



Effective anti-fog for masks and goggles. Spread on the inside of the lenses, before wetting them.

CODE DF200052

MASK STRAP COVER I SOFT NEOPRENE





CODE	COLOR
DS339992	Blue
DS339994	Pink
DS339995	Black
D5339996	Yellow
DS339997	Red



I SOFT NEOPRENE





YELLOW/BLACK

	14 A A
4	
43 C	1000



BLUE/WHITE

PINK/WHITE

CODE	COLOR	
DQ021050	Yellow/Black	
DQ022030	Blue/White	
DQ024030	Pink/White	
DQ025010	Black/Yellow	



SPLASH PURGE 100% HIGH QUALITY GUARD VALVE SILICONE MOUTHPIECE

CORFÚ | SPLASH GUARD | PURGE VALVE







SILVER/YELLOW



Snorkel designed mainly for snorkeling, apnea and diving. The tube (curved shape and soft material) has a variable section and in the upper part ends with an innovative splash guard, which drastically reduces water entry from waves, without interfering

CODE	COLOR	CASE PACK
ES300020	Silver/Blue	6
ES300041	White/Lilac	6
ES300051	Silver/Yellow	6
ES300054	Silver/Pink	6
ES300055	Silver/Black	6
ES300150	Black/Black	6

SPARE PARTS

with breathing.

CODE EZ267015 SNORKEL KEEPER for ALPHA ULTRA DRY/BETA - GREY EZ270017 MOUTHPIECE for ALPHA/BETA/CORFU/ITACA - BLACK MOUTHPIECE for ALPHA/BETA/CORFU/ITACA - CLEAR EZ270019

SILVER/BLACK The mouthpiece, made of soft silicone, has



CRESSI

TECHNICAL FEATURES

- Profiled splash guard: significantly reduces water entry
 Mouthpiece: drops away when not in use great for scuba divers
 High-quality silicone mouthpiece: is comfortable and durable
 Angled anatomical mouthpiece: reduces jaw fatigue
 Lower purge valve: allows water to be quickly expelled
 Streamlined design: reduces drag while swimming
- while swimming Adjustable clip for securing
- to any mask



WHITE/LILAC





SILVER/PINK



BLACK/BLACK

an angle studied in a particularly ergonomic way, with a reduced bite size for prolonged use without gum fatigue. The mouthpiece body consists of two pieces, with an inclination that ensures better and faster water drainage. A lower purge valve enables instant clearing when needed.





II BUYER'S GUIDE 2022 175 SCUBA / SNORKELS

DRY PURGE 100% HIGH QUALITY GUARD VALVE SILICONE MOUTHPIECE

ITACA ULTRA DRY

| DRY TOP | PURGE VALVE



It features at the top end an International patented dry guard, which prevents water entry while using it on the surface in any position. The new mechanical device has three movement joints, whose counterweight ensures immediate opening of the upper valve, whether you dive or emerge from the water. The lower part is equipped on the inner side with a smooth flexible corrugated section, which keeps the aerator away from the mouth while using any breathing apparatus.

CODE	COLOR	CASE PACK
ES290020	Clear/Blue	6
ES290040	Clear/Pink	6
ES290050	Clear/Black	6
ES290058	Clear/Red	6
ES290109	Black/Gold	6
ES290120	Black/Blue	6
ES290150	Black/Black	6
ES290158	Black/Red	6



BLACK/

RED


The mouthpiece, made of soft silicone, has an angle studied in a particularly ergonomic way, with a reduced bite size for prolonged use without gum fatigue. The mouthpiece body consists of two pieces, with an inclination that ensures better and faster water drainage. A lower purge valve enables instant clearing when needed. The transparent tube has a side reinforcement in colored rubber.


SPECIALIZED MADE IN ITALY

TECHNICAL FEATURES

- Special patented new Aquastop valve: very efficient on up / down positions Dry guard: seals breathing tube
- when submerged
- Mouthpiece: drops away when not in use great for scuba divers High-quality silicone mouthpiece: is comfortable and durable Angled anatomical mouthpiece:
- reduces jaw fatigue
- Lower purge valve: allows water to be quickly expelled Streamlined design reduces drag
- while swimming Adjustable clip for securing
- to any mask
- 100% high quality soft silicon

PATENTED AQUASTOP DRY GUARD 360° DRY PROTECTION TECHNOLOGY







SPARE PARTS

CODE	PRODUCT
EZ267015	SNORKEL KEEPER for ALPHA ULTRA DRY/BETA - GREY
EZ270017	MOUTHPIECE for ALPHA/BETA/CORFU/ITACA - BLACK
EZ270019	MOUTHPIECE for ALPHA/BETA/CORFU/ITACA - CLEAR





SNORKELS

-

SCUBA

ALPHA ULTRA DRY





BLACK/ SILVER BLACK/BLACK/ POLYBAG BLACK

The Alpha Ultra Dry uses the latest dry-top snorkel technology with a compact valve that automatically closes to keep water out regardless of the angle of the snorkel. The Alpha also has a new, highly flexible tube

CODE	COLOR	CASE PACK
ES258020	Blue/Azure/Clear	6
ES258041	White/Lilac/Clear	6
ES258051	Black/Yellow/Clear	6
ES258054	Black/Pink/Clear	6
ES258055	Black/Silver/Clear	6
ES258130	Black/White/Black	6
ES258150	Black/Black/Black	6

SPARE PARTS

CODE PRODUCT EZ267015 SNORKEL KEEPER for ALPHA ULTRA DRY/BETA - GREY EZ270017 MOUTHPIECE for ALPHA/BETA/CORFU/ITACA - BLACK EZ270019 MOUTHPIECE for ALPHA/BETA/CORFU/ITACA - CLEAR

that reduces jaw fatigue and folds compactly for storing in a BC pocket or travel pack. A new, wider elliptical shape increases air flow capacity for more comfortable breathing, while the purge valve enables instant clearing.



MADE IN ITALY

TECHNICAL FEATURES

Dry Valve Technology seals breathing tube when submerged at any angle
 Flexible tube allows folding for the sube search of the sear

Mouthpiece drops away when not

in use: great for scuba divers

Lower purge valve allows any

Adjustable snorkel keeper for securing to any mask

water to bequickly expelled Streamlined design reduces drag

Angled mouthpiece reduces

for storage

jaw fatigue

while swimming



QUICK RELEASE SNORKEL KEEPER



PURGE VALVE 100% HIGH QUALITY SILICONE MOUTHPIECE GLIAPD

SUPERNOVA DRY

| DRY TOP | PURGE VALVE



CODE	COLOR	CASE PACK
ES259010	Clear/Yellow	50
ES259020	Clear/Cobalt	50
ES259030	Clear/White	50
ES259040	Clear/Pink	50
ES259050	Clear/Black	50
ES259062	Clear/Blue	50
ES259080	Clear/Lilac	50
ES259510	Black/Yellow	50
ES259520	Black/Blue	50
ES259550	Black/Black	50
ES259558	Black/Red	50

SPARE PARTS

CODE	PRODUCT
EZ267018	SNORKEL KEEPER for SUPERNOVA DRY/TAO/TAO DRY - BLACK
EZ267018W	SNORKEL KEEPER for SUPERNOVA DRY/TAO/TAO DRY - WHITE
EZ270022	MOUTHPIECE for SUPERNOVA DRY/TAO/TAO DRY - BLACK
EZ270024	MOUTHPIECE for SUPERNOVA DRY/TAO/TAO DRY - CLEAR

TECHNICAL FEATURES

- Dry-top valve seals breathir tube when submerged
- · Flexible lower bore reduces
- jaw fatigue Mouthpiece drops away when not
- in use great for scuba divers High-quality silicone mouthpiece
- is comfortable and durable
- Angled mouthpiece reduces
- iaw fatigue Lower purge valve allows water
- to be quickly expelled Streamlined design reduces drag while swimming
- Adjustable snorkel keeper for securing to any mask
- Dry top valve
- Quick release snorkel keeper
- Bottom purge valve
- Hypoallergenic soft silicone mouthpiece
- Flexible corrugated silicone tube




QUICK RELEASE SNORKEL KEEPER













BLACK/ RED

POLYBAG

SCUBA / SNORKELS



prevents entry of water when submerged. The

contoured tube provides ample airflow and a

lower purge valve enables instant clearing.

The Tao Dry is a dry snorkel that allows divers to take every breath with confidence and focus on the reef below, not worrying about water in your air way. The top has a

CODE	COLOR	CASE PACK
ES261001	Clear/Yellow	10
ES261002	Clear/Blue	10
ES261010	Yellow/Yellow	10
ES261020	Blue/Blue	10
ES261040	Pink/Pink	10
ES261041	Lilac/Lilac	10
ES261050	Black/Clear	10
ES261550	Black/Black	10

SPARE PARTS

CODE PRODUCT EZ267018 SNORKEL KEEPER for SUPERNOVA DRY/TAO/TAO DRY - BLACK EZ267018W SNORKEL KEEPER for SUPERNOVA DRY/TAO/TAO DRY - WHITE EZ270022 MOUTHPIECE for SUPERNOVA DRY/TAO/TAO DRY - BLACK EZ270024 MOUTHPIECE for SUPERNOVA DRY/TAO/TAO DRY - CLEAR

TECHNICAL FEATURES Dry-top valve seals breathing tube when submerged Flexible lower bore reduces jaw fatigue High-quality silicone mouthpiece is comfortable and durable Angled mouthpiece reduces jaw fatigue Lower purge valve allows water to be quickly expelled Removable adjustable snorkel keeper for securing to any mask » Dry top valve Bottom purge valve Quick release snorkel keeper Hypoallergenic soft silicone mouthpiece Flexible corrugated silicone tube





TAO | SEMI-DRY TOP | PURGE VALVE



The Tao is a semi-dry snorkel that allows divers to take every breath with confidence and focus on the reef below not on worrying about water in your air way. The top Splash

Guard is designed to reduce water intake. A generous bore contoured tube provides ample airflow and a lower purge valve enables instant clearing when needed.

BLACK/ BLACK

lear/Black	10
lack/Black	10

SPARE PARTS

CODE PRODUCT EZ267018 SNORKEL KEEPER for SUPERNOVA DRY/TAO/TAO DRY - BLACK EZ267018W SNORKEL KEEPER for SUPERNOVA DRY/TAO/TAO DRY - WHITE EZ270022 MOUTHPIECE for SUPERNOVA DRY/TAO/TAO DRY - BLACK EZ270024 MOUTHPIECE for SUPERNOVA DRY/TAO/TAO DRY - CLEAR

TECHNICAL FEATURES

- Profiled splash guard significantly reduces water entry • Flexible lower bore reduces
- jaw fatigue High-quality silicone mouthpiece is comfortable and durable
- Angled mouthpiece reduces jaw fatigue
- Lower purge valve allows water to be quickly expelled
- Removable adjustable snorkel keeper for securing to any mask
- Top splash guard
- Quick release snorkel keeper
- Hypoallergenic soft silicone
- Flexible corrugated silicone tube
- Bottom purge valve






460 mm 18 1/8 in

48 mm

17/8 in

CLEAR/ BLACK



F-DUAL & SUPERNOVA DRY



CODE	COLOR	CASE PACK
DM330020	Clear/Blue	20
DM333430	White/Pink	20
DM335020	Black/Blue	20
DM335030	Black/White	20
DM335080	Black/Red	20



TECHNICAL FEATURES

- MASK
 Frameless technology for maximum comfort
 Single tempered glass lens
 Wide field of view
 High-grade soft silicone
 Double feathered edge skirt
 Quick-adjustable strap buckles
 Easy-access nose pocket for 1-handed ear equalization

SNORKEL

- Dry-top valve seals breathing tube when submerged • Flexible lower bore reduces

- Flexible lower bore reduces jaw fatigue
 Mouthpiece drops away when not in use great for scuba divers
 High-quality silicone mouthpiece is comfortable and durable
 Angled mouthpiece reduces jaw fatigue
 Lower purge valve allows water to be quickly expelled
 Streamlined design reduces drag while swimming
 Adjustable snorkel keeper for securing to any mask

- for securing to any mask



COMBOS

SCUBA /

BIG EYES EVO + BIG EYES & ALPHA ULTRA DRY SUPERNOVA DRY







CM 24,5X51,5





MADE IN ITALY

CLEAR

BLACK



COBALT

COLOR CASE PACK CODE ZDS260020 Blue ZDS260060 Clear ZDS260062 Cobalt ZDS260500 Black

BLUE



SNORKEL KEEPER SUPERNOVA DRY · TAO DRY · TAO





CODE COLOR EZ267018 Black EZ267018W White

SNORKEL KEEPER GRINGO

CODE COLOR EZ267015 Black

SNORKEL KEEPER





CODE COLOR EZ260003 Black EZ265003 Clear

CODE COLOR EZ267004 Black EZ267011 Clear

SNORKEL KEEPER KAPPA · SIGMA

BARBEL SNORKEL KEEPER UNIVERSAL





CODE COLOR EZ267013 Grey

SCUBA / SNORKELS SPARE PARTS






SNORKEL KEEPER

CORSICA · MEXICO · GAMMA

CODE	COLOR
EZ267005	Black
EZ267009	Clear



EZ267019B Black EZ267019 White

II BUYER'S GUIDE 2022 185



SNORKEL MOUTHPIECE

CODE COLOR EZ270017 Black EZ270019 Clear

CODE COLOR

EZ270001 Clear

EZ270002 Black



CODE COLOR EZ270022 Black EZ270024 Clear

CODE COLOR EZ270029 Black EZ270031 Clear EZ270120 Blue Metal EZ270130 White

SNORKEL MOUTHPIECE



CODE COLOR EZ270007 Black

SNORKEL MOUTHPIECE GRINGO



EZ270008 Clear

MINI DRY

CODE COLOR EZ270006 Black

SNORKEL MOUTHPIECE TOP



CODE COLOR EZ270036 Clear



SNORKEL MOUTHPIECE

CODE COLOR EZ270026 Clear

SNORKEL MOUTHPIECE



SNORKEL MOUTHPIECE AMERICA







TEMDEDATIIDE FLASTIC STRAP 2 DOCI TECHNOLOGY

EXCELLENT

SWITCH WITH

LED LIGHT

LUMIA + NEW 2022 I ULTRA LED DIVE LAMP

ADJUSTABLE

WHITE COLOR

Torch with a highly asymmetric design boasts excellent ergonomics and a highly tactile perception of its geometric characteristics. Thanks to this particular design, the switch position is immediately found without needing to use your eyesight. The porthole and body are coated with thermoplastic rubber to extend shelf life and reduce noises from impact when used for fishing. These ergonomic features are a big advantage over aluminium torches with a circular section which do not give feedback on the position of the grip and, in some cases, even require the use of two hands

to turn it on. The switch has three positions: Off, On Unstable with Automatic Return, On. The "On Unstable" position is particularly useful in fishing because it allows flashing by one simple press. The strap with slider spring allows adjustment according to the user's needs, but being elastic can be pulled out in case of emergency. Power is supplied by four AA batteries, either alkaline or rechargeable. The electronics ensure a constant level of brightness even when the batteries are rechargeable and/or not fully charged. Batteries included.

EXCELLENT ERGONOMICS THANKS TO THERMOPLASTIC RUBBER COATING AND HIGHLY ASYMMETRIC DESIGN

> WITH 3 POSITIONS ON | OFF | HOLDING ON WITH AUTOMATIC RETURN

SWITCH

ADJUSTABLE ELASTIC STRAP TO CUSTOMISE THE USE ACCORDING TO YOUR NEEDS







BLACK/BLACK

BLACK/GREY

CODE	COLOR	CASE PACK
SJ550150	Black/Black	10
SJ550170	Black/Grey	10



PREMILIM

MATERIALS





NARROWED

NEUTRAL WHITE **COLOR TEMPERATURE** SIMILAR TO SUNLIGHT OF THE COLORS



TECHNICAL FEATURES

- Luminous Flux: 300 Lumens
- Color Temperature: 6500 K
- CRI>75 Burn Time: 3.5 h
- Viewing Angle: 6°
- Illuminance: 30000 Lux Impact Resistance: 1.5 m · 5 ft
- Ingress Protection Code:
- PX-8 75m

NEW WHITE COLOR TEMPERATURE

The LED has a white color temperature similar to sunlight for maximum return of the colors in the underwater environment. The light beam of the LED is narrowed into a spot light beam of about 6° by means of a lens made of ultra-transparent material protected by the polycarbonate optical porthole.

ACTIVE ELECTRONICS

Power is supplied by four AA batteries, either alkaline or rechargeable. The power supply has an electronic management system that eliminates the gap between the different electrical potentials of different types of batteries and ensures an efficiency of 30% higherthan the commonly used systems. The active electronics of the flashlight guarantee constant light, even when the battery charge decreases. When the charge drops below the safety threshold value, the lighting level will reduce to warn the user that the batteries are depleted.


Length	168 mm - 6.61 in
Head diameter	47 mm - 1.85 in
Weight	130 g - 4.58 oz (without batteries)

LUMIA + HIGH RANGE COLOR SPECTRUM



STANDARD LIGHT LIMITED RANGE COLOR SPECTRUM





GRIP I BLUNT TIP

Grip Blunt Tip Knife is a small-sized knife with a blunt tip and two different types of blades for multi-use. Great for scuba diving, as primary knife or back-up.

TECHNICAL FEATURES

- Kit included
 High quality Japanese stainless steel
- Steel
 Dagger style blade with pointed tip
 Smooth cutting blade that is
 lightweight, but strong
 Small, easy release sheath
 features one-handed operation

- Serrated top blade for easy
- underwater cutting Opening at base of handle for
- - easy lanyard attachment Rear plate for bc strap attachment bc hose mounting
 - Rear plate for bc strap attachment
 - Hose attachment included
 - BC mount straps included

TOTAL LENGTH 6.80 IN / 17.50 CM






CODE CASE PACK

RC559410





Version of the Borg knife with the chisel tip to allow it to be used as a tool for various operations and avoid accidental damage caused by a sharp tip.





CODE	CASE PACK
RC559150	10

TECHNICAL FEATURES

- One side of the stainless steel blade is straight-edged, the other one is serrated right along the blade; they are both very sharp and effective for line cutting
 It is separated from the blade by
- a small technopolymer thumb tab Sheath with locking mechanism to allow one-hand release The knife is supplied with two leg straps



CLEAN-UP TOOLS

LINE CUTTER

SCUBA / ACCESSORIES

Simple. efficient line cutting tool with safety-blade design. The sheath can be mounted on harness rig or on a B.C.D.



Stainless steel serrated blade Quick-release sheath





420 JAPANESE



CODE RC555500

ALLIGATOR

2 IN 1 SCISSOR + KNIFE



CODE RC559200

SPIDER MESH BAG



DESCRIPTION:

The Spider Mesh Bag is great when you need to carry your wet scuba gear or your snorkeling equipment. Thanks to its net design, it lets the equipment dry fast. The mesh is made of strong polyester fabric, a material that resists weight and dries quickly. It has a high storage capacity, enough for carrying a complete scuba set (BCD, regulator, gauges, octopus) and even mask, fins and snorkel and also wetsuits. It features a drawstring closure with a barrel lock fastener.

DIMENSIONS: 61 x 91 cm | 24 x 36 in.





Blade's width: 26 mm | 1.0 in Blade's thickness: 2.9 mm | 1.1 in Weight only knife: 126 g | 4.4 oz Weight with sheath and straps: 198 g | 7.0 oz





CRESSI

CRESSI

THICKNESS METALLIC HIGH STRETCH LIQUID SEAL 4 MM HIGH DENSITY BACK ZIP SPANFLEX MATERIAL TECHNOLOGY



Comfortable and resistant Dry Suit thanks to its 4mm thick High-Density pre-compressed Neoprene and thanks to the Liquid Seal protected stitched joints. The seams and outer neoprene lining are covered with a special layer of elastomer so as to simultaneously create an impermeable obstacle for the water and increased resistance at the joints. On the inside, an additional sealing strip guarantees total waterproof-ability. This double sealing system has been carefully designed to meet the needs of the most discerning and seasoned divers that often require their dry suits to be able to adapt to extreme working or weather conditions. The

CODE	SIZE	CASE PACK
LQ401002	5	1
LQ401003	Μ	1
LQ401004	L	1
LQ401005	XL	1
LQ401006	2XL	1
LQ401007	ЗХL	1

LADY

MAN

CODE	SIZE	CASE PACK
LQ401101	XS	1
LQ401102	S	1
LQ401103	Μ	1
LQ401104	L	1
L0401105	XL	1

special Spanflex material has also been used in the outer part so as to increase elasticity and abrasion resistance. The cuffs are made of smooth 3.5 mm-thick neoprene on the inside in order to improve sealability and from Ultraspan on the outside in order to improve elasticity. The collar is made of the same materials but with 2.5mm-thick neoprene for more comfort and breathability when turned-up. The shoulder neck and knee lines are reinforced with a special anti-abrasion X-Diamond Pad lining. The suit comes with a practical multipurpose pocket placed on the right leg as well as a comfortable hood.



ATELIER

DRYSUIT UNDERSUIT

I THERMAL UNDERSUIT



UNISEX	

XS	10
S	10
Μ	10
L	10
XL	10
2XL	10
3XL	10
	S M L XL 2XL


TECHNICAL FEATURES

- Recycled Polyester + Recycled
- Spandex Thumb-hole Design
- 550 G/YD
- Front zipper Anatomical cuts

Base Laver

New Fleece Fabric





CE CERTIFICATION DIVING WETSUIT EN 14225-1:2017: B



Stylish, warm and versatile, the Fast can be used in the widest range of temperate and cold waters. Durable 7 mm, double-lined

MAN

CODE	SIZE	CASE PACK
LR108702	S	5
LR108703	Μ	5
LR108704	L	5
LR108705	XL	5
LR108706	2XL	5
LR108707	ЗХL	5

LADY

CODE	SIZE	CASE PACK
LR109701	XS	5
LR109702	S	5
LR109703	Μ	5
LR109704	L	5
LR109705	XL	5

neoprene, stands up well to compression at depth for maximum heat retention. Pre-shaped legs improve flexibility for easier kicking.



2 MC

PREMIUM ILTRASTRETCH VEOPRENE

X

TECHNICAL FEATURES

One-piece wetsuit in 7 mm
 double lined neoprene

and calves

the knees

Pre-shaped legs

Ultraspan neoprene on arms

· YKK back zip with under zip lining

• Wrists and ankles with water-stop

and water-stop system Anti-abrasion reinforcement on

system / watertight seals


UNDER ZIP LINING CLOSE

UNDER ZIP LINING OPEN

SPECIALIZED

Retailer Product

NEW DESIGN KNEEPAD





THICKNESS BACK 5 MM ZIP



Stylish, warm and versatile, the Fast can be used in the widest range of temperate waters. Durable 5 mm, double-lined neoprene, stands

MAN		
CODE	SIZE	CASE PACK
LR131002	S	5
LR131003	Μ	5
LR131004	L	5
LR131005	XL	5
LR131006	2XL	5
LR131007	3XL	5

LADY

CODE	SIZE	CASE PACK
LR132001	XS	5
LR132002	S	5
LR132003	Μ	5
LR132004	L	5
LR132005	XL	5

flexibility for easier kicking.







CRESSI

up well to compression at depth for maximum heat retention. Pre-shaped legs improve

TECHNICAL FEATURES

- One-piece wetsuit in 5 mm double lined neoprene
- Ultraspan neoprene on arms and calves • Pre-shaped legs
- YKK back zip with under zip lining and water-stop system Anti-abrasion reinforcement
- on the knees
- Wrists and ankles with water-stop system / watertight seals

WATERTIGHT SEALS



UNDER ZIP LINING



NEW DESIGN KNEEPAD





FULL WETSUITS

-

SCUBA

THICKNESS BACK 3 MM ZIP ↓ 1>22° C >71.6° F CE CERTIFICATION DIVING WETSUIT 3 MM EN 14225-1-2017: D





Stylish, warm and versatile, the Fast can be used in the widest range of temperate waters. Durable 3 mm neoprene, pre-shaped legs

MAN	
-----	--

CODE	SIZE	CASE PACK
LR108302	S	5
LR108303	Μ	5
LR108304	L	5
LR108305	XL	5
LR108306	2XL	5
LR108307	ЗXL	5

LADY

CODE	SIZE	CASE PACK
LR109301	XS	5
LR109302	S	5
LR109303	Μ	5
LR109304	L	5
LR109305	XL	5



→

SUGGESTED WATER TEMPERATURI

ULTRASOFT

NEOPRENE


R

Cressi wetsuit designs guarantee complete adherence to the body, just like a second skin. The flex areas facilitate movement, ensuring complete comfort and ease of donning and motion, especially in the arm and ankle areas.

improve flexibility for easier kicking and antiabrasion reinforcement on the knees.



CRESS



SPECIALIZED

Retailer Product



NEW DESIGN KNEEPAD





THICKNESS JUNIOR SIZES MIXED ULTRASPAN 3 MM AVAILABLE MATERIAL

MOREA

3 MM

| 3 MM

22° C >71.6° F CE CERTIFICATION DIVING WETSUIT EN 14225-1:2017: D

The Morea is a 3 mm neoprene one-piece wetsuit ideal for scuba diving, snorkeling, swimming, and other aquatic sports in warm waters. It is assembled using flat sewing with panels ar oine 0 oal of wi re zipper elcro® is dc ist

activities like skiing, sailing, or surfing.

aters. It is assembled using ital sewing
nti-fraying thread. The large neoprene
ptimize its natural elasticity and combi
vith an elastic nylon lining. With the goa
educing water leaks, the dorsal YKK® z
equipped with an Aquastop® flap. Vel
orsal zipper closure. The ankle and wri
AN

CODE	SIZE	CASE PACK
LU476002	S	5
LU476003	Μ	5
LU476004	L	5
LU476005	XL	5
LU476006	2XL	5

м

LADY		
CODE	SIZE	CASE PACK
LU476501	XS	5
LU476502	S	5
LU476503	Μ	5
LU476504	L	5
LU476505	XL	5

TSUITS

WET

FULL

1

SCUBA





just like a second skin. The flex areas facilitate movement, ensuring complete comfort and ease of donning and motion, especially in the arm and ankle areas.

finishes are completed using Overlock cuffs. It has an Anatomic Shape® preformed collar that complements the contours of the chest and neck with a super-elastic Ultraspan® lining and nylon lining mixed with Ultraspan© in the joint areas. Improving hydrodynamics, the elasticity guarantees a quick-dry when the suit is out of the water and exposed to the wind in aquatic

TECHNICAL FEATURES

- 3-mm neoprene with Ultraspan ends on the arms and legs.
 Rubberized neoprene on the chest
- and protection on the knees. 20° ANATOMIC
- SHAPE NECK CLOSURE

WATERTIGHT SEALS



UNDER ZIP LINING



MIXED ULTRASPAN MATERIAL RUBBERIZED NEOPRENE ON THE CHEST



PROTECTION ON THE KNEES

HIGH STRETCH MATERIAL ON LEGS AND ARMS





SCUBA / FULL WETSUITS



All-in-one for temperate waters, hoodless, with long sleeves and pants, made from double lined 2.5 mm thick neoprene. To reduce water infiltration, the strong rear YKK zipper has an Aqua stop under the zip. The neck is watertight MAN

CODE	SIZE	CASE PACK
UV456001	S	5
UV456002	Μ	5
UV456003	L	5
UV456004	XL	5
UV456005	2XL	5
UV456006	3XL	5

LADY		
CODE	SIZE	CASE PACK
UV456101	XS	5
UV456102	S	5
UV456103	Μ	5
UV456104	L	5
UV456105	XL	5
UV456106	2XL	5

200

I SHOULDER SIZE INDICATION



uperb elasticity and softness. We au

sleeves finished with the simple, economic, and

reliable Overlock cuff. The legs are pre-formed

to guarantee easier kicking movement.

Cressi wetsuit designs ensure a superior fit. NeoPro-fit combines a high level of erosion



TECHNICAL FEATURES

• One-piece full wetsuit

water diving

2.5 mm neoprene for warn

Provides protection from stinging sea life

Easy donning and doffing
 Anatomic cut neck closure

CRESS

BAHIA FLEX

| 2.5 MM



The Bahia Flex 3mm is the successor of the Bahia front-zip full wetsuit. This model is redesigned to ensure total freedom of movement and can be used in any water sport. The wetsuit features separate anatomical cuts for both men and women. The front-zip, made of metal YKK®, ensures ease of donning and doffing. The cut is designed to guarantee complete adherence to the body, just like a second skin. The Flex areas facilitate movement, ensuring complete

MAN		
CODE	SIZE	CASE PACK
LV471001	XS	10
LV471002	S	10
LV471003	Μ	10
LV471004	L	10
LV471005	XL	10
LV471006	2XL	10
LV471007	3XL	10

CODE	SIZE	CASE PACK
LV472001	XS	10
LV472002	S	10
LV472003	Μ	10
LV472004	L	10
LV472005	XL	10
LV472006	2XL	10

LADY

comfort. A small difference between thickness makes donning and movement easier, particularly in the arms and ankle areas. Cuff seals prevent water entry while swimming and the double-lined Neoprene resists compression at depth. The doublelining is more durable than the single-lining of other competitor's wetsuit. The knee and shin area is reinforced to protect the wetsuit against accidental scratches. The Aquastop wrist and ankle seals limit water exchange.



Cressi wetsuit designs guarantee complete adherence to the body, just like a second skin. The flex areas facilitate movement, ensuring complete comfort and ease of donning and motion, especially in the arm and ankle areas.

TECHNICAL FEATURES

- Front-zip full wetsuit
- YKK zipper
 Made of flexible double-lined
- Neoprene 3 mm thick
- Overlock stitching cuffs
- Reinforced knee areas











The easy-entry, front zipper placement of the Lido makes it effortless to put on. It is perfect for snorkeling, diving in tropical waters, swimming, surfing and other activities. Highly flexible 2 mm Neoprene and a flattering cut conform easily to most body shapes for a

great fit. The absence of seams under the
arms prevents the intrusion of water. Fabric
cuts are anatomical for both men and women.
The legs and sleeves are finished with a
simple, economic, and reliable Overlock cuff.

1	1	
CR	5.5	5/
		Ĵ
1	ច្រ	ſ

TECHNICAL FEATURES

Qaulity YKK zipper for durability

Full front-zip wetsuit
 Double-lined neoprene for durability and warmth

Anatomical cuts

THICKNESS JUNIOR SIZES BACK 2.5 MM AVAILABLE ZIP CE CERTIFICATION DIVING WETSUIT EN 14225-1:2017: D MED X NEW 2022 | 2.5 MM



This is the new version of the most known Cressi one-piece wetsuit for water sports and tropical seas. It's presented with a new pattern, and new captivating aesthetic. It's available in man, woman and kids version.

Monoshort without hook, with short pants and sleeves in double fodder neoprene 2.5mm.

2XI

3XI

2XI

CASE PACK

MAN CODE

> XLV437081 XLV437082 XLV437083 XLV437084 XLV437085 XLV437086

> XLV437087


LADY CODE XLV437591 XLV437592 XLV437593 XLV437594 XLV437595 XLV437596 and any kind of water sport. Flat neoprene on the chest area to obtain more elasticity. There are insertions in flat neoprene on wrists and legs to minimize water filtrations. YKK® 8 pitch dorsal zip with Velcro® closing.

/		J
	RESSI	

MAN		
CODE	SIZE	CASE PACK
LV452001	XS	10
LV452002	S	10
LV452003	M	10
LV452004	L	10
LV452005	XL	10
LV452006	2XL	10
LV452007	3XL	10

LADY

CODE	SIZE	CASE PACK
LV454001	XS	10
LV454002	S	10
LV454003	Μ	10
LV454004	L	10
LV454005	XL	10
LV454006	2XL	10



- **TECHNICAL FEATURES**
- · Rear zip. · Adjustable collar with Velcro closure.
- Children's sizes available.





Cressi wetsuit designs guarantee complete adherence to the body, just like a second skin. The flex areas facilitate movement, ensuring complete comfort and ease of donning and motion, especially in the arm and ankle areas.

It's ideal to snorkeling, swimming, tropical seas





SHORT WETSUITS



ALSO FOR RENTAL

TECHNICAL FEATURES

- One-piece short wetsuit
- water diving
- Self donning back zipper with
- Anatomic cut neck closure
- Provides abrasion, exposure,

The Tortuga Man and Woman wetsuit is a one-piece shorty ideal for tropical waters. The wetsuit is made with 2.5mm double-lined neoprene, offering maximum comfort and thermal protection for all water sports. The back zipper closure is attached to a pulltab leash to ease donning and doffing.

This suit is perfect for tropical water sports in general while covered areas. This suit offers great range of movement and maximum comfort.

MAN


CODE	SIZE	CASE PACK
UV457001	XS	5
UV457002	S	5
UV457003	Μ	5
UV457004	L	5
UV457005	XL	5
UV457006	2XL	5
UV457007	3XL	5

LADY

CODE	SIZE	CASE PACK
UV457101	XS	5
UV457102	S	5
UV457103	Μ	5
UV457104	L	5
UV457105	XL	5
UV457106	2XL	5

I SHOULDER SIZE INDICATION





- pull tab leash
- UV protection

The suit's seams are sewn for strength and durability. waters, swimming, sailing, and snorkeling, diving and offering UV protection to incorporates an adjustable Velcro fastener collar for



The Playa Flex is the successor of the Playa front-zip short wetsuit. The cut is designed to guarantee complete adherence to the body, just like a second skin. The Flex areas facilitate movement, ensuring complete comfort. A small difference between thickness makes donning and movement easier, particularly in the arms and ankle areas. The wetsuit features separate anatomical cuts for both men and women. This model is redesigned to ensure total freedom of movement and to be


used in any water sport. The front-zip, made of metal YKK®, ensures ease of donning and doffing. Divers will appreciate the high-quality double-lined Neoprene, which retains its shape and insulating ability at depth. The Playa Flex is perfect for snorkeling, diving in tropical water, swimming, sailing and all water sports in general. The arms and legs are made with an elastic Neoprene Ultraspan® braided seal to minimize water infiltration.

MAN		
CODE	SIZE	CASE PACK
LV448001	XS	10
LV448002	S	10
LV448003	Μ	10
LV448004	L	10
LV448005	XL	10
LV448006	2XL	10
LV448007	3XL	10

CODE SIZE CASE PACK LV449001 LV449002 LV449003 10 LV449004 10 LV449005 10 LV449006 10

LADY







- One-piece short wetsuit
- 2.5 mm double-lined high stretch ultraspan
- Ultra span neoprene decreases water exchange
- Provides UV protection
- Front-zip for easy donning
- and doffing



Cressi wetsuit designs guarantee complete adherence to the body, iust like a second skin. The flex areas facilitate movement, ensuring complete comfort and ease of donning and motion, especially in the arm and ankle areas.





II BUYER'S GUIDE 2022

CRESSI
 THICKNESS
 JUNIOR SIZES
 FRONT

 2 MM
 AVAILABLE
 ZIP




The easy-entry front zipper placement makes the Lido effortless to put on and is perfect for snorkeling, diving in tropical waters, swimming,

CODE	SIZE	CASE PACK
LV455001	XS	10
LV455002	S	10
LV455003	Μ	10
LV455004	L	10
LV455005	XL	10
LV455006	2XL	10
LV455007	3XL	10

LADY

CODE	SIZE	CASE PACK
LV457001	XS	10
LV457002	S	10
LV457003	Μ	10
LV457004	L	10
LV457005	XL	10
LV457006	2XL	10



TECHNICAL FEATURES

- Separate anatomical cuts for both
- Double-lined neoprene for durability and warmth
- Front zip entry for easier donning





sailing, and other activities. Highly flexible 2 mm neoprene and a flattering cut conform easily to most body shapes for a great fit.

SKIN

 THICKNESS
 86% POLYESTER
 FRONT

 1 MM
 14% SPANDEX
 ZIP



Crafted from nylon material, the Skin is a versatile and a must-have fullsuit for traveling divers. The high-stretch material is effortless to swim in and naturally conforms to the body to reduce drag. The Skin provides UV

UNISEX

CODE	COLOR	SIZE	CASE PACK
WDG050102	Black/Yellow	S	10
WDG050103	Black/Yellow	Μ	10
WDG050104	Black/Yellow	L	10
WDG050105	Black/Yellow	XL	10
WDG050106	Black/Yellow	2XL	10
WDG050201	Black/Blue	XS	10
WDG050202	Black/Blue	5	10
WDG050203	Black/Blue	Μ	10
WDG050204	Black/Blue	L	10
WDG050205	Black/Blue	XL	10
WDG050206	Black/Blue	2XL	10
WDG050207	Black/Blue	ЗХL	10
WDG050401	Black/Pink	XS	10
WDG050402	Black/Pink	S	10
WDG050403	Black/Pink	Μ	10
WDG050404	Black/Pink	L	10
WDG050405	Black/Pink	XL	10
WDG050602	Black/Silver	5	10
WDG050603	Black/Silver	Μ	10
WDG050604	Black/Silver	L	10
WDG050605	Black/Silver	XL	10
WDG050606	Black/Silver	2XL	10
WDG050607	Black/Silver	ЗХL	10

protection on the surface and just the warmth needed for extended snorkeling or diving sessions in tropical waters. A long front zip makes the Skin easy to put on and the suit easily layers under thicker dive wear.





- 86% polyester 14% spandex

















100% HIGH STRETCH MATERIAL





AIR VENT



UNISEX

CODE	SIZE	CASE PACK
LW480202	XS/S	5
LW480203	Μ	5
LW480205	L/XL	5

SOLO | 3/5 MM



UNISEX 3 mm


CODE	SIZE	STYLE	CASE PACK
LR108132	S	3 mm	10
LR108133	Μ	3 mm	10
LR108134	L	3 mm	10
LR108135	XL	3 mm	10



TECHNICAL FEATURES

- Made entirely of HS200 high stretch neoprene for exceptional comfort and fit
- Comfort and fit 7mm HS200 high stretch neoprene cranium and 5mm HS200 high strech skin-in neoprene face and neck seals Face area left unbound to allow

- Facture area to unbound to action for custom trimming Unique vent design releases air trapped at the top of the head Waterproof glued & blind stitched seams
- Hanging loop located at the top
- Hanging loop located at the top for easy drying
 Designed for use with drysuits
 Descriptive hang tag attached to hanging loop







UNISEX 5 mm

CODE	SIZE	STYLE	CASE PACK
LR108102	S	5 mm	10
LR108103	Μ	5 mm	10
LR108104	L	5 mm	10
LR108105	XL	5 mm	10

CRESSI

SCUBA / HOODS

SOLO | NEOPRENE 2 MM



HANDEX

Hood made with strong and elastic synthetic fabric. It protects the head and can be worn under a wetsuit or a rash guard. It is anti UV rays.



CODE CASE PACK LW480102 10

UNISEX

CODE SIZE CASE PACK LW480002 XS/S LW480004 M/L LW480006 281

BEANIE

Hood made with strong and elastic synthetic fabric. It protects the head and can be worn under a wetsuit or a rash guard. It is anti U/V rays.



RESS

PRODUCT	CASE PACK
BEANIE UNISEX w/ELASTIC CORD	10

TECHNICAL FEATURES

Adjustable drawstring Elastic cord

FABRIC TYPE 80% Neoprene · 20% Nylon



HIGH STRETCH GLOVES

2.5 MM 3.5 MM 5 MM

SIZE	CASE PACK
S	10
Μ	10
L	10
XL	10
	S M L

SIZE	CASE PACK
S	10
Μ	10
L	10
XL	10
	S

5 mm		
CODE	SIZE	CASE PACK
LX475901	S	10
LX475902	Μ	10
LX475903	L	10
LX475904	XL	10



12 MM

Five fingered gloves 2 mm thick Neoprene, made from two different soft and light materials. The palm and finger area uses a light Gray Napa that becomes extraordinarily soft upon contact with the water. However, the upper part of the glove and the wrist area are made from very thin, supple neoprene.

A large area that corresponds to the upper side of the wrist allows for instant adjustment, both before and during the dive. These are particularly suitable gloves when you need the very best touch sensitivity in the fingers. The palm also offers good resistance to abrasions.


CODE	SIZE	CASE PACK
LX475301	S	10
LX475302	Μ	10
LX475303	L	10
LX475304	XL	10
LX475305	2XL	10





5-finger gloves made from single-lined soft, high-stretch neoprene.The inside is covered in Metallite to make them easy to put on. The preformed shape favours the natural position of the hand, with semi-bent fingers. The entire surface is covered with a non-slip finish for a sure grip in all situations.

THICKNESS GUIDE	
WETSUIT THICKNESS AND WATER TEMPERATURE	



BALEARI PHS

| 6 MM | PROTECTIVE HARD SOLE



CASE PAC 5 5 5 5 5 5	K
5 5	
2 2	
5	
) 5	
5	
2 5	
	5



Wetsuit suitability may vary by 5° to 10° F based off the body strength. Level of activity, weight and outside temperature





CODE	SIZE	CASE PACK
US051000	5	5
US051001	6	5
US051002	7	5
US051003	8	5
US051004	9	5
US051005	10	5
US051006	11	5
US051007	12	5
US051008	13	5

ISLA



Runs Small

CODE	SIZE	CASE PACK
US050000	5	5
US050001	6	5
US050002	7	5
US050003	8	5
US050004	9	5
US050005	10	5
US050006	11	5
US050007	12	5
US050008	13	5
US050009	14	5





- PHS: Protective Hard Sole Feet protection against rocks
- and puncture Elastic 6mm Neoprene Side YKK zip for donning
- and doffing Fin strap holder on the back

CRESSI USA FIT SIZE

Runs Large Runs Small



Runs Small

TECHNICAL FEATURES

- Built in fin strap holder
 Built in sole to provide extra
- comfort
- Super elastic neoprene to provide comfort
- Thickness of boot provides toughness while maintaining warmth

» WITH SOLES

CRESSI USA FIT SIZE

Runs Large







TECHNICAL FEATURES

- Built in fin strap holder
 Built in sole to provide extra comfort
- Super elastic neoprene to provide comfort
- Thickness of boot provides toughness while maintaining warmth



CRESSI USA FIT SIZE

Runs Large -

YKK ZIPPER









II BUYER'S GUIDE 2022 213

BALEARI MD PHS

3 MM | PROTECTIVE HARD SOLE



CODE	SIZE	CASE PACK
ULX443551	5	5
ULX443552	6.5	5
ULX443553	7.5	5
ULX443554	9	5
ULX443555	10	5
ULX443556	11	5
ULX443557	12	5
ULX443558	13.5	5
ULX443558	13.5	5



| 3 MM

214



CODE	SIZE	CASE PACK
US435500	5	20
US435501	6	20
US435502	7	20
US435503	8	20
US435504	9	20
US435505	10	20
US435506	11	20
US435507	12	20
US435508	13	20
US435509	14	20

Ideal for outdoor sports and travel. They feature a Hard Sole that protects the feet against sharp rocks. Made with Super Elastic Neoprene for best comfort within the sole, it is built to provide extra comfort, and is also ultra-durable. The back of the heel has a special design that fits perfectly with open heel fins for scuba diving.

The small boss is used to prevent the slipping of the fins strap. A strong non-slip molding covers the entire sole. They are suitable for surfing, kayaking, scuba diving and different kind of water sports.



MINORCA LONG

1 3 MM



CASE PACK CODE SIZE US040000 US040001 US040002 US040003 US040004 US040005 US040006 US040007 US040008 13 US040009

MINORCA SHORT

1 3 MM



The Minorca Short 3mm are lightweight shoes ideal for outdoor sports and travel. Made with Super Elastic Neoprene for best comfort within the sole, it is built to provide extra comfort and

SIZE	CASE PACK
5	20
6	20
7	20
8	20
9	20
10	20
11	20
12	20
13	20
14	20
	5 6 7 8 9 10 11 12 13



- Super elastic neoprene for
- best comfort Vulcanize rubber sole
- Sole built to provide extra comfort Ultra durable

CRESSI USA FIT SIZE

Runs Small **Runs Large**

The Ibiza 3 mm are lightweight boots ideal for outdoor sports and travel. Made with Super Elastic Neoprene for best comfort within the sole, it is built to provide extra comfort, and is also ultra durable.

The back of the heel has a special design that fits perfectly with open heel fins for scuba diving. The small boss is used to prevent the slipping of the fins strap. A strong non-slip molding covers the entire sole. They are suitable for surfing, kayaking, scuba diving and different kind of water sports.

TECHNICAL FEATURES

- Super elastic neoprene for
- best comfort
- Vulcanize rubber sole
- Sole built to provide extra comfort Ultra durable







Runs Small

Runs Large





- Super elastic neoprene for best comfort
- Vulcanized rubber sole
- Sole built to provide extra comfort
- . Ultra durable

is also ultra durable. The sole is made of longlasting rubber to avoid slipping on wet or smooth surfaces. They are suitable for surfing, kayaking, scuba diving and different kind of water sports.



SOCKS

SCUBA /

SOFT HIGHLY ELASTIC NYLON-LINED NEOPRENE ANTI-SLIP GRIP SOLE THICKNESSES AVAILABLE: 3-5 MM SMOOTH SKIN NEOPRENE ANKLE

CASE PACK

10

10

SARAGO NEW 2022 I THERMAL SOCKS 17 MM

SIZE



These socks for fins with strap or foot pocket are made of soft highly elastic nylon-lined neoprene. They prevent heat loss and keep feet warm. The smooth skin neoprene on the ankle allows maximum adherence between the sock and the leg of the wetsuit, reducing the passage of water. The sole is entirely non-slip. The construction of the blind stitch seam further improves comfort and aesthetics.

ANTI-SLIP

| 2.5 MM

SIZE	EU FOOT SIZE	US MEN'S FOOT SIZE	US WOMEN'S FOOT SIZE
5	36 / 38	5/6.5	6 / 7.5
м	39 / 40	7/8	8/9
L	41/43	9 / 10.5	10 / 11.5
XL	44 / 46	11 / 12.5	12 / 13.5

CODE	SIZE	CASE PACK
LX433001	5	10
LX433002	Μ	10
LX433003	L	10
LX433004	XL	10

ULTRA STRETCH NEOPRENE

| 1.5 MM

SIZE	EU FOOT SIZE	US MEN'S FOOT SIZE	US WOMEN'S FOOT SIZE
5	36 / 38	5 / 6.5	6 / 7.5
м	39 / 40	7/8	8/9
L	41/43	9 / 10.5	10 / 11.5
XL	44 / 46	11 / 12.5	12 / 13.5

CODE	COLOR	SIZE	CASE PACK
XDF200120	Blue	S	10
XDF200121	Blue	Μ	10
XDF200122	Blue	L	10
XDF200123	Blue	XL	10
XDF200150	Black	S	10
XDF200151	Black	Μ	10
XDF200152	Black	L	10
XDF200153	Black	XL	10

FIN SOCKS

I SPANDEX

	SIZE	CONVERSION	
SOCK'S SIZE	EU SIZE	US MEN'S SIZE	US WOMEN'S SIZE
S/M	35/43	4 / 10.5	5 / 11.5
L/XL	44/47	11 / 13.5	12 / 14

» QUICK DRYIN

CODE	COLOR	SIZE	CASE PACK
USW030000B	Blue	S/M	10
USW031000B	Blue	L/XL	10
USWO30000K	Black	S/M	10
USW031000K	Black	L/XL	10
XLX412001	Aquamarine	S/M	10
XLX412002	Aquamarine	L/XL	10
XLX412701	Lilac	S/M	10
XLX412702	Lilac	L/XL	10

PALMA LT

1 3 MM

CODE

XLX440700

XLX440701 XLX440702

XLX440703

XLX440704

XI X440705 XLX440706

These tall socks are great for either full foot or open heel fins. The socks are lightweight and a great addition to the traveling diver's gear bag. Socks are extremely comfortable equipped with a Rubber Grip Sole design to assist with Non-Slip on wet surfaces such as boat decks and slipper ladders. The Palma are built-to-last with glued-and-sewn seams for strength and durability.

CODE	SIZE	CASE PACK
US036002	XS	5
US036003	S/M	5
US036004	M/L	5
US036005	L/XL	5
US036006	XL/2XL	5



1 3 MM

These short socks are great for either full foot or open heel fins. The socks are lightweight and a great addition to the traveling diver's gear bag. Socks are extremely comfortable equipped with a Rubber Grip Sole design to assist with Non-Slip on wet surfaces such as boat decks and slipper ladders.

CODE	SIZE	CASE PACK
US035002	XS/S	10
US035003	S/M	10
US035004	M/L	10
US035005	L/XL	10
US035006	XL/2XL	10







POLYBAG

TECHNICAL FEATURES

- Grip design to assist with nonslip
 Super elastic neoprene for best comfort
- Ultra durable
- Utra durable
 Lightweight, ideal for travel
 With Anti-slip sole

CRESSI USA FIT SIZE

Runs Small	Runs Large
	_

E 00
www.cressi.com
CRESS/
POLYBAG



II BUYER'S GUIDE 2022

Ultra durable Lightweight, ideal for travel With Anti-slip sole CRESSI USA FIT SIZE

Runs Large Rune Small

TECHNICAL FEATURES

Grip design to assist with nonslip

Super elastic neoprene for best

comfort



These are single-lined, thin, high stretch neoprene socks. The inner is lined in Metallite so they are easy to put on.The sole has an effective non-slip lining. They can be used with both closed foot fins for greater warmth and to protect the skin from scratches and chafing, as well as with firm-soled socks, using open-heel fins. In this case, warmth is considerably increased and it is also easier to put on your wetsuit.






Created in extremely supple, 1.5 mm thick, double-lined Ultraspan neoprene, these socks have non-slip and anti-wear soles and an Aquastop sealing single-lined neoprene at the top. They are perfect for all indoor and outdoor water sports thanks to the high protection and thermal function that they offer.

CRESSI USA	FIT SIZE
Runs Small	Runs Large

Fin-socks are designed for people who live in their fins and need that perfect snug fit of a full foot fin. But also for people who seldom use fins or have sensitive feet. These socks are the solution that will allow you to wear your fins for hours without chafing your feet.





CRESSI USA FIT SIZE





600-DENIER TWISTED WATER REPELLANT YKK PVC POLYESTER FILAMENT MATERIAL ZIP LAMINATION





The Jumbo bag is designed for very demanding divers who want to transport of all the equipment they need for their dives during their holiday travels or free time. The ample volume (140 liters) and internal partitioning makes luggage easy to prepare. The two side pockets, with the fin logo inside,

can hold a pair of large fins, up to size XXL. The two front pockets are handy for packing accessories, like towels, t-shirts and sunglasses.

The top pocket protects the two-position telescopic handle and also conceals a special small pocket inside for a personal details card. The spacious inside compartment has room to organize all technical equipment

 CODE
 CASE PACK

 UB932500
 1

BAG DIMENSION (LENGTH-WIDTH-HEIGHT)		VOL	UME		WEIGHT		
	СМ	IN	LITER	CU FT	KG	LB	
JUMBO	50 x 35 x 80	19 3/4 x 13 3/4 x 31 1/2	140	4.9	4.5 kg	9 lb 15 oz	
JUMBO							

up to size XXL (e.g. a complete 7 mm hooded wetsuit, jacket, boots, gloves, mask, mouthpiece, regulator, etc.), securing it with two special straps. The system of buckles on the outside allows the bag to be compacted further, by pulling on the straps according to how much is packed in it.

The large wheels are highly resistant and easily replaceable, as they are attached with screws and locknuts.

The shoulder straps can be easily concealed in the back pocket and pulled out when needed. The new adjustment buckles on the shoulder straps allow rapid adjustment, even with the bag on the back.



- PVC lamination
- Water-repellent coating



TWO-POSITION TELESCOPIC HANDLE



ANATOMIC SHOULDER STRAPS



HIGHLY RESISTANT WHEELS




SCUBA /

YKK EXTRA ZIP POCKETS

MOBY 5 & MOBY 5 HYDRO 115 LITERS CRESSI MOBY 5 HYDRO 006.55 MOBY 5 HOBY S in special pockets when the backpack is being

Large wheeled luggage ideal to carry scuba diving equipment and other water activity gear. Made of 300 and 400 Denier fabric that is light and very strong with a good looking waterproof coating. The main compartment opens on three sides allowing easy access. There are two large bellows pockets in the front with zip closures, two side pockets for fins and a small upper pocket that holds an address tag. There are also two adjustable, padded, straps for carrying on the back that can be placed

wheeled. The reinforced pull handle is telescopic and fully retractable. The wheels have a large diameter and can be removed and easily replaced in the event of breakage. There are two carrying handles: a reinforced one at the top and one with Velcro closure at the bottom. The back of the bag houses supporting rods to keep the bag in a vertical position. All the zips are very strong YKK.



TECHNICAL FEATURES

Made of 300 and 400 Denier

fabric with waterproof coating 2 large bellows pockets

2 long side pockets that can

hold a pair of fins

WIDE FRONT POCKET

ADJUSTABLE SHOULDER

HEAVY-DUTY WHEELS
A
-61

IDEAL FOR TRAVEL

PIPER

The Piper is a suitcase designed and especially convenient for air travel, with a special 2 stage telescoping handle and 2 exterior compression straps with quick-release buckles. Several zippers, heavy-duty wheel housing, bumper protection, and scratchresistant denier fabric ensure that your equipment will be able to be stored safely. Grab handles on the top, side, and bottom of the suitcase make this very easy to hold.





The interior of the Piper features compression straps and a side pocket to help organize your belongings. A back ID pocket makes it possible to label your suitcase. At 2.9 kg | 6.4 lb and 4.9 liters

CASE PACK

| 1.73 cubic feet of capacity, the Piper is light and great for traveling. Its dimensions are compliance with the carry-on airplane regulations: $35.5 \times 23 \times 23 \times 10^{-1}$ 56 cm | 14 x 9 x 22 in.

UB952000	2				
	DIMENSION (LENGTH-WIDTH-HE	ight)	VOL	UME	
	СМ	IN	LITER	CU FT	К
PIPER	35.5 x 23 x 56 h	14x9x22 h	49	1.73	2.9



CASE PACK BAG DIMENSION LENGTH-W СМ IN Weight 40 x 28 x 76 h 15 1/2 x 11 x 30 h MOBY 5 hydro 40 x 28 x 76 h 15 1/2 x 11 x 30 h Main VOLUME WEIGHT

LB

8 lb 10 oz

11 lb 4 oz

Fin pocket

COMPARTMENT DIMENSIONS 115 L I 4.06 cu ft
 Moby 5
 Moby 5 Hydro

 3.9 kg I 8 lb 10 oz
 5.1 kg I 11 lb 4 oz
 76 x 40 x 28 cm | 30 x 15.8 x 11 in compartmen Upper front 34.4 x 23 x 8.5 cm | 13.5 x 9.05 x 3.3 in oocket Lower front pocket 34 x 38 x 8.5 cm | 13.4 x 15 x 3.3 in

73 x 25 x 7 cm / 28.7 x 9.8 x 2.8 inch

CU FT

4.06

4.06

KG

3.9 kg

5.1 kg

CODE

UB932200 XUB932256

MOBY 5

LITER

115

115

TECHNICAL FEATURES

- Book-style opening 2-stage telescoping handle
- 2 exterior compression straps with quick-release buckles
- Top pocket with zipper
- Central lock point zipper
- for pickpocket protection Heavy-duty wheel housing
- and bumper protection
- Grab handles on top, side and bottom for easy grab-and-go
- Interior compression straps and side pocket for organization
- Internal mesh compartment
- with zipper Robust wheels for multi-terrain maneuverability
- Back ID pocket
- Scratch-resistant Denier fabric Only 6 lb weight
- Front-zip for easy donning
- and doffing

COMPRESSIION STRAPS WITH OUICK -RELEASE BUCKLES STRAPS



TOP POCKET WITH ZIPPER



ROBUST WHEELS FOR MULTI -TERRAIN MANEUVERABILTY





TUNA DRY I WHEELED OVERSIZED BAG



The Tuna Dry Wheel Bag is an ideal bag for transporting any kind of equipment for water activities keeping protected from water. It has a capacity of 120 liters | 4.23 cu ft that can fit also long freediving fins. Made of highly resistant materials, it allows you to keep your equipment dry and protect electronic devices. Equipped with central handles/shoulder straps and side handles to facilitate transport even though the presence of wheels. The presence of wheels facilitates transport even on long routes. Equipped with

CODE CASE PACK XUB976200

DIMENSION (LENGTH-WIDTH-HEIGHT)		VOLUME		WEIGHT		
	СМ	IN	LITER	CU FT	KG	LB
TUNA	40 x 41 x 95	37 1/2 x 15 3/4 x 16 1/8	120	4.23	3.5 kg	7 lb 11 oz

practical central handles/shoulder straps

A practical waterproof side pocket keeps

small items dry and protects electronic

devices. Internal straps with clip closure

allow you to secure the sports equipment

during transport. Made of very resistant

lower part is reinforced, shockproof and

equipment dry, protect electronic devices

and documents from water, dust, and sand.

insulating. Waterproof seal. Keep your

materials, with well-finished stitching. The

and reinforced side handles.



TECHNICAL FEATURES

Made of polyester External pocket Side handles and shoulder straps

INSIDE STRAPS



WITH WHEELS



SEMI RIGID CASE



OCTOPUS

I DRY BACKPACK




The Octopus is a Dry Bag of 30 liters capacity full of accessories. It features 2 adjustable shoulder straps completed with D-Rings allowing to attach other kinds of equipment. On the left side, there is an adjustable hand strap with 2 other d-rings. On the right side, there are handles allowing to attach other equipment and tolls like carabiners. It is

ideal for protecting your equipment from the water when sailing or in a boat. It can be used also for carrying wet equipment like scuba diving wetsuit and snorkeling gear to avoid wetting other things like the car trunk. The seams are made with Seamless technology (high-frequency welded) and with a completely watertight closing system.

CODE	CASE PACK
XUB976000	10

DIMENSION (DIAMETER-HEIGHT)			VOI	UME	
	СМ	IN	LITER	CU FT	KG
OCTOPUS	Ø 23 x 54	Ø 9 x 21 1/2	30	1.06	660 k



BAGS

DRΥ 1

SCUBA



TECHNICAL FEATURES


- **Capacity:** 30 liters | 1.06 cu ft Top dry closure with quick-release buckles Adjustable shoulder straps

- with D-rings Left side handle with D-rings Right side handles for accessories
- High-frequency seamless
- welding technology Fully waterproof bag

TOP DRY CLOSURE WITH QUICK-RELEASE BUCLKES



LEFT SIDE HANDLE WITH D-RINGS



DRY BAG

FINESTRA DRY BAG DRY BAGS





The Dry Bags are designed for boating and water sports. They're made in high quality resistant soft touch material. It is possible to easily pack inside another bag for transport. Bags have electronically (RF) welded seams that make the bag 100% waterproof. This proven design provides all-purpose, reliable

protection for your gear. Bags have a roll top closure with a squeeze-style side-release buckle. When buckle is fastened, the roll top provides a carry handle for easy transport. Bags are also equipped with easily adjustable shoulder straps.

CODE	COLOR	SIZE	CASE PACK
UA955010	Black/Finestra	10 liters	10
UA935705	Black/Silver	5 liters	10
UA935710	Black/Silver	10 liters	10
UA935715	Black/Silver	15 liters	10
UA935720	Black/Silver	20 liters	10

DIMENSION (DIAMETER-HEIGHT)				WEIGHT		
	СМ	IN	LITER	CU FT	KG	LB
DRY BAG 20L	Ø 23 x 43	Ø 9 x 17	20	0.71	480 g	16.9 oz
DRY BAG 15L	Ø 23 x 34	Ø 9 x 13 1/2	15	0.53	350 g	12.3 oz
DRY BAG 10L	Ø 19 x 36	Ø 7 1/2 x 14 1/8	10	0.35	320 g	11.3 oz
DRY BAG 5L	Ø 19 x 28	Ø 7 1/2 x 11	5	0.18	255 g	9 oz



TECHNICAL FEATURES

Made in waterproof fabrics with electric Resistance welding **Models:** 10L and 15L version: one adjustable shoulder strap **20L:** robust side handle and back pack Shoulder straps





SIDE RUBBERIZED HANDLE



ADJUSTABLE SHOULDER STRAP



SYSTEM ROLL TOP CLOSER





| 600 DENIER







The Roatan mesh liter bag is perfect to keep all your scuba gear together. Made with high-density polyester, this mesh bag makes carrying your gear easy. The bag is equipped with two access points -a drawstring on the top and a full-length zipper on the side- to make retrieving equipment easy, even if wet. The bag can be worn like a backpack, with padded, adjustable shoulder straps and

chest strap. It can also be carried with two reinforced handles, one on the side and one on the top.

Included is a semi-dry front pocket with a zipper closure. A drain in the reinforced PVC bottom ensures that any water empties out, making this a perfect option to rinse your gear after use.

CODE	CASE PACK
UB936000	10

DIMENSION (DIAMETER-HEIGHT)			VOI	VOLUME WEIGHT		WEIGHT
	СМ	IN	LITER	CU FT	KG	LB
ROATAN	ø 39.5 - 72	ø 15 - 28	90	3.18	1.2 kg	2 lb 10 oz

TECHNICAL FEATURES

- Front semi-dry pocket with
- zipper closing Anatomical adjustable shoulder
- straps and chest strap Reinforced top and side handles
- **Top closure:** drawstring closing with fastener
- Side Closure: full-length,
- double-enforced zipper Drain on bottom of the bag
- Materials: 600 Denier High Density Polyester and 4 needle PVC mesh
- Height: 28.5 in with a diameter of 16 in
- Capacity: 3.18 Cu ft | 90 liters

SEMI DRY- FRONT POCKET



PADDED. ADJUSTABLE SHOULDER STRAPS





CHEST STRAP





with padded, adjustable shoulder straps and

case with a padded carrying handle for easy

The Utila folds up into a small, compact

Included is a front semi-dry pocket with a

packing and transportation.

zipper closure. shoulder straps.

The Utila mesh liter bag is perfect for water sports lovers on the go. Made with highdensity polyester, this wire mesh bag makes carrying your gear easy.

The bag is equipped with a drawstring on the top to make retrieving equipment easy, even if wet. The bag can be worn like a backpack,

CODE CASE PACK UB937000

DIMENSION VOLUME WEIGHT (DIAMETER-HEIGHT) СМ IN LITER CU FT KG LB UTILA ø 38.5 - 70 ø 15 - 27 85 3.00 1.1 kg 2 lb 7 oz

chest strap.



107

GORGONA



The Cressi Gorgona is great for hauling virtually any dive equipment, even the heavy stuff. The duffel-style mesh bag is made of durable 70% polyester mesh and 30% 600-D polyester PUX2 material that lets water drain easily. Roomy enough and strong enough for a full set of gear, it is an ideal gear-hauler for live-aboard use or for carrying dive suits separately. The mesh bag is also excellent for carrying rental equipment when resort diving. It folds compactly into a round bag with handle and is easy to store in your suitcase or main dive bag, ready when you need it. Bag is equipped with YKK zippers. Padded full wrap-around carry handles make hefting the load that much easier. The great thing about a mesh bag is that when you get to the wash tank on the dock after a day-of-diving you can submerge the entire bag in the tank and rinse your gear while still-in-the-bag. You can then let the gear drip-dry on the way home or back in the hotel shower when on vacation. The Gorgona dimensions are long enough to pack even the longest freediving fins.

CASE PACK CODE UA925900


	DIMENSION (DIAMETER-HE	VOL	VOLUME		
	СМ	LITER	CU FT	KG	
GORGONA	ø 38x96	ø 15x 37 3/8	107	3.78	750 g



TECHNICAL FEATURES

- Travel mesh bag practical
 to carry or rinse the equipment
 The length is sized to house even
- the longest freediving fins Bag easily foldable for becoming
- a practical round bag with handle
- **Fabric:** 70% polyester mesh, 30% 600D polyester PUX2













20L



ROATAN GORGONA



ROADS TRAVEL





TUNA

GARA DRY OCTOPUS

EQUIPMENT BAGS

NET BAG

JUMBO



DIMENSIONS: Height: 75 cm, 29.5 in Width: 27.5 cm, 10.8 in The Net Bag with drawstring closure with barrel lock fastener is ideal for carrying long fins and snorkeling equipment. The net style mesh allows to rinse the fins while still in the bag and hang to drip dry after use.

CODE BZ175003 COMBO BAG

UTILA



15L

DIMENSIONS: Height: 51.2 cm, 20.2 in Width: 24.1 cm, 9.5 in The Combo Bag has a nice design and features a durable plastic front to see the content. Velcro closing and handle for easy carrying.





10L

5L







NEW

SILICONE STRAP



TECHNICAL FEATURES

Easy access menu
12/24 time format with calendar and seconds

High contrast display

Precision stopwatch Timer (countdown)
 Second time setting

Low battery indicator Metric or imperial units
Long-lasting battery
Sleep mode to increase

battery life Battery replaceable by user FREE (FREEDIVING) PROGRAM algorithm with 8 levels

Pulmonary edema risk reduction function with approach dive calculation

Display of all diving parameters

Alarm clock Backlit display
 Tide indicator

Depth
 Temperature

Dip counter

Maximum dive depth Dive time

interval alarms Recovery time alarm Hydration alarm Alarms that can be set at dive phase Fresh/salt water setting Lock mode for snorkeling or swimming activities LOGBOOK

session

INTERFACE

 Length of surface interval between each dive Length of diving session

Maximum descent and ascent speed indication

Depth, dive time and surface

Variable data logging interval Available during the diving

Indication of session parameters and of each dive

Optional with visualisation of diving profile

NEW 2022

PROTECTION ALGORITHM FROM TARAVANA

| FREEDIVING COMPUTER WATCH

With a case diameter of only 48 mm and a highcontrast display of 35 mm, King is an extremely compact watch-computer specific for freediving. This innovative product boasts an algorithm developed in Cressi, which protects the freediver from the risk of Taravana, and a function that avoids the risk

LONG-LIFE 4 OPERATIVE BATTERY MODES

of pulmonary edema. Mineral glass, heavy duty case with steel buttons for resistance to water pressure up to 120 m l 393 ft, metal bezel in AISI 316 steel with surface treatment and Inkfilled strap to prevent tears and breakage) with stainless steel buckle.








ORANGE

IGHILDC

13:00

TI DE

BLACK





PROTECTION ALGORITHM



TIDE LEVEL INDICATOR



LOGBOOK





ELITE CASE INCLUDED



CODE	PRODUCT
KZ810000	STRAP EXTENDER for DIVE-WATCH COMPUTER - BLACK/BLACK
KS890000	SILICONE SCREEN PROTECTOR for DIVE WATCH
KS822001	BT INTERFACE for DIVE-WATCH COMPUTER
KZ700000	ELITE PROTECTIVE CASE for DIVE COMPUTER

SPARE PARTS

CODE	PRODUCT
KZ842050	SILICONE WATCHBAND - BLACK for KING
KZ842020	SILICONE WATCHBAND - BLUE for KING
KZ842085	SILICONE WATCHBAND - ORANGE for KING
KZ820094	BATTERY KIT (CR2450 + O-RING) for CARTESIO/GOA/NEON/NEPTO
KZ805099	SCREWS w/ NUT (1 pair) for DIVE WATCH COMPUTER BAND



MINERAL GLASS

COMPUTER

DIVE

FREEDIVING / WATCH-STYLE

NEPTO

I FREEDIVING WATCH COMPUTER

HEAVY PROTECTION DUTY CASE ALGORITHM FROM TARAVANA

With a case diameter of only 48 mm and a high-contrast display of 35 mm, Nepto is an extremely compact watch-computer specific for freediving.

This innovative product boasts an algorithm developed in Cressi, which protects the freediver from the risk of Taravana, and a function that avoids the risk of pulmonary edema. Mineral glass, heavy duty case with steel buttons for resistance to water pressure up to 120 m I 393 ft, rubber strap with stainless steel buckle.



EDEMA USER LONG-LIFE PROTECTION FRIENDLY BATTERY FUNCTION MENU





GREEN

CODE	COLOR	CASE PACK
KS841020	Blue	4
KS841050	Black	4
KS841098	Green	4





PROTECTION ALGORITHM

13:00 II DE TIDE LEVEL INDICATOR

3 IG XIL DC.

228- 108 200 6 SINGLE DIP LOGBOOK

206 148-



SPECIALIZED Retailer Product

TECHNICAL FEATURES

12/24 time format with calendar

High contrast display Easy access menu

Precision stopwatch Timer (countdown)
 Second time setting

Low battery indicator

· Units in Metric or Imperial system Long-lasting battery

 Sleep mode to increase battery life Battery replaceable by user
Long-lasting battery: CR2450 3V lithium FREE (FREEDIVING) PROGRAM Taravana risk reduction algorithm with 8 levels

Pulmonary edema risk reduction function with approach dive

Display of all diving parameters

Length of surface interval between each dive Length of diving session Maximum descent and ascent

Alarms that can be set at dive phase Fresh/salt water setting Lock mode for snorkeling or swimming activities LOGBOOK

Variable data logging interval Available during the diving

Indication of session parameters and of each dive

Optional with Visualization of

PROTECTION ALGORITHM FROM TARAVANA

EDEMA PROTECTION FUNCTION USER FRIENDLY MENU

LONG-LIFE BATTERY

and seconds

Alarm clock

Backlit display
 Tide indicator

calculation

· Depth · Temperature Dive calculator Maximum dive depth

speed indication Depth, dive time and surface interval alarms Recovery time alarm Hydration alarm

Dive time

session

INTERFACE

diving profile.

PACKAGING



OPTIONAL ACCESSORIES

| STRAP EXTENDER | SILICONE PROTECTIVE LENS | BT INTERFACE



ACCESSORIES

CODE	PRODUCT
KZ810000	STRAP EXTENDER for DIVE-WATCH COMPUTER - BLACK/BLACK
KS890000	SILICONE SCREEN PROTECTOR for DIVE WATCH
KS822001	BT INTERFACE for DIVE-WATCH COMPUTER
KZ700000	ELITE PROTECTIVE CASE for DIVE COMPUTER

SPARE PARTS

CODE	PRODUCT
KZ840020	WATCHBAND - BLACK/BLUE for NEON/NEPTO
KZ840055	WATCHBAND - BLACK/BLACK for NEON/NEPTO
KZ841098	WATCHBAND - BLACK/GREEN for NEPTO
KZ820094	BATTERY KIT (CR2450 + O-RING) for CARTESIO/GOA/NEON/NEPTO
KZ805099	SCREWS w/ NUT (1 pair) for DIVE WATCH COMPUTER BAND



Bluetooth



II BUYER'S GUIDE 2022 233




GARA TURBO CARBON 29 DEGREE ANGLED INTERCHANGEABLE BLADE SYSTEM



Following the Impulse project, we have successfully transferred the same design parameters for S-shaped undulating deformation to this innovative carbon fin. This particular movement permits a notable accumulation of elastic potential energy in the blade, which is released in the return kick, transforming into thrust. The effect has been achieved using a finite element program that enables the performance offered by carbon fiber to be exploited to the full. The blade is all-carbon-fiber with an angle of 29°. The fiber is imported from Japan. The shaped and processed sheet is then produced in a specialist plant in Turkey.

The blade is subsequently finished with an industrial co-molding process at Cressi's Genoa plant. The elevated chemical bonding achieved between blade and rail, effectively creating a single piece, has permitted the elimination of the rigid glue that prevented the carbon fiber blade from flexing naturally. The thermoplastic rubber used for the water channeling rails is extremely flexible and soft so as not to undermine the intrinsic characteristics of the carbon fiber. The blade is, therefore, less fragile and more protected by the rubber. The end result is a very light fin, which manages to exploit the maximum flexion of the carbon in every square millimeter.



CODE	SIZE	CASE PACK
BH165036	36/37	З
BH165038	38/39	З
BH165040	40/41	З
BH165042	42/43	З
BH165044	44/45	З
BH165046	46/47	З



MADE IN ITALY

TECHNICAL FEATURES

Excellent propulsive performance 29 degree angled interchangeable carbon blade

Self adjusting foot pocketdiving even during desaturation

Modular detachable fin Superior performance Superior comfort

GARA TURBO FOOT POCKET

SPECIALIZED Retailer Product

X



GARA MODULAR INSOLE INCLUDED

The insole for Gara Modular fins is recommended for use with thin socks in temperate waters because it improves the kick performance. The semi-rigid material of the insole is completely recycled. The insoles are supplied as a pair (right and left foot) and can be cut into their shape in three different sizes, according to pre-printed guidelines.

- · Down-size Gara Fins foot pocket preformed sole
- Easly adjust size
- Non-corrosive plastic construction







ACCESSORIES

CODE	PRODUCT
BZ175032	RUBBER FIN KEEPER (PAIR) - BLACK [S]
BZ175033	RUBBER FIN KEEPER (PAIR) - BLACK (M)
BZ175034	RUBBER FIN KEEPER (PAIR) - BLACK [L]
BZ180022	INSOLE FOR GARA FINS

SPARE PARTS

CODE	PRODUCT
BZ180020	GARA MODULAR ASSEMBLY KIT
BH015036	GARA MODULAR TURBO FOOT POCKET (36/37)
BH015038	GARA MODULAR TURBO FOOT POCKET (38/39)
BH015040	GARA MODULAR TURBO FOOT POCKET [40/41]
BH015042	GARA MODULAR TURBO FOOT POCKET [42/43]
BH015044	GARA MODULAR TURBO FOOT POCKET [44/45]
BH015046	GARA MODULAR TURBO FOOT POCKET [46/47]





FINS COULD COME LABELED WITH EU AND UK SIZES ONLY

"215 mm

8.5 in"

"215 mm

8.5 in"

"430 mm

16.9 in"

"430 mm

16.9 in"

"725 mm

28 5 in"

"734 mm

28.9 in

43/44

45/46

To maximize performance and comfort, wear fins with:

✓			✓				
		5		5 3 M M 5 M M 7 M M		J 34M 7 M M	
BARE FOOT			OPRENE NEOPRENE BOCKS BOOTS		HARD SOLE BOOTS		
	SIZE			ONV	ERSION CHART		
FIN HEIGHT FIT	EU FO	OT SIZE	UK FOOT S	IZE	US MEN'S FOOT SIZE	US WOMEN'S FOOT SIZE	
"83 mm 3.3 in"	36	i / 37	3/4		4/5	5/6	
"84 mm 3.3 in"	37	/ 38	5/6		6/7	7/8	
"87 mm 3.4 in"	39	/ 40	6.5 / 7		7.5 / 8	8.5 / 9	
"92 mm 3.6 in"	41	/ 42	8/9		9 / 10	10 / 11	
"97 mm 3.8 in"	43	44	10 / 10.5	;	11 / 11.5	12 / 12.5	
"103 mm 4.1 in"	45	i / 46	11 / 12		12 / 13	13 / 14	

CRESSI'S SIZE CHART IS TO BE USED AS A REFERENCE ONLY

GARA TURBO IMPULSE **MEW 2022** 29 DEGREE ANGLED INTERCHANGEABLE BLADE SYSTEM

Following the Impulse project, we have successfully transferred the same design parameters for S-shaped undulating deformation to this innovative fin. This particular movement permits a notable accumulation of elastic potential energy in the blade, which is released in the return kick, transforming into thrust.

SPECIALIZED Retailer Product

TECHNICAL FEATURES

Extremely thin and light blade in compound made of elastomerized

technopolymers with elastomeric loads with high flexural modulus Footpocket / blade angle of

In

hi

ď

GARA MODULAR INSOLE INCLUDED

The insole for Gara Modular fins is recommended for use with thin socks in

according to pre-printed guidelines.

Down-size Gara Fins foot pocket

Non-corrosive plastic construction

preformed sole

Easly adjust size

temperate waters because it improves the kick performance. The semi-rigid material of the insole is completely recycled. The insoles are supplied as a pair (right and left foot) and can be cut into their shape in three different sizes,

D

technopolymers developed

by Cressi Stringer consisting of


29 degrees Modular detachable fin Superior performance Superior comfort Self adjusting foot pocket

GARA TURBO


FOOT POCKET

R


The thermoplastic rubber used for the water channeling rails is extremely flexible and soft so as not to undermine the intrinsic characteristics of the blade.




	CASE PACK
36/37	З
38/39	З
40/41	З
42/43	З
44/45	З
46/47	З
	38/39 40/41 42/43 44/45



BZ180022	INSOLE FOR GARA FINS
SPARE PARTS	
CODE	PRODUCT
BZ180020	GARA MODULAR ASSEMBLY KIT
BH015036	GARA MODULAR TURBO FOOT POCKET (36/37)
BH015038	GARA MODULAR TURBO FOOT POCKET (38/39)
BH015040	GARA MODULAR TURBO FOOT POCKET (40/41)
BH015042	GARA MODULAR TURBO FOOT POCKET (42/43)
BH015044	GARA MODULAR TURBO FOOT POCKET (44/45)
BH015046	GARA MODULAR TURBO FOOT POCKET (46/47)





27.6 in"

"712 mm

28.0 in"

"725 mm

28.5 in"

"73/i mm

41/42

43/44

"97 mm

3.8 in"

"103 mm

4.1 in"

"994 g 35.0 oz"

"1059 g 37.4 oz'

43 / 44

45 / 46

HEIGH

45/46	28.9 in"	8.5 in"	16.9 in"	4
FINS	5 COULD COME LA	BELED WITH EL	J AND UK SIZES	ONLY

8.5 in"

"215 mm

8.5 in"

"215 mm

8.5 in"

"215 mm

16.9 in"

"430 mm

16.9 in"

"430 mm

16.9 in"

"430 mm

II BUYER'S GUIDE 2022 238



	V	v			
	ادلے	5		2 3 M M 5 M M 7 M M	3 M M 5 M M 7 M M
	BARE FOOT	NEOPRENI SOCKS	E	NEOPRENE BOOTS	HARD SOLE BOOTS
		SIZE	CONVERSIO	N CHART	
FIN IEIGHT FIT	SINGLE FIN WEIGHT	EU FOOT SIZE	UK FOOT SIZE	US MEN'S FOOT SIZE	US WOMEN'S FOOT SIZE
"83 mm 3.3 in"	"831 g 29.3 oz"	36 / 37	3/4	4/5	5/6
"84 mm 3.3 in"	"856 g 30.2 oz"	37 / 38	5/6	6/7	7/8
"87 mm 3.4 in"	"880 g 31.0 oz"	39 / 40	6.5 / 7	7.5 / 8	8.5 / 9
"92 mm 3.6 in"	"928 g 32.7 oz"	41 / 42	8/9	9 / 10	10 / 11

10 / 10.5

11 / 12

To maximize performance and comfort, wear fins with:

12 / 13 CRESSI'S SIZE CHART IS TO BE USED AS A REFERENCE ONLY

11 / 11.5

12 / 12.5

13 / 14



The Gara Modular system introduced by Cressi makes this a perfect choice for deep freediving and spearfishing for divers of all levels. The modular design lets the user replace / interchange blades for specific diving

COLOR	SIZE	CASE PACK
Blue	36/37	З
Blue	38/39	З
Blue	40/41	З
Blue	42/43	З
Blue	44/45	З
Blue	46/47	З
White	36/37	З
White	38/39	З
White	40/41	З
White	42/43	З
White	44/45	З
White	46/47	З
Black	36/37	З
Black	38/39	З
Black	40/41	З
Black	42/43	З
Black	44/45	З
Black	46/47	З
	Blue Blue Blue Blue Blue White White White White White Black Black Black Black Black	Blue 36/37 Blue 38/39 Blue 40/41 Blue 42/43 Blue 44/45 Blue 46/47 White 36/37 White 36/37 White 36/37 White 40/41 White 42/43 White 42/43 White 42/43 Black 36/37 Black 36/37 Black 36/37 Black 40/41 Black 40/41 Black 40/41 Black 42/43 Black 42/43


ACCESSORIES

PRODUCT
RUBBER FIN KEEPER (PAIR) - BLACK (S)
RUBBER FIN KEEPER (PAIR) - BLACK (M)
RUBBER FIN KEEPER (PAIR) - BLACK [L]
INSOLE FOR GARA FINS

SPARE PARTS

CODE	PRODUCT
BZ180020	GARA MODULAR ASSEMBLY KIT
BH015036	GARA MODULAR TURBO FOOT POCKET (36/37)
BH015038	GARA MODULAR TURBO FOOT POCKET (38/39)
BH015040	GARA MODULAR TURBO FOOT POCKET (40/41)
BH015042	GARA MODULAR TURBO FOOT POCKET (42/43)
BH015044	GARA MODULAR TURBO FOOT POCKET [44/45]
BH015046	GARA MODULAR TURBO FOOT POCKET (46/47)

purposes, which make this the perfect fin to grow with, as the diver can change blades as their skills increase. Any standard Fiberglass or Carbon Fiber long blade will interchange in minutes without any modifications to either.





INCLUDED Down-size gara fins foot pockets Preformed insole Easily adjust size



TECHNICAL FEATURES

Interchangeable blade

SPECIALIZED Retailer Product

2

- Superior performance Superior comfort Self adjusting foot pocket
- Thermoplastic rubber footpocket, certified Full Contact
- Standard blade / stringer interface with screws under the footpocket
- and side clins



GARA MODULAR INSOLE



GARA MODULAR


The Gara Modular system makes this a perfect choice for deep freediving and spearfishing for divers of all levels. The modular design lets the user replace/interchange blades for specific diving purposes, which make this the perfect fin to grow with, as the diver can change blades as the divers skills increase. The self adjusting foot pocket is constructed with the

or without neoprene socks.

CODE	SIZE	CASE PACK
BH105036	36/37	3
BH105038	38/39	З
BH105040	40/41	3
BH105042	42/43	3
BH105044	44/45	З
BH105046	46/47	З

ACCESSORIES

CODE PRODUCT BZ175032 RUBBER FIN KEEPER (PAIR) - BLACK [S] BZ175033 RUBBER FIN KEEPER (PAIR) - BLACK (M) RUBBER FIN KEEPER (PAIR) - BLACK (L) BZ175034 BZ180022 INSOLE FOR GARA FINS



3 M M 5 M M 7 M M 50LE 0TS
5 M M 7 M M 50LE
DMEN'S I SIZE
/ 9
/ 10.5
11.5
12.5
/ 14
г /

FINS COULD COME LABELED WITH EU AND UK SIZES ONLY

CRESSI

FINS

BLADE

LONG

-

REEDIVING



TECHNICAL FEATURES

- Interchangeable blade
- Superior performance
- Superior comfort Self adjusting foot pocket
- Thermoplastic rubber footpocket, certified Full Contact
- Standard blade / stringer interface with screws under the footpocket and side clips

Regular stiffness blade



GARA MODULAR INSOLE

most modern multi compound joining process to deliver a foot pocket that can offer comfort and suppleness around the foot where desired and yet have stiffer compounds under the foot pocket and heel area where power transfer takes place. Can be comfortably worn with



Easily adjust size



To maximize performance and comfort, wear fins with:

CRESSI'S SIZE CHART IS TO BE USED AS A REFERENCE ONLY



Cressi made this set composed of professional items, of high quality and performance, to give the opportunity to use high-standard equipment for freediving and for spearfishing. The Modular system gives the possibility to change the

blades with more performing models. The mirrored lenses of the Metis mask increase the vibrance of the colors underwater and hide the eyes from fishes, not frightening them.

CODE	SIZE	CASE PACK
SE415036	36/37	3
SE415038	38/39	3
SE415040	40/41	3
SE415042	42/43	3
SE415044	44/45	3
SE415046	46/47	З

INTERCHANGEABLE BLADE










TECHNICAL FEATURES

- FINS: Modular interchangeable blade
- system Superior performance Superior comfort
- Self-adjusting foot pocket Thermoplastic rubber foot pocket
- MASK:
- Mirrored tempered glass lenses Skirt in comfortable soft silicone Wide adjustable buckles
- SNORKEL: Soft bendable tube
- Silicone mouthpiece



HD MIRRORED LENSES INCREASE THE VISION'S CLEARNESS BY 15%

GARA MODULAR INSOLE



Down-size gara fins foot pockets Preformed insole Easily adjust size



GARA MODULAR FOOT POCKET

| SELF ADJUSTING FOOT POCKET

CODE	SIZE	CASE PACK
BH005036	36/37	10
BH005038	38/39	10
BH005040	40/41	10
BH005042	42/43	10
BH005044	44/45	10
BH005046	46/47	10

GARA MODULAR TURBO FOOT POCKET MEW 2022

I SHORTER FOOT POCKET SIDE RAILS

CODE	SIZE	CASE PACK
BH015036	36/37	10
BH005038	38/39	10
BH015040	40/41	10
BH015042	42/43	10
BH015044	44/45	10
BH015046	46/47	10

GARA MODULAR ASSEMBLY KIT

CODE BZ180020

GARA MODULAR BLADES MODULAR



BH055000 Black Modular BH055100 Grey Modular









MODULAR IMPULSE



CODE	COLOR	STYLE	CASE PACK
BH072000	Blue	Modular Impulse	10
BH073000	White	Modular Impulse	10
BH075000	Black	Modular Impulse	10
BH077000	Carbon	Modular Impulse	10

II BUYER'S GUIDE 2022

243

A percentage of the Cressi Gara Modular -Limited Special Edition-blades sales, will be donated for the shark conservation at One Ocean Water Inspired nonprofit organization.

FINS THAT SAVE FINS GARA MODULAR BLADE

Designed By Cressi Ambassadors: Ocean Ramsey and Juan Shark

CODE	PRODUCT	DEALER	ASSOCIATE	MASTER	PARTNER	MAP
WBH059902	Gara Modular Blade - Ocean Ramsey Sharks edition	149.95	149.95	149.95	149.95	199.95

OCEAN RAMSEY SHARKS EDITION



BLADES MATERIAL MEDIUM COMPOSITE FIBERGLASS

IMITED

The Composite Fibreglass is the world's most advanced composite diving fin blades. The customized hybrid epoxy resin system, coupled with state of the art design and aerospace grade fabric combine to create a fin that transfers the load to the larger muscle groups, instead of focusing on any one specific location. All the blades are hand made by DiveR in Australia and come with a 3-year warranty.



GARA 3000 LD

I LONG DISTANCE

The Gara 3000 LD is Cressi's entry-level long blade fin designed with softer blades, which makes the Gara 3000 a perfect choice for the beginning diver or those unexperienced with long-fin blades. The Gara 3000 is constructed with durability in mind and long soft plastic blades that can effectively transfer power with minimum effort.


flexibility in the foot area, while being able to deliver power through the blade neoprene socks.

This makes the fin comfortable and easy on the legs for beginners as well as during long duration dives.

CODE	SIZE	CASE PACK
BH135140	40/41	3
BH135142	42/43	3
BH135144	44/45	3
BH135146	46/47	3

ACCESORIES

CODE PRODUCT BZ175032 RUBBER FIN KEEPER (PAIR) - BLACK (S) BZ175033 RUBBER FIN KEEPER (PAIR) - BLACK (M) RUBBER FIN KEEPER (PAIR) - BLACK (L) BZ175034 INSOLE FOR GARA FINS B7180022



BACK





- Durable construction designed
- to take abuse Soft long blade for ease of use
- Full footpocket for comfort
- Long blade for efficiency





The Gara 3000 is an extremely comfortable and is a full footpocket style fin. This fin is also constructed using Cressi's unique three material molding process, where different compounds are bonded together to provide due to the stiffness the process provides. Can comfortably be worn with or without



To maximize performance and comfort, wear fins with:

			•		
	✓	✓			
-		5	2 3MM 5MM 7MM		
BAR	E FOOT	NEOPRENE SOCKS	NEOPRENE BOOTS	HARD SOLE BOOTS	
		SIZE	CONVERSION CHART		
SINGLE FIN WEIGHT	EU FOOT SIZE	UK FOOT SIZE	US MEN'S FOOT SIZE	US WOMEN'S FOOT SIZE	
861 g 1.89 lb	40/41	7/8	7.5 / 8.5	8.5 / 9.5	
952 g 2.09 lb	42/43	8/9	8.5 / 9.5	9.5 / 10.5	
984 g 2.16 lb	44/45	10 / 11	10.5 / 11.5	11.5 / 12.5	
1066 g 2.35 lb	46/47	12 / 13	12.5 / 13.5	13.5 / 14.5	
2.16 lb 1066 g	-				

CRESSI'S SIZE CHART IS TO BE USED AS A REFERENCE ONLY

GARA 2000 HF

CRESSI

CRESSI

| HIGH FREQUENCY

MADE IN ITALY

TECHNICAL FEATURES

Stiff Long Blade designed for maximum depths Full footpocket for comfort Long blade for efficiency





CRESSI'S SIZE CHART IS TO BE USED AS A REFERENCE ONLY

CODE	SIZE	CASE PACK
BH115040	40/41	3
BH115042	42/43	3
BH115044	44/45	3
BH115046	46/47	3

Gara 2000 HF is an icon in the diving

industry, and is the first fin in the industry

to be manufactured using a three material

molding process. Due to its lightweight and

durability, it is an excellent choice for those

in performance while deep freediving and

maximum depths. The GARA 2000 has

the stiffest blade in the CRESSI line and is

looking for a fin that can provide the ultimate

spearfishing, and those looking for obtaining

ACCESSORIES

CODE	PRODUCT
BZ175032	RUBBER FIN KEEPER (PAIR) - BLACK (S)
BZ175033	RUBBER FIN KEEPER (PAIR) - BLACK (M)
BZ175034	RUBBER FIN KEEPER (PAIR) - BLACK (L)
BZ180022	INSOLE FOR GARA FINS

	ſ	J			FIT SIZ	'F		To ma	iximize	performance	e and comfort,	wear fins with:
	1	1				-			✓	\checkmark		
	K							-	اد/	5	1	3MM 5MM 7MM
	ı MC				RUNS SMALL		RUNS LARGE	BAR	E FOOT	NEOPRENE SOCKS	NEOPRENE BOOTS	HARD SOLE BOOTS
_		3							_			
					PRO	DUCT DIMENS	ION CHART			SIZE	CONVERSION CHART	
			A	FIN SIZE	A LENGTH	B WIDTH	C BLADE	SINGLE FIN WEIGHT	EU FOOT SIZE	UK FOOT SIZE	US MEN'S FOOT SIZE	US WOMEN'S FOOT SIZE
с				40/41	845 mm 33.3 in	215 mm 8.5 in	660 mm 26 in	790 g 1.74 lb	40/41	7/8	6.5 / 8	7.5 / 9
		Ŭ		42/43	860 mm 33.9 in	215 mm 8.5 in	660 mm 26 in	895 g 1.97 lb	4/43	8/9	8 / 9.5	9 / 10.5
				44/45	875 mm 34.4 in	220 mm 8.7 in	26.6 in 675 mm	970 g 2.13 lb	44/45	10 / 11	9.5 / 10.5	10.5 / 11.5
] [46/47	890 mm 35 in	223 mm 8.8 in	26.6 in 675 mm	1030 g 2.27 lb	46/47	12 / 13	11.5 / 12.5	12 / 13.5

an extremely comfortable full footpocket

style fin, with long firm blades with built

in stringers and runners to effectively

direct water flow down the blade aiding

in efficiency. This fin is constructed using

multiple compounds bonded together to

without neoprene socks.

provide comfort and suppleness in the foot

area and strength and rigidity in the heel and

blade area. Can comfortably be worn with or

GARA PROFESSIONAL LD




The Gara Professional LD is a high performance fin, requiring minimum effort to load the long blades. They are more forgiving than other long blade fins for untrained legs, making this an excellent choice for deep freedivers and spearfishers of all levels. They are ideal for long distance swimming, while ultimately providing the power and efficiency needed for deep freediving and spearfishing. onding process

used during the manufacturing process, firm blade that runs over the footpocket. Can comfortably be worn with or without neoprene socks.

CODE	COLOR	SIZE
BH142040	Blue	40/4
BH142042	Blue	42/4
BH142044	Blue	44/4
BH142046	Blue	46/47
BH145140	Black	40/4
BH145142	Black	42/4
BH145144	Black	44/4
BH145146	Black	46/47

С

PRODUCT CODE BZ175032 RUBBER FIN KEEPER (PAIR) - BLACK (S) BZ175033 RUBBER FIN KEEPER (PAIR) - BLACK [M] BZ175034 RUBBER FIN KEEPER (PAIR) - BLACK (L) BZ180022 INSOLE FOR GARA FINS



CASE PACK

|| BUYER'S GUIDE 2022



TECHNICAL FEATURES

Firm Blade designed to run over the footpocket for ease of use • Full footpocket for comfort

Thermo-Rubber soles for extra

grip on wet surfaces Stiff Long Bladedesigned for

maximum depths Full footpocket for comfort Long blade for efficiency

CRESSI



BLUE

BI ACK

the Gara Pro LD is an exceptionally soft full footpocket style fin, which provides comfort during prolonged use on those long days in the water. Gara Pro LD delivers maximum power with minimum energy through its long







To maximize performance and comfort, wear fins with:

	✓		✓		
	لرکے BARE FOOT		NEOPRENE SOCKS		
			SIZE	CONVERSION CH	IART
	GLE FIN EIGHT	EU FOO SIZE	T UK FOOT SIZE	US MEN'S FOOT SIZE	US WOMEN'S FOOT SIZE
	861 g .89 lb	40/41	7/8	8/9	9 / 10
	952 g 2.09 lb 42/43		8/9	9 / 10	10 / 11
	984 g 2.16 lb 44/45		10 / 11	10.5 / 11.5	11.5 / 12.5
	066 g .35 lb	46/47	12 /13	12 / 13	13 / 14

CRESSI'S SIZE CHART IS TO BE USED AS A REFERENCE ONLY

 SUPERIOR
 SUPERIOR
 29° DEGREE ANGLES
 SELF ADJUSTING

 COMFORT
 PERFORMANCE
 INTERCHANGEABLE BLADE
 FOOT POCKET



| 29° DEGREE ANGLED INTERCHANGEABLE BLADE



The new Gara Modular Sprint fin is a shorter version of the Impulse fin, which proved to be hugely popular with freedivers worldwide, both amateurs and the most demanding professional freedivers. This is also confirmed by the large number of articles dedicated to it by specialized journalists in sector magazines.

Sprint is designed to meet the needs of freedivers and spearfishers who practice this sport in wintertime and when a fin as long as Impulse is not necessary. Both fins have been designed using expensive finite element software programs that allow highly complex and equally high performance sections to be defined. The blade of Sprint, like the Impulse blade, is made of a single thermoplastic elastomer, although it would be more correct

to refer to an angled sublayer and an overlay. The sublayer
follows the shape and dimensions of almost the entire fin. It
has a uniform thickness and a flexible longitudinal propulsion
wing of variable length. In contrast, the so-called overlay covers
the propulsion wing selectively and has a thickness that slopes
from the maximum value to zero longitudinally towards the tip
of the blade. As a result, the fin offers a new way of storing and
releasing elastic potential energy, greatly assisting movement of
the freediver's legs and thus guaranteeing a net improvement in
propulsive output. When disassembled, the blade and foot pocket
occupy the space of a normal snorkeling fin.

S

20

 SPECIALIZED Retailer Product
 MADE IN ITALY

and side clips

TECHNICAL FEATURES

Excellent propulsive performance without fatigue, ideal for beginners or professionals

Thermoplastic rubber foot pocket, certified Full Contact Standard blade/stringer interface with screws under the foot pocket

Extremely thin and light blade in compound made of elastomerized technopolymers developed by

Cressi with different thicknesses Stringer consisting of

technopolymers with elastomeric loads with high flexural moduls Foot pocket/blade angle of 29 degrees

All fin components are also supplied separately

SUPERIOR PERFORMANCE

SELF ADJUSTING FOOT POCKE

CODE	COLOR	SIZE	CASE PACK
BH082036	Blue	36/37	З
BH082038	Blue	38/39	З
BH082040	Blue	40/41	З
BH082042	Blue	42/43	З
BH082044	Blue	44/45	3
BH082046	Blue	46/47	З
BH085036	Black	36/37	З
BH085038	Black	38/39	З
BH085040	Black	40/41	3
BH085042	Black	42/43	3
BH085044	Black	44/45	З
BH085046	Black	46/47	3

ACCESSORIES

CODE	PRODUCT
BZ175032	RUBBER FIN KEEPER (PAIR) - BLACK (S)
BZ175033	RUBBER FIN KEEPER (PAIR) - BLACK (M)
BZ175034	RUBBER FIN KEEPER (PAIR) - BLACK (L)
BZ180022	INSOLE FOR GARA FINS

SPARE PARTS

CODE	PRODUCT
CODE	PRODUCT
BZ180020	GARA MODULAR ASSEMBLY KIT
BH005036	GARA MODULAR FOOT POCKET (PAIR) (36/37)
BH005038	GARA MODULAR FOOT POCKET (PAIR) (38/39)
BH005040	GARA MODULAR FOOT POCKET (PAIR) (40/41)
BH005042	GARA MODULAR FOOT POCKET (PAIR) [42/43]
BH005044	GARA MODULAR FOOT POCKET (PAIR) [44/45]
BH005046	GARA MODULAR FOOT POCKET (PAIR) [46/47]

29° DEGREE DEGREE ANGLE ANGLE

MOD PLU

GARA PROFESSIONAL 2022 RESTVIE SET 3.0

| GARA PROFESSIONAL LD FINS + METIS MASK + CORSICA SNORKEL



Cressi made this set composed by professional items, of high quality and performance, to give the opportunity to use a high standard equipment for freediving and for spearfishing.

CODE	SIZE	CASE PACK
SE401040	40/41	2
SE401042	42/43	2
SE401044	44/45	2
SE401046	46/47	2











LONG FINS SET BAG



RUBBER FIN KEEPER



The simple things in life often turn out to be the most useful and Fin Keepers are a perfect example. Their benefit is great especially if your foot pocket fits a little loose. They are a simple, inexpensive concept that works great, they last for years, yet rarely mentioned. Fin keepers keep the foot pocket tight against the heel giving the diver full fin power. You can't truly appreciate them until you use them. When you do, you will notice the difference in power instantly. By holding the foot pocket against the bottom of the heel they limit or delete lost power. Without fin keepers every time you kick the fin the foot pocket will lift off your heel. Just a ¹/4" of movement away from the heel will result in major power loss. Power is lost but spent energy is unchanged.

CODE	SIZE	CASE PACK
BZ175032	S	10
BZ175033	Μ	10
BZ175034	L	10





MASK



FREEDIVING / MASKS






Cressi's next generation diving masks are all equipped with the Integrated Dual Frame Technology which offers exceptional field of view, and the new Calibro is no exception.

The mask is designed so that the integrated face and frame allow for an extremely hydrodynamic and compact shape and a particularly wide lens, maintaining the mask extremely close to the face. Cressi's Calibro combines minimal internal volume with a phenomenal field of view due to the raked angle of the frame.

CODE	COLOR	CASE PACK
DS425050	Black	6
DS429850	Green	6
DS426050	Black HD Edition	6
DS426050	Black HD Edition	6

The buckles are, as always, directly integrated into the rigid skirt through a solid but flexible rubber attachment that allows you to adjust and place the mouthpiece without shifting the mask. Thanks to its matte coating the mask's components all match, enhancing the underwater experience since it prevents reflections in the water that may disturb marine life. Calibro is the perfect mask for freediving since it is designed to provide the diver with a feeling of total freedom and comfort.



(mm)

WIDTH

(mm)

PRODUCT DIMENSION CHART (SKIRT SIZE)

неібнт міртн неібнт

(in) (in)



CRESSI PATENTED TECHNOLOGIES





The patented technology is to provide a mask for aquatic activities that avoid loss of watertight during strap-tightening by a diver when the mask is in use underwater. The object of the invention is to avoid exertion of a tensile force or stress during mask adjustment and, in turn, rupture of the skirt. The buckles are not directly fixed to the frame but anchored to the rubber of the skirt, allowing it to freely swivel and pivot in all directions. The buckles are joined with lateral sides of the frame by bracktes extending from the lateral sides. The brackets are made of a selected flexible material. This features facilitates the mask storage when not in use.





TECHNICAL FEATURES

• Tempered glass • Micrometric adjustable buckle

Ultra low volume

Flexible buckle

STANDARD

HD LENSES

WIDE

HD MIRRORED LENSES INCREASE THE VISION'S CLEARNESS BY 15% **A**

> Between 110-140 mm [4.5 -5.5 in]

> > 3

REGULAR NARROW

2 1



INTEGRATED DUAL FRAME

The Patented Integrated Dual Frame Technology consists of the joining of two rigid frames, the first on the rear of the silicone skirt and the second, anterior to the first one, that support the lenses. When the two frames are joined and locked together, the silicone skirt remains locked in the middle to guarantee a perfect seal between the face piece and the lens. This technology produces a drastic reduction in the internal volume, while keeping the lenses close to the eyes to ensure a wide view laterally and in the lower zone. The result is a mask with an extremely hydrodynamic shape and low volume.



A patented membrane surrounding the inner nose pocket which acts as a barrier and traps any noisture escaping from the diver's nose involuntarily when breathing through the mouth. Not only is the moisture channeled away from the lenses, thus avoiding the fogging up of them, but it also reduces the need to compensate for pressure.





LACK BLACK HD EDITION

ACK HD GREEN DITION EDITION

The Nano is for advanced divers, freediving and spearfishing lovers, designed to offer an extremely hydrodynamic and compact shape to help divers cut through the water and aid movements in small spaces. To develop the Nano mask, Cressi invented and patented the Integrated Dual Frame Technology System that joins the silicone skirt to the rigid frame lens without interruptions to guarantee a perfect seal and drastically reduce the internal volume. It does not require intentional equalizing. The swiveling buckles feature micrometric regulation. The mask features inverted teardrop lenses slightly inclined made in tempered glass. An anatomical strap ensures a perfect seal on the head. Available with mirrored lenses to hide your eyes while attracting fish.

CODE	COLOR	CASE PACK
DS365050	Black/Black	6
DS366050	Black/Black, HD Edition	6
DS369850	Green/Green	6

SPARE PARTS

 CODE
 PRODUCT

 D2215002
 SILICONE STRAP - SILVER for CRYSTAL MASKS

 D2215003
 SILICONE STRAP - CLEAR for ITALIAN SCUBA MASK


 D2215004
 SILICONE STRAP - BLACK for ITALIAN SCUBA MASK

 D2210021
 BUCKLES - BLACK for AIR/BIG EYES EVO/EYES EVO/NANO/OCCHIO P.

 D2215009
 STRAP LOOP SMALL for PRO DIVE MASKS - CLEAR (PAIR)

 D2215011
 STRAP LOOP SMALL for PRO DIVE MASKS - BLACK (PAIR)

CRESSI PATENTED TECHNOLOGIES







TECHNICAL FEATURES

Double injection technology
Flexible buckle



HD MIRRORED LENSES INCREASE THE VISION'S CLEARNESS BY 15%







A
WIDTH
(mm)B
HEIGHT
(mm)A
WIDTH
(in)B
HEIGHT
(in)11810410/164 2/16

CRESSI'S SIZE CHART IS TO BE USED AS A REFERENCE ONLY



PACKAGING

AIR







BLACK/YELLOW

W BLACK/BLACK

BLACK/BLUE

The Air mask has a particular tapered structure deriving directly from the highly popular Nano-mask patent. The Dual Integrated Frame Technology System joins the silicone skirt to the lens frame without major interruptions of the curvature continuity. The result is a mask with an extremely hydrodynamic shape and a significantly smaller size, with equal visibility. Thanks to the Inclined Lens Patented Technology, the field of view obtained is particularly wide, laterally and in the lower zone. The skirt, in the front part, has a structural silicone insert which increases the sealing ability of the mask and creates an exceptionally pleasant chromatic play. Micrometer adjustable buckles.

CODE	COLOR	CASE PACK
DS405010	Black/Yellow	6
DS405050	Black/Black	6
DS405062	Black/Blue	6
DS405550	Blue Metal	6

SPARE PARTS

 CODE
 PRODUCT

 DZ215003
 SILICONE STRAP - CLEAR for ITALIAN SCUBA MASK

 DZ215004
 SILICONE STRAP - BLACK for ITALIAN SCUBA MASK

 DZ210021
 BUCKLES - BLACK for AIR/BIG EYES EVO/EYES EVO/NANO/OCCHIO P.

 DZ215009
 STRAP LOOP SMALL for PRO DIVE MASKS - CLEAR (PAIR)

 DZ215011
 STRAP LOOP SMALL for PRO DIVE MASKS - BLACK (PAIR)

CRESSI PATENTED TECHNOLOGIES







CRESSI


TECHNICAL FEATURES

- Double injection technology
- Flexible buckle



HD MIRRORED LENSES INCREASE THE VISION'S CLEARNESS BY 15%





WIDTH

(in)

4 9/16 4 5/16

HEIGHT

(in)

CRESSI'S SIZE	CHART IS	TO BE	ISED AS	A REFERENC	F ONLY

HEIGHT

(mm)

110

WIDTH

(mm)

115





PACKAGING

à

BLUE METAL

|| BUYER'S GUIDE 2022

FREEDIVING / MASKS







BLACK HD EDITION

extreme durability.

The Big Eyes Evolution's signature inverted tear-drop lenses are raked inward and provide outstanding field of view with very low internal volume. A redesigned skirt now uses internal ribs to provide the ultimate in fit and

CODE	COLOR	CASE PACK
DS336550	Black	6
DS336950	Black HD Edition	6








support. Fully flexible, easy to adjust buckles

are attached using Cressi's double injection

molding technology for both comfort and

PRODUCT DIMENSION CHART (SKIRT SIZE) A WIDTH (mm B HEIGHT (mm) неіснт A WIDTH

()			(,
124	110	4 14/16	4 5/16
RESSI'S SIZE C	HART IS TO BE	USED AS A REFE	RENCE ONLY







TECHNICAL FEATURES

Double injection technology Raked lenses provide excellent field-of-view low internal volume allows for effortless clearing Dual-density silicone skirt flexes for a perfect seal along the face and full support around the frame



HD MIRRORED LENSES INCREASE THE VISION'S CLEARNESS BY 15%

OPTICAL LENSES

Possibility of mounting optical lenses CORRECTION -1.0 > -6.00



RIGHT to DI336010 from DI336060

OPTICAL LENSES INSTALLATION \$ 5.00

SYMMETRICAL LENSES The lenses are positive for correcting negative dioptres (myopia)

COMPLETE INFORMATION OPTICAL LENSES

Please refer to page 337 chart

CODE	PRODUCT
DI260010	Optical Lens -1.0 (Right)
DI260015	Optical Lens -1.5 (Right)
DI260020	Optical Lens -2.0 (Right)
DI260025	Optical Lens -2.5 (Right)
DI260030	Optical Lens -3.0 (Right)
DI260035	Optical Lens -3.5 (Right)
DI260040	Optical Lens -4.0 (Right)
DI260045	Optical Lens -4.5 (Right)
DI260050	Optical Lens -5.0 (Right)
DI260055	Optical Lens -5.5 (Right)
DI260060	Optical Lens -6.0 (Right)
DI260110	Optical Lens -1.0 (Left)
DI260115	Optical Lens -1.5 (Left)
DI260120	Optical Lens -2.0 (Left)
DI260125	Optical Lens -2.5 (Left)
DI260130	Optical Lens -3.0 (Left)
DI260135	Optical Lens -3.5 (Left)
DI260140	Optical Lens -4.0 (Left)
DI260145	Optical Lens -4.5 (Left)
DI260150	Optical Lens -5.0 (Left)
DI260155	Optical Lens -5.5 (Left)
DI260160	Optical Lens -6.0 (Left)


EYES EVOLUTION



The Eyes Evolution Crystal comes with all of the great features of the Big Eyes Evolution Crystal, but in a smaller size that makes it ideal for women and smaller faces. The Crystal Silicone is an exclusive

is virtually invisible when diving.

CODE	COLOR	CASE PACK
DS355050	Black	6




3

4

5



,	A WIDTH (mm)	B HEIGHT (mm)
	114	106
	CRESSI'S SIZE	CHART IS TO P



2

1






CRESSI

TECHNICAL FEATURES

- Flexible buckle
- Designed for those with a narrow or small face



HD MIRRORED LENSES INCREASE THE VISION'S CLEARNESS BY 15%

- Cressi material that's so clear the mask's skirt
- The thickness of the mask frame has been reduced to such an extent that it is practically invisible when the mask is being worn.

PRODUCT DIMENSION CHART (SKIRT SIZE)









PACKAGING

II BUYER'S GUIDE 2022

71

I LOW VOLUME FRAMELESS MASK

Z1 is a frameless mask that boasts a low internal volume while offering a wide field of view in all directions.

The specific design uses the assembly of the silicone skirt directly over the single glass. This system guarantees great sturdiness and

CODE	COLOR	CASE PACK
DN410000	Clear/Clear	30
DN410020	Blue/Blue	30
DN410050	Black/Black	30
DN410057	Graphite/Graphite	30
DN410080	Red/Red	30

NEW 2022 **| SMALLER VERSION OF Z1 MASK**



ZS1 is the Small version, suitable for adults with small faces, of the Z1, a frameless mask that boasts a low internal volume while offering a wide field of view in all directions. The specific design uses the assembly of the silicone skirt directly over the single glass. This system guarantees great sturdiness and

CODE	COLOR	CASE PACK
DN420000	Clear/clear	30
DN422828	Turquoise/turquoise	30
DN423030	White/white	30
DN424545	Pink fluo/pink fluo	30
DN425050	Black/black	30



a perfect watertight seal. The lower weight of the mask makes it ideal for travel. The flexible fit and reduced drag are appreciated for freediving and spearfishing, snorkeling and diving. The micrometrically adjustable buckles are comfortable and effective.

WHITE

PINK FLUO

BI ACK

a perfect watertight seal. The lower weight

for freediving and spearfishing, snorkeling

and diving. The micrometrically adjustable

buckles are comfortable and effective.

flexible fit and reduced drag are appreciated

of the mask makes it ideal for travel. The

	• Eas	y-access alization	nose pocke	et for	
	» Mic	rometric	adjustable	buckle	
	» Ter	npered gl	ass		
		_			
SIZE	0	-	Betwee		
SIZE	O	110-140		-5.5 in)	 ,
ZE SIZE	WIDE	110-140	mm [4.5	-5.5 in)	 ,
	WIDE	110-140	mm [4.5	-5.5 in)	 ,

SPECIALIZED

etailer Product

×.

TECHNICAL FEATURES

Low-volume, single lens design for a wide field-of-view

Frameless: silicone skirt bonds directly to the lens for lower

weight and reduced drag

Fast-adjust ratcheting strap

buckles mounted to skirt

High-grade silicone seals

100%

HIGH QUALIT

PRODUCT DIMENSION CHART (SKIRT SIZE)			
			B HEIGHT (in)
122	101	4 13/16	4

CRESSI'S SIZE CHART IS TO BE USED AS A ++MEASURE EAR TO EAR WITH A RULER

buckles mounted to skirt • High-grade silicone seals Between 110-140 mm [4.5 -5.5 in]	
 Low-volume, single lens design for a wide field-of-view Frameless: silicone skirt bonds directly to the lens for lower weight and reduced drag Fast-adjust ratcheting strap 	



(in)

(in)

4 11/16 3 12/16 119 96 CRESSI'S SIZE CHART IS TO BE USED AS A REFERENCE ONLY ++MEASURE EAR TO EAR WITH A RULER

(mm)

(mm)




PACKAGING


MATRIX





The compact twin-lens Matrix takes the basic design concepts of the Big Eyes Evolution and pushes them to a new level of performance.







CASE PACK CODE COLOR DS302050 Black DS309850 Green

LINCE

A trimmed down version of the Matrix, the Lince is a perfect fit for many younger divers or those with narrower faces. The extremely low internal volume makes it comfortable to wear and effortless to clear. Divers and snorkelers alike will appreciate the exceptional field of view offered in this ultra compact mask.













TECHNICAL FEATURES

- Raked lenses provide excellent field-of-view Extremely low internal volume
- on par with the best freediving masks
- Silicone skirt shaped to provide a wide sealing surface for a leak-free fit
- Micrometric adjustable buckles allow precise headband adjustments
- Inverted tear-drop lenses improve downward vision for viewing your BCD while diving



PRODUCT DIMENSION CHART (SKIRT SIZE)			
A B WIDTH HEIGHT (mm) (mm)		A WIDTH (in)	B HEIGHT (in)
122	111	13/16	4 6/16
CRESSI'S SIZE	CHART IS TO BE	USED AS A RE	FERENCE ONLY



More pronounced inverted tear-drop shaped lenses, raked inward to sit even closer to the eyes, and a more compact build overall make the Matrix an ideal choice for divers and freedivers looking for the biggest view in the





TECHNICAL FEATURES

- Raked lenses provide excellent field-of-view
- Extremely low internal volume on par with the best free diving . masks
- Silicone skirt shaped to provide a wide sealing surface for a leak-free fit
- Micrometric adjustable buckles allow precise headband
- adjustments
- Inverted tear-drop lenses improve downward vision for viewing your BC while diving



PRODUCT DIMENSION CHART (SKIRT SIZE) WIDTH B HEIGHT A B WIDTH HEIGHT (mm) (mm) (in) (in) 129 107 5 1/16 4 3/16

CRESSI'S SIZE CHART IS TO BE USED AS A REFERENCE ONLY

CRESSI

FREEDIVING / MASKS



to increase the view underwater. All the

shatterproof and scratch resistance. The

Special lenses edition are ideal per

hiding your eyes to the fishes.

spearfishing and photographers. Yellow

lenses increase the vibrancy of the colors

and helps to see better the details in depth

water. Available with Mirrored Lenses for

also wearing gloves.

lenses are made in tempered glass to ensure

nose pocket is soft and easy to access used

with only two fingers for proper equalization,

The Metis is a two-window mask suitable for scuba diving and also for snorkeling. The skirt is completely made in high quality silicone, a more comfortable and long lasting material than the traditional plastic PVC. The silicone skirt allows to be fitted from different kinds of face shapes and ensure a perfect seal. Also the strap is made in silicone and it is large and wide behind the neck to ensure a tight fit and comfort. The length of the strap is easy to adjust thanks to the simple push of the wide buckles. You can choose different kind of lenses, colored or mirrored,

CODE	COLOR	CASE PACK
US411010	BLACK/BLACK (YELLOW LENS)	10
US411050	BLACK/BLACK (MIRROR LENS)	10
US411223	BLUE HUNTER	10
US411253	BROWN HUNTER	10
US411293	GREEN HUNTER	10
US411500	BLACK/BLACK	10
US411570	BROWN/BROWN	10
US415550	BLACK/BLACK - CLEAR ANTI-FOG LENS	10

SPARE PARTS

CODE PRODUCT DZ222050 STRAP for SCUBA MASK TW - BLACK DZ221050 BUCKLES for SCUBA MASK TW - BLACK/BLACK DZ215012 STRAP LOOP for SCUBA MASK TW - BLACK (PAIR)

II BUYER'S GUIDE 2022 260



	Low internal volume
	 Low internal volume Inverted teardrop lenses shape Very light
	STANDARD
	HD LENSES
	THE VISION'S CLEARNESS BY 15%
	B
EZE Z	Between 110-140 mm [4.5 -5.5 in]
201	WIDE REGULAR NARROW
SIZE	5 4 3 2 1

PRODUCT DIMENSION CHART (SKIRT SIZE)

A	B	A	B
WIDTH	HEIGHT	WIDTH	HEIGHT
(mm)	(mm)	(in)	(in)
120	105	4 12/16	

CRESSI'S SIZE CHART IS TO BE USED AS A REFERENCE ONLY

FOCUS



The ultimate in versatility, this classic mask offers the best fit and performance for the greatest variety of facial shapes.

Its low-volume, twin-lens design gives divers

CODE	COLOR	CASE PACK
DS242050	Black/Black	6
DS242550	Black HD Edition	6
	A	
		B

5 4 3 2

MASH Size

NOSE Size

WIDE



Between 110-140 mm [4.5 -5.5 in]		PRODUCT	T DIMENSI		
	REGULA	R	NARROW	A WIDTH (mm)	B HEIGHT (mm)
	3	2	1	122	105

CRESSI'S SIZE CHART IS TO BE USED AS A REFERENCE ONLY



MASKS

1



- Low internal volume allows for effortless clearing
- Lightweight, compact and rugged
- Ideal for travel or as a backup mask High-grade silicone skirt provides
- a leak-free seal
- Quick-adjust swivel buckles prevent binding








BLACK/ BLACK


BLACK HE FDITION







4 8/16 4 13/16



HD MIRRORED LENSES INCREASE THE VISION'S CLEARNESS BY 15%

OPTICAL LENSES

Possibility of mounting optical lenses CORRECTION -1.0 up to -8.00

OPTICAL LENSES INSTALLATION \$ 5.00

SYMMETRICAL LENSES

The lenses are positive for correcting negative dioptres (myopia)

COMPLETE INFORMATION

OPTICAL LENSES Please refer to page 337

CODE	PRODUCT
DI240010	Optical Lens -1.0
DI240015	Optical Lens -1.5
DI240020	Optical Lens -2.0
DI240025	Optical Lens -2.5
DI240030	Optical Lens -3.0
DI240035	Optical Lens -3.5
DI240040	Optical Lens -4.0
DI240045	Optical Lens -4.5
DI240050	Optical Lens -5.0
DI240055	Optical Lens -5.5
DI240060	Optical Lens -6.0
DI240065	Optical Lens -6.5
DI240070	Optical Lens -7.0
DI240075	Optical Lens -7.5
DI240080	Optical Lens -8.0

CRESSI

FREEDIVING / MASKS



Superocchio is the grand classic in the Cressi line, it is still a favorite among many divers through its many years of availability. Superocchio is small, compact and provides low internal volume, which makes it a great choice for deep diving and spearfishing due to its low internal volume, which allows for minimal effort from the diver to comfortably equalize during descent.



2022 VINTAGE

| THE LOWEST VOLUME ON THE MARKET



for deep sea diving, with innovative features that place it at the top of its category. The special reduced skirt, complete with a small seal ring, sticks like a suction cup to the face, leaving minimum air space inside the mask, which make compensation extremely easy, taking very little air from the lungs.

This mask was designed specifically

The allergy free black silicone skirt protects

the divers eyes from unwanted back glare

and distraction while spearing. The soft

quick adjusting buckles to help provide

easily manageable even when wearing

a comfortable precise fit and can be

neoprene gloves.

silicone mask strap comes with easy and

The lens-eye distance is the absolute smallest on the market and guarantees, even with small diameter lenses, excellent visibility in all directions.

The two optic glass lenses are thicker than the standard to allow a special safety mould.

The strap comes with instantly adjusting buckles for an easy and precise fit.



TECHNICAL FEATURES

 Low internal volume Inverted teardrop lenses shape Very light






SPECIALIZED Retailer Product MADE IN ITALY X

TECHNICAL FEATURES

Materials: liquid silicone, hi-tech

- polymers . **Strap buckles:** instant adjustment
- Internal very low volume Frame dimension: 168 x 45 mm
- Weight: 118 g | 4.1 oz

131 mm I 5.14 in





PERLA

A mask particularly suitable for freediving and snorkeling, but just as appropriate for use in scuba diving.

It has separate lenses, a skirt edge fitting most of the faces and a small inner volume. perfect for freedivers. It is made from soft transparent or dark silicone

for a better comfort and a perfect seal. It comes with strong rapid action buckles to adjust the length strap.






CODE	COLOR	CASE PACK
DN208150	Black/Black	12
DN208198	Dark Green	12

PACIFICO







DS292050 Black/Black

CASE PACK

COLOR

CODE



TECHNICAL FEATURES

- Inverted teardrop inclined lenses for increased downwards visibility Skirt made in hypoallergenic
- quality silicone
- 2 tempered lens made in tempered glass
- Easy-to-use buckles for quickly strap length adjustment









PRODUCT DIMENSION CHART (SKIRT SIZE)			
A WIDTH (mm)	B HEIGHT (mm)	A WIDTH (in)	B HEIGHT (in)
122	105	4 13/16	4 2/16

CRESSI'S SIZE CHART IS TO BE USED AS A REFERENCE ONLY

TECHNICAL FEATURES


- Single-lens in a classic retro oval shape Scratch-resistant tempered class
- for clarity and safety Rubber skirt and strap for great
- seal and comfort
- Easily adjustable buckles





A WIDTH (mm)	B HEIGHT (mm)	A WIDTH (in)	B HEIGHT (in)
120	110	4 12/16	4 15/16

CRESSI'S SIZE CHART IS TO BE USED AS A REFERENCE ONLY





FREEDIVING / COMBOS





 Designed specifically for Deep Freediving and Spearfishing
 Low internal volume allows the diver less effort to equalize Black allergy free Silicone Skirt to prevent back reflection Tempered glass lenses Easily adjustable mask strap and buckles Skirt Design allows for fit of a multitude of face types

TECHNICAL FEATURES



CASE PACK CODE COLOR DS434550 Blue Metal DS435050 Black DS439850 Green

PERLA & MEXICO

| PERLA MASK + MEXICO SNORKEL



CASE PACK CODE COLOR DM102017 Black



The multi-positional silicone soft mouthpiece provides extreme

- comfort during prolonged use Large diameter Snorkel Tube provides unobstructed ease of breathing Minimal tube and mouthpiece
- bends provides easier clearing
- capability

ZS1 & CORSICA NEW 2022

ZS1 MASK + CORSICA SNORKEL



TUROUOISE

ZS1 is the small version, suitable for adults with small faces, of the Z1, a frameless mask that boasts a low internal volume while offering a wide field of view in all directions. The specific design uses the assembly of the silicone skirt directly over the single glass. This system guarantees great sturdiness and a perfect watertight seal.

CODE	COLOR	CASE PACK
DM372828	ZS1 & CORSICA - TURQUOISE	5
DM374545	ZS1 & CORSICA - PINK FLUO	5



TECHNICAL FEATURES

- Low-volume, single lens design
- for a wide field-of-view **Frameless:** silicone skirt bonds directly to the lens for lower weight and reduced drag
- Fast-adjust ratcheting strap buckles mounted to skirt
- High-grade silicone seals





The lower weight of the mask makes it ideal for travel. The flexible fit and reduced drag are appreciated for freediving and spearfishing, snorkeling and diving. The micrometrically adjustable buckles are comfortable and effective.



Corsica is a highly technical snorkel designed specifically for deep freediving and spearfishing. The soft bendable large diameter tubing makes it extremely comfortable to properly position behind the head while maintaining ease of breathing on the surface. When diving, the mouthpiece tucks neatly under the chin for the

CODE	COLOR	CASE PACK
EG268523	Camo Blue	12
EG268528	Turquoise	12
EG268530	White	12
EG268545	Pink Fluo	12
EG268550	Black/Black	12
EG268553	Camo Brown	12
EG268555	Blue	12
EG268593	Camo Green	12
EG268598	Green/Black	12

ultimate in hydrodynamics. The anatomical hypoallergenic silicone mouthpiece provides extreme comfort during long duration in the water. The Corsica is available in either solid or camouflage color and is an excellent choice for the discriminating diver who is looking for the best equipment.





AMERICA

GRINGO



CODE	CASE PACK
EG266000	12

TECHNICAL FEATURES

- The multi-positional silicone soft mouthpiece provides extreme comfort during prolonged use • Large diameter Snorkel Tube
- provides unobstructed ease of breathing Minimal tube and mouthpiece
- bends provides easier clearing capability



POLYBAG





FISTERRA NEW 2022 | TWO-PIECE WETSUIT 8 MM CRESSI

E 7-12° C 8mm 44.6-53.6° F CE CERTIFICATION DIVING WETSUIT EN 14225-1:2017: A

Robust wetsuit also ideal for commercial fishing. Fisterra was originally born in version 8mm, to respond to the need of professional divers in cold waters. The demand for professional divers, diving instructors and users who demand maximum thermal performance and comfort has encouraged us to incorporate a 5 mm version for temperate waters into the collection.

Fisterra 5 mm is a resistant, very watertight and highly thermal combination with jacket without zippers and high trousers with dungarees. A combination that combines, therefore, characteristics that place it at the

CODE	SIZE	CASE PACK
LK489502	S	5
LK489503	Μ	5
LK489504	L	5
LK489505	XL	5
LK489506	2XL	5
LK489507	3XL	5

apex of pure performance in a wetsuit of this thickness. Low-compression LC neoprene that guarantees

padsin Supratex©.





- · Two-piece wetsuit Ultra durable neoprene



JACKET WITHOUT ZIPPERS HIG TROUSERS



X-PLUSH ELASTIC TERRY LOOP






optimum thermal protection at the bottom due to its high resistance to compression ideal for professional work or long duration diving. Nylon outer lining of high weight very resistant, interior X-Plush elastic terry loop, waterproof and great sliding that facilitates the placement and removal of the suit at the same time has a large thermal memory. Wide anti-abrasion knee-spin pads and elbow EN 14225-1:2017: B



Inspired by the livery of the pelagic fish. A special digital printing system has been used for this new camouflage wetsuit, allowing high resolution images to be obtained and thus create an exclusive camouflage design. The new "Cryptic Camouflage Technology" of Cressi is based

3 mm		
CODE	SIZE	CASE PACK
LU490112	S	5
LU490113	Μ	5
LU490114	L	5
LU490115	XL	5
LU490116	2XL	5
LU490117	ЗХL	5
5 mm		

CODE	SIZE	CASE PACK
LU490102	S	5
LU490103	Μ	5
LU490104	L	5
LU490105	XL	5
LU490106	2XL	5









R

SPECIALIZED

Retailer Product

- Preformed anatomical cut
 Jacket with padded reinforcement
- on the chest
- Watertight seals in smooth skin
- on hood, wrists and ankles Reinforced anti-abrasion lining on the chest and knees High-waisted trousers with
- watertight seals on the ankles and waist

SMOOTH SKIN WATERTIGHT SEALS

₩

ULTRASOFT

NEOPRENE



CHEST REINFORCEMENT AQUA STOP SYSTEM





SINGLE PIECE UNDERARM SECTION



When wet changes colour accentuating mimetism!

60.8-75.2° F CE CERTIFICATION

| TWO-PIECE WETSUIT

SEPPIA NEW 2022

DIVING WETSUIT EN 14225-1:2017: C

10-18° C 50-64.4° F CE CERTIFICATION DIVING WETSUIT EN 14225-1:2017: B

Wetsuit created with the exclusive new Cressi green/brown camouflage, computerdesigned to make it more difficult for prey to create solid images, thereby confusing the wearer with the background.

5 mm		
CODE	SIZE	CASE PACK
XLE468502	S	5
XLE468503	Μ	5
XLE468504	L	5
XLE468505	XL	5
XLE468506	2XL	5

7 mm CODE XLE468702 XLE468703 XLE468704 XLE468705 XLE468706 2XL

Performed anatomical cut. Jacket with padded reinforcement on the chest. Smooth skin with watertight seals on hood, wrists, and ankles, Reinforced anti-abrasion lining on the chest and knees. High-waisted trousers with watertight seals on the ankles and waist.



SMOOTH SKIN WATERTIGHT SEALS



KNEEPAD



CHEST REINFORCEMENT





PROTECTIVE REINFORCEMENT



SINGLE PIECE UNDERARM SECTION







TECHNICAL FEATURES

Made of black-metallite Neoprene

 Chest reinforcement Knee pads

Interior in open cell Neoprene

PROTECTIVE REINFORCEMENT





CHEST REINFORCEMENT KNEEPAD

HIGH WAISTED TROUSERS

black and a thickness of 3.5 mm and 5 mm.

and special kneepads for extra protection.

New design of the loading/reloading chestplate





2-PIECE WITH HOOD



The Tokugawa wetsuit is an excellent spearfishing and freediving wetsuit. It was designed by the Cressi Australia team, with the knowledge and help of the Italian Cressi family, based on the market-leading Apnea wetsuit pattern. It was designed specifically for use in blue waters as a perfect hardwearing spearfishing and pool training suit. The unique camouflage adapts to different water

Open Cell 3.5 mm NEW 2022

CODE	SIZE	CASE PACK
LU490022	5	5
LU490023	м	5
LU490024	L	5
LU490025	XL	5
LU490026	2XL	5
LU490027	3XL	5

Nylon Closed Cell 2 mm

CODE	SIZE	CASE PACK
LU490032	S	5
LU490033	Μ	5
LU490034	L	5
LU490035	XL	5
LU490036	2XL	5
LU490037	ЗXL	5

environments — from the blue waters of the Caribbean Sea to the greener tones of the Northern USA. It is manufactured with flexible, comfortable, soft neoprene. This material is designed for flexibility.

This wetsuit is named in honor of the Tokugawa shogunate — The Tokugawa shogunate was the last feudal Japanese military government, which existed between 1600 and 1868.

A well-cut suit with particular attention to comfort around the areas where the body suffers most friction. Internal layer inmetallic

CODE	SIZE	CASE PACK
LE450102	S	5
LE450103	Μ	5
LE450104	L	5
LE450105	XL	5
LE450106	2XL	5
LE450107	ЗХL	5

5 mm

CODE	SIZE	CASE PACK
LE450202	5	5
LE450203	Μ	5
LE450204	L	5
LE450205	XL	5
LE450206	2XL	5
LE450207	ЗХL	5
7 mm		


CODE	SIZE	CASE PACK
LE450302	S	5
LE450303	Μ	5
LE450304	L	5
LE450305	XL	5
LE450306	2XL	5
LE450307	3XL	5



TECHNICAL FEATURES

- Blue camouflage pattern
 Anatomical cuts
 Chest loading pads

- Knee pads
 Interior reinforced with Nylon



CHEST REINFORCEMENT



KNEEPAD





Designed for blue water spearfishing


Tokugawa, named after the Japanese feudal shogunate, is a one-piece 3 mm thick wetsuit, perfect for spearfishing, freediving and swimming, as well as for open water and pool training. The unique camouflage of this wetsuit is apporpiate for different aquatic enviroments. from the blue waters of the Caribbean Sea to the greener tones of North American waters. The wetsuit's graphics provide the ultimate in camouflage for all environments. Tokugawa,

3 mm

CODE	SIZE	CASE PACK
LU490002	S	10
LU490003	Μ	10
LU490004	L	10
LU490005	XL	10
LU490006	2XL	10
LU490007	ЗXL	10



For spearfishing, freediving Camouflage design Rear zipper



CHEST REINFORCEMENT



KNEEPAD







The Cobia is the ultimate rash guard that features a chest area completely made in 1 mm premium Neoprene to provide extra warmth. It's hooded to give the opportunity to protect and to heat also the head.

SIZE

CASE PACK

Blue

CODE

The Cobia can be worn under a wetsuit to give more warmth and protection. Can be used in any water sports, from windsurfing to scuba diving.

USW011104B	Camo Blue	L	10
USW011105B	Camo Blue	XL	10
USW011106B	Camo Blue	2XL	10
USW011107B	Camo Blue	3XL	10
Green			
CODE	COLOR	SIZE	CASE PACK
CODE USW011202G		SIZE S	CASE PACK 10
	Camo Green		

COLOR

USW011102B Camo Blue

USW011103B Camo Blue

USW011202G	Camo Green	S	10
USW011203G	Camo Green	Μ	10
USW011204G	Camo Green	L	10
USW011205G	Camo Green	XL	10
USW011206G	Camo Green	2XL	10
USW011207G	Camo Green	ЗХL	10

which is made of elastic, flexible, comfortable and sof neoperene, has an anatomically designed cut specific to Cressi wetsuits, with preformed arms and legs that improve wearability and movement in the water. The chest and the knee pad reinforcements are designed specifically for spearfishing.

The Dura Stretch nylon lining improves the

wetsuit's elasticity, comfort and durability.

II BUYER'S GUIDE 2022 274



TECHNICAL FEATURES

- Chest in quality Neoprene 1mm
 Hood and sleeves made of rash guard fabric
- Wearable under wetsuit
- Excellent anatomic cuts
- Available in Cressi's mimetic pattern blue or green

NEOPRENE CHEST chest pad

KNEEPAD



SMOOTH SKIN WATERTIGHT SEALS



HUNTER RASH GUARD

I LOADING CHEST PAD



The Hunter is a rash guard made with strong and elastic synthetic fabric. Made with anatomical cuts and can be worn in any water sports. Protects from wind and from UPF Ultraviolet rays. The chest is

seamless and features a soft durable pad that protects the body. Can be worn over a wetsuit that does not have chest loading pad. Available in Cressi's mimetic patterns.

Blu

CODE	COLOR	SIZE	CASE PACK
USW010102B	Camo Blue	S	5
USW010103B	Camo Blue	Μ	5
USW010104B	Camo Blue	L	5
USW010105B	Camo Blue	XL	5
USW010106B	Camo Blue	2XL	5
USW010107B	Camo Blue	3XL	5

Green

CODE	COLOR	SIZE	CASE PACK
USW010202G	Camo Green	S	5
USW010203G	Camo Green	Μ	5
USW010204G	Camo Green	L	5
USW010205G	Camo Green	XL	5
USW010206G	Camo Green	2XL	5
USW010207G	Camo Green	3XL	5



 Camo patterns for blue water and reef environments Excellent anatomical cuts Upf u/v rays protection

CHEST PAD



CONCH DYFIBER NEW 2022

Cressi designed a glove that provides high comfort and dexterity while being cut and puncture resistant, making it ideal for Lobstering and Spearfishing. The wrist closer will always keep the glove in place, regardless of normal use expansion from water weight.

Lime		
CODE	SIZE	CASE PACK
PQ100707	XS	10
PQ100708	S	10
PQ100709	Μ	10
PQ100710	L	10
PQ100711	XL	10
PQ100712	2XL	10
Blue		
CODE	SIZE	CASE PACK
PQ100701	XS	10
PQ100702	S	10
PQ100703	Μ	10

2XI

PQ100704 PQ100705 PO100706

HEX GRIP NEW 2022

Cressi designed a glove that provides high comfort and dexterity while being cut puncture and impact-resistant, making it ideal for Lobstering and Spearfishing. The wrist closer will always keep the glove in place, regardless of normal use expansion from water weight.

ime		
CODE	SIZE	CASE PACK
PQ100607	XS	10
PQ100608	S	10
PQ100609	Μ	10
PQ100610	L	10
PQ100611	XL	10
PQ100612	2XL	10

SIZE	CASE PACK
XS	10
S	10
Μ	10
L	10
XL	10
2XL	10
	XS S M L XL

HUNTER GLOVES

| 2MM

The Hunter Gloves are 5 fingers gloves made with premium quality Elastic Neoprene. This fabric provides high elasticity and comfort giving the possibility to use the complete movements of the fingers.

CODE	SIZE
USW022501	5
USW022502	Μ
USW022503	L
USW022504	XL

Camo Green

CODE LX477901 LX477902 LX477903 LX477904

GLOVES 1 FREEDIVING

TECHNICAL FEATURES

- Cressi's Dyfiber material offers maximum strength with minimum weight.
- High-performance polyethylene and stainless steel
- The Sandy Nitrile palm provides outstanding grip in dry, wet,
 and oily conditions.
- 30% Sandy Nitrile, 48% HPPE, 8% Stainless Steel, 6% Nylon, 4% Polyester, 2% Spandex, 2% PVC.



- TECHNICAL FEATURES
- Technical features
 Cressi's glove materials offer maximum strength with minimum weight.
- High-performance polyethylene and stainless steel
- The Sandy Nitrile palm provides outstanding grip in dry, wet, and oily conditions







HUNTER SOCKS 1 3 MM

FREEDIVING / SOCKS

Very soft and super supple socks made of 3-mm Elastic-Span neoprene. They have a honeycomb reinforcing and anti-slip coating on the sole. The Black-Metallite lining makes them easier to put on.

SIZE CONVERSION CHART					
SIZE	EU FOOT SIZE	US MEN'S FOOT SIZE	US WOMEN'S FOOT SIZE		
S	36 / 38	5 / 6.5	6 / 7.5		
м	39 / 40	7/8	8/9		
L	41 / 43	9 / 10.5	10 / 11.5		
XL	44 / 46	11 / 12.5	12 / 13.5		

Camo Blue

CODE	SIZE	CASE PACK
USW020201	S	5
USW020202	Μ	5
USW020203	L	5
USW020204	XL	5

Camo Green

CODE	SIZE	CASE PACK
LX433211	S	5
LX433212	Μ	5
LX433213	L	5
LX433214	XL	5

ANTI-SLIP SOCKS | 2.5 MM

These are single-lined, thin, high stretch neoprene socks. The inner is lined in Metallite so they are easy to put on. The sole has an effective non-slip lining. They can be used with both closed foot fins for greater warmth and to protect the skin from scratches and chafing, as well as with firm-soled socks, using open-heel fins. In this case, warmth is considerably increased and it is also easier to put on your wetsuit.

SIZE CONVERSION CHART					
SIZE	EU FOOT SIZE	US MEN'S FOOT SIZE	US WOMEN'S FOOT SIZE		
S	36 / 38	5 / 6.5	6 / 7.5		
м	39 / 40	7/8	8/9		
ι	41/43	9 / 10.5	10 / 11.5		
XL	44 / 46	11 / 12.5	12 / 13.5		

CODE	SIZE	CASE PACK
LX433001	S	10
LX433002	Μ	10
LX433003	L	10
LX433004	XL	10







FREEDIVING TRAINING BUOY



Dedicated to freediving lovers. It has a durable external material, an external zipper pocket, 4 external handles for pre-immersion preparation, and 2 exterior D-rings. The wide interior space allows storing the rope during transport. The inner bladder features a



TORPEDO PRO BUOY FLOAT



HUNTER SWIVEL SNAP CLIP



DESCRIPTION

The Snap Clip is made in stainless steel to ensure strength. It features a swivel to be knotted to a float line. It is ideal to be mounted on butt of gun for float line connection. It has an ideal size for buoy connections.



TECHNICAL FEATURES

- Outer bag made of 1050 Denier Cordura fabric
- Inner bladder with inflator valve
- 4 TPR lateral handles 2 lateral stainless steel D-rings Underneath central large stainless
- steel D-ring for rope connection Large storage compartment with Velcro closure

valve offering the choice of oral inflation or the use of an inflator hose. The freediving rope can be connected to the underneath stainless steel D-ring. The red diving flag is included to be seen from distance. Made of durable 1050 Denier Cordura fabric.







DESCRIPTION

Length: 98.5 ft | 30 m, Strength: 330.7 lb | 150 kg, Thickness (diameter): 0.24 in | 6 mm, Style of braiding: weave Long rope of 100 ft (approx.) made in strong polyethylene for use as an accessory for freediving or spearfishing. The rope is composed by weaving a group of 16 twists each consisting of 6 thin wires of 0.25mm diameter twisted together.

CODE

TA613530

CRESSI

FREEDIVING / BELTS

WEIGHT BELT

These are single-lined, thin, high stretch neoprene socks. The inner is lined in Metallite so they are easy to put on. The sole has an effective non-slip lining. They can be used with both closed foot fins for greater warmth and to protect the skin from scratches and chafing, as well as with firm-soled socks, using open-heel fins. In this case, warmth is considerably increased and it is also easier to put on your wetsuit.

CODE	PRODUCTS	CASE PACK
UW100000	METAL BUCKLE - BLACK	10
UW100001	METAL BUCKLE - NEON YELLOW	10
TA627020	HARD PLASTIC BUCKLE - BLUE	10

ELASTIC BELT

CODE	PRODUCTS	CASE PACK
TA626000	PREMIUM MARSEILLAISE RUBBER BELT BLACK	10
TA626010	QUICK-RELEASE ELASTIC BELT W/ METAL BUCKLE - BLACK	10
XTA626011	QUICK-RELEASE ELASTIC BELT W/ METAL BUCKLE - YELLOW	10
XTA626020	QUICK-RELEASE ELASTIC BELT W/ METAL BUCKLE - BLUE	10

WEIGHT KEEPER

CODE	PRODUCTS	CASE PACK
TA627100	WEIGHT BELT KEEPER - BLACK (5 PACK) BLACK	10
TA627101	WEIGHT BELT KEEPER - STAINLESS STEEL (2 PACK) SILVER	10

LIBRA BALLAST WEIGHT BAG

The Libra is the bag for carrying the ballast needed for your scuba diving equipment. It can carry also the weights used by the freedivers. It is made in strong and resistant Denier fabric, for long-lasting use and for a huge weight. Built rugged, the double webbing encircles the entire bag for added strength and joins to form a padded handle.
















BAGS

TUNA DRY | WHEELED OVERSIZED BAG

120 L



The Tuna Dry Wheel Bag is an ideal bag for transporting any kind of equipment for water activities keeping protected from water. It has a capacity of 120 liters | 4.23 cu ft that can fit also long freediving fins. Made of highly resistant materials, it allows you to keep your equipment dry and protect electronic devices. Equipped with central handles/shoulder straps and side handles to facilitate transport even though the presence of wheels. The presence of wheels facilitates

transport even on long routes.A practical waterproof side pocket keeps small items dry and protects electronic devices. Internal straps with clip closure allow you to secure the sports equipment during transport. Made of very resistant materials, with well-finished stitching. The lower part is reinforced, shockproof and insulating. Waterproof seal. Keep your equipment dry, protect electronic devices and documents from water, dust, and sand.


CODE CASE PACK XUB976200

DIMENSION VOLUME WEIGHT (LENGTH-WIDTH-HEIGHT) KG СМ CU FT LB IN LITER 120 4.23 3.5 kg 40 x 41 x 95 37 1/2 x 15 3/4 x 16 1/8 7 lb 11 oz TUNA



TECHNICAL FEATURES

Made of polyester External pocket Side handles and shoulder straps



WITH WHEELS



SEMI RIGID CASE



WATER RESISTANT HIGH FREQUENCY FOR GARA | 135 L TIDDEE WELDING









BLACK

CAMO BLUE

One large and roomy bag. The bag is long enough to hold even the long freediving fins. It is made from a strong radio frequency (RF) welded seam PVC and is waterproof. Equipment can be washed with water while still inside the bag. Once you have finished washing your gear, the bag has a special

out easily and conveniently. Comes with that can also be used as shoulder straps. No water comes out when transported, even by car.

CODE	COLOR	CASE PACK
UA925710	Black	10
XUA925798	Camo Blue	10
XUA925799	Camo Grey	10

DIMENSION (LENGTH-WIDTH-HEIGHT)		VOI	UME		
	СМ	IN	LITER	CU FT	KG
GORILLA XL	95 x 34 x 42	37 x 13 x 16	135	4.77	1.5 k



BAGS

-

FREEDIVING



TECHNICAL FEATURES

- Made from a strong radio
- frequency (RF) welded seam PVC Waterproof fabric
- Durable straps for carrying
- any style 2 Shoulder straps and handle
- straps on both ends of the bag Draining cap for washing bag
- and equipment
- Strong YKK zipper
- Front zipped pocket

ELECTRONICALLY WELDED






CAMO GREY

draining cap situated at one end to let water handy top grab carry handles and two straps



SPECIAL DRAINING CAP



TOP VIEW



HIGH VOLUME





DRY GARA BACKPACK

| HIGH-VOLUME DRY BACKPACK



SIDE VIEW





Comfortable watertight daypack made of black highly resistant PVC. It is the ideal bag for carrying your equipment in any challenging situation, even on a motorcycle.



of l	eners for carrying sp cial front pocket for

pear storing long fins.

	DIMENSION (LENGTH-WIDTH-HEIGHT)			VOLUME		WEIGHT	
	СМ	IN	LITER	CU FT	KG	LB	
DRY GARA	39.5 x 23.5 x 66	15 x 9 x 26	60	2.12	1.12 kg	2 lb 7.5 oz	



TECHNICAL FEATURES


Waterproof polyester
 External waterproof pocket

2 X GUN-HOLDER



FIN-HOLDER





The Piovra XL is a special backpack conceived for transporting spearfishing and freediving gears. It features a main compartment big enough for storing a pair of long fins (up to 39 in / 100 cm) equipped with a netting for ventilation. It is possible to store a wetsuit, mask, snorkels, belt and various spearfishing gear. Zip closing with 2 zippers with eyelet

PIOVRA XL

85 LITERS

The Piovra has a secondary cooler-type compartment for storing cold drinks or fishes.

for padlocks.

PIOVRA XL 30 x 30 x 130

The front has a zigzag elastic cord with an adjustable locker ideal for quick storage. Both sides have two elastic bands that are ideal for securing two spearguns. When the bag is empty it is possible to reduce the volume thanks to the lateral compression straps.

strap height adjustable. Side handle. Wear-resistant bottom. Top hook for hanging the bag.

CODE	CASE PACK				
XVB990101	10				
DIMENSION			VOLUME		
	(LENGTH-WIDTH-H	EIGHT)			
	СМ	IN	LITER	CU FT	ŀ

TECHNICAL FEATURES

- Made of 900/600 Denier with 6P Free coating
- Backstrap material:
- 900 Denier reversed SBS 10# zipper Bottom: anti-skid material
- Lining: 210 Denier

New taller version to accomm the Gara Modular Impulse







The shoulder straps have the buckle chest



GARA PREMIUM BAG

FREEDIVING / BAGS

A newly renovated version of the Gara Bag. The unique and functional bag with the necessary space to store fins, mask and snorkel. The famous Gara fins, the long freediving fins, can be accommodated easily in this shoulder bag for comfortable and secure transportation.

The bottom part is made with a strong mesh which allows water to drain. Practical front pocket with zip closure for storing personal stuff. It features a padded adjustable shoulder strap.

CRESS

CODE CASE PACK UB931081

LONG FIN SET BAG



The Long Fins Set Bag is a functional bag with the necessary space to store fins, mask and snorkel.

Also longer fins such as Gara are

accommodated easily in this shoulder bag for comfortable and secure transportation. Bag is made from durable nylon material.



286





TECHNICAL FEATURES

Nylon 600 denier
 Front pocket

Dimension Height: 94 cm, 37.0 in Width: 24.5 cm, 9.6 in Length: 17.5 cm, 6.9 in

 Nylon 600 denier Front pocket



SPEARFISHING

With this catalogue, we would like to highlight our origins, which have distinguished us over the years. Today, with the same passion as then, we follow the needs of our customers, from the beginners to the most ambitious athletes, sure of providing products suitable for all needs, always focusing on technology and results.

In these 75 years the company has always preserved its DNA, which is well represented by Cressi logo. The "C" logo with the mermaid, in the origin with the speargun, is recognisable all over the world as a prestigious brand of watersports and spearfishing.

Our goal is to provide a complete vision of our products Dedicated to all those who make spearfishing their passion.

The work undertaken over the years carries out a constant renewal of products with strict testing and always new technologies, placing us at the top for reliability, performance and durability.

All this takes in thanks to a continuous dialogue between our designers, who are always ready to make the best improvements, and our ambassadors, expert testers who have made the sea their home.

The philosophy of the Cressi family is always the same, first of all the technique and then everything else... this catalogue is an excellent example.







Retail price List n. 48









CHEROKEE NEW 2022 POWER

UNLIMITED POWER



Anticorodal black frame with integrated spear guide, grip made of engineering plastic reinforced with glass fibre, high or low soft sternal support. Composite material release mechanism with trigger, release tooth and lateral guide line release obtained from the base. The shock absorber makes silent the release of the shaft. Reversible side safety mechanism. Reinforced reel with steel pin buckle. Head for double elastic with magnetic spear lock: as soon as the spear is put in place, it is held by two magnets mounted in a watertight chamber. This characteristic guarantees maximum speed of reset without the disadvantages of conventional mechanical restraint systems.


ODE	SIZE	CASE PACK
E365200	90 cm	6
E365300	100 cm	6
E365400	110 cm	6
E365500	120 cm	6
E365600	130 cm	6


ACCESSORIES

CODE	PRODUCT	
FA359050	REEL R50	
FA359030	REEL R30	

SPARE PARTS

CODE	PRODUCT	GUN LENGTH
FA406120	INOX FINNED SHAFT Ø 7mm BT. FLOPPER (120 cm)	90 cm
FA406130	INOX FINNED SHAFT Ø 7mm BT. FLOPPER (130 cm)	100 cm
FA406140	INOX FINNED SHAFT Ø 7mm BT. FLOPPER (140 cm)	110 cm
FA406150	INOX FINNED SHAFT Ø 7mm BT. FLOPPER (150 cm)	120 cm
FA406160	INOX FINNED SHAFT Ø 7mm BT. FLOPPER (160 cm)	130 cm
FA400525	CIRCULAR BAND w/LW Ø 16mm ID3.2mm - BLUE (63cm) (GUN 100)	100 cm
FA400526	CIRCULAR BAND w/LW Ø 16mm ID3.2mm - BLUE (69cm) (GUN 110)	110 cm
FA400527	CIRCULAR BAND w/LW Ø 16mm ID3.2mm - BLUE (77cm) (GUN 120)	120 cm
FA400528	CIRCULAR BAND w/LW Ø 16mm ID3.2mm - BLUE (81cm) (GUN 130)	130 cm
FB1532162	BAND RUBBER TUBING 50FT - BLUE - Ø 16mm - ØID 3.2	





Anticorodal black frame with integrated spear guide. Grip made of engineering plastic reinforced with glass fibre. High or low soft sternal support. Composite material release mechanism with a trigger. release tooth and lateral guide line release obtained from the base. The shock absorber makes silent the release of the shaft. Reversible side-safety

osite material release	place. It is held by tv
ger. release tooth and	in a watertight cham
se obtained from the	guarantees maximu
ber makes silent the	without the disadva
eversible side-safety	mechanical restrain


CODE	SIZE	CASE PACK
FE363100	75 cm	6
FE363200	90 cm	6
FE363300	100 cm	6
FE363400	110 cm	6
FE363500	120 cm	6

mechanism. Reinforced reel with steel pin buckle. Head for double elastic with magnetic spear lock: as soon as the spear is put in place. It is held by two magnets mounted in a watertight chamber. This characteristic guarantees maximum speed of reset without the disadvantages of conventional mechanical restraint systems.



INTERCHANGEABLE HIGH-LOW SUPPORT






CODE	PRODUCT	GL
FA404903	INOX FINNED SHAFT Ø 6.5mm BT. FLOPPER (105 cm)	
FA404904	INOX FINNED SHAFT Ø 6.5mm BT. FLOPPER (120 cm)	
FA404905	INOX FINNED SHAFT Ø 6.5mm BT. FLOPPER (130 cm)	
FA404906	INOX FINNED SHAFT Ø 6.5mm BT. FLOPPER (140 cm)	
FA404907	INOX FINNED SHAFT Ø 6.5mm BT. FLOPPER (150 cm)	
FA400483	CIRCULAR BAND w/LW Ø 14mm ID3.2mm - RED (48cm) (GUN 75)	
FA400484	CIRCULAR BAND w/LW Ø 14mm ID3.2mm - RED (57cm) (GUN 90)	
FA400485	CIRCULAR BAND w/LW Ø 14mm ID3.2mm - RED (63cm) (GUN 100)	
FA400486	CIRCULAR BAND w/LW Ø 14mm ID3.2mm - RED (69cm) (GUN 110)	
FA400487	CIRCULAR BAND w/LW Ø 14mm ID3.2mm - RED (77cm) (GUN 120)	
FB1516168	BAND RUBBER TUBING 50FT - RED - Ø 16mm - ØID 1.6	





UN LENGTH
75 cm
90 cm
100 cm
110 cm
120 cm

|| BUYER'S GUIDE 2022 293





MADE IN ITALY

RIGGED AND REINFORCED BARREL WITH SHAFT GUIDE

muzzle

wishbone 2 mm Rigged barrel Ø 28 mm with

Measurements: 110, 100, 90,

shaft guide

75 & 60 cm

INTERCHANGEABLE HIGH / LOW SUPPORT





ULTRA LIGHT HANDLE







ACCESSORIES	5	
CODE	PRODUCT	
FA359050	REEL R50	
FA359030	REEL R30	
SPARE PARTS	5	
CODE	PRODUCT	GL
FA404902	INOX FINNED SHAFT Ø 6.5mm BT. FLOPPER (90 cm)	
FA404903	INOX FINNED SHAFT Ø 6.5mm BT. FLOPPER (105 cm)	
FA404904	INOX FINNED SHAFT Ø 6.5mm BT. FLOPPER (120 cm)	
FA404905	INOX FINNED SHAFT Ø 6.5mm BT. FLOPPER (130 cm)	
FA404906	INOX FINNED SHAFT Ø 6.5mm BT. FLOPPER (140 cm)	
FA400562	CIRCULAR BAND w/LW Ø 16mm ID3.2mm - LIME (39cm) (GUN 60)	
FA400563	CIRCULAR BAND w/LW Ø 16mm ID3.2mm - LIME (48cm) (GUN 75)	
FA400564	CIRCULAR BAND w/LW Ø 16mm ID3.2mm - LIME (57cm) (GUN 90)	
FA400565	CIRCULAR BAND w/LW Ø 16mm ID3.2mm - LIME (63cm) (GUN 100)	
FA400566	CIRCULAR BAND w/LW Ø 16mm ID3.2mm - LIME (69cm) (GUN 110)	
FB1532169	BAND RUBBER TUBING 50FT - GREEN - Ø16mm - ØID 3.2	



Anticorodal black frame with integrated spear guide, grip made of engineering plastic reinforced with glass fibre, high or low soft sternal support. Ultra-light triggering case with trigger, release mechanism and line ring on the side in AISI 316, machined from solid with a CNC process. The shock absorber makes silent the release of the shaft. Reversible side-safety mechanism. Reinforced reel with steel pin buckle.

100 cm

90 cm

75 cm

60 cm

CODE	SIZE	CASE PACK
FE364000	60 cm	6
FE364100	75 cm	6
FE364200	90 cm	6
FE364300	100 cm	6
FE364400	110 cm	6

Head for double elastic with magnetic spear lock: as soon as the spear is put in place, it is held by two magnets mounted in a watertight chamber. This characteristic guarantees maximum speed of reset without the disadvantages of conventional mechanical restraint systems. The speargun is supplied with a 16 mm natural latex elastic, with Dyneema wishbone.

IUN LENGTH
60 cm
75 cm
90 cm
100 cm
110 cm
60 cm
75 cm
90 cm
100 cm
110 cm
110 cm



Anticorodal black frame with integrated spear guide, grip made of engineering plastic reinforced with glass fiber, integrated soft sternal support. Ultra-light triggering case with a release mechanism in AISI 316. Dovetail reel coupling. Head for double elastic with magnetic spear lock: as soon

as the spear is put in place, it is held by two magnets mounted in a watertight chamber. This characteristic guarantees maximum speed of reset without the disadvantages of conventional mechanical restraint systems. The speargun is supplied with a double 14 mm natural latex band, with a Dyneema wishbone.

CODE	SIZE	CASE PACK
FE349000	60 cm	6
FE349100	75 cm	6
FE349200	90 cm	6
FE349300	100 cm	6

ULTRALIGHT ERGONOMIC HANDLE, ANGLED FOR INCREASING PRECISION

RUGGED BARREL WITH SHAFT GUIDE



26 MM

TECHNICAL FEATURES

Guide line release with automatic return
 Integrated sternal support
 Shaft ø 6 mm with tig welded fins and reversed Ropper
 Quick loading magnetic open gruzte

open muzzle • Circular band ø 14 mm with a 2 mm lined wishbone Rigged barrel ø 26 mm with shaft guide



SPARE PARTS

CODE	PRODUCT	GUN LE
FA407090	INOX FINNED SHAFT Ø 6mm BT. FLOPPER (90 cm)	60 c
FA407105	INOX FINNED SHAFT Ø 6mm BT. FLOPPER (105 cm)	75 c
FA407120	INOX FINNED SHAFT Ø 6mm BT. FLOPPER (120 cm)	90 c
FA407130	INOX FINNED SHAFT Ø 6mm BT. FLOPPER (130 cm)	100 0
FA400483	CIRCULAR BAND w/LW Ø 14mm ID3.2mm - RED (48cm) (GUN 75)	120 a
FA400484	CIRCULAR BAND w/LW Ø 14mm ID3.2mm - RED (57cm) (GUN 90)	120 0
FA400485	CIRCULAR BAND w/LW Ø 14mm ID3.2mm - RED (63cm) (GUN 100)	120 a
FA400486	CIRCULAR BAND w/LW Ø 14mm ID3.2mm - RED (69cm) (GUN 110)	120 d
FA400487	CIRCULAR BAND w/LW Ø 14mm ID3.2mm - RED (77cm) (GUN 120)	120 a
FB1532148	BAND RUBBER TUBING 50FT - RED - Ø 14mm - ØID 3.2	





ENGTH

m
m
m
cm
m
m
m
m
m



THE HISTORY OF OUR SPEARGUNS

90 cm

75 cm

60 cm

The Comanche Rail is the latest version of Cressi's world champion spear gun. The highstrength, anti-corrosion aluminum barrel now features an integrated guide rail for increased accuracy. The high-tech and lightweight modern thermoplastic hand grip and muzzle guarantee the utmost maneuverability in the water, adding to the Comanche Rail's accuracy. The compact and hydrodynamic muzzle makes it possible to add a second lower band to increase power for larger prey. The muzzle

and handgrip are configured so the shooter can easily acquire a sight picture of the gun while simultaneously tracking their target. The Comanche Rail comes with a heat-treated 6.0 mm spring stainless steel 17-4 PH notched shaft, 16 mm parallel power bands, metal articulated wishbone, and a shaft rigged to the gun with a 1.4 mm braided multifilament line rated to 80 kg | 176 lb. The Comanche Rail also features a dovetail notch in front of the trigger guard, allowing a reel to be mounted.

CODE	SIZE	CASE PACK
FE359000	60 cm	6
FE359100	75 cm	6
FE359200	90 cm	6
FE359300	100 cm	6
FE359400	110 cm	6

ACCESSORIES

CODE	PRODUCT	
FA359050	REEL R50	
FA359030	REEL R30	

SPARE PARTS

CODE	PRODUCT	GUN LENGTH
FA410002	INOX NOTCHED SHAFT Ø 6mm (90cm)	60 cm
FA410003	INOX NOTCHED SHAFT Ø 6mm (105cm)	75 cm
FA410004	INOX NOTCHED SHAFT Ø 6mm (115cm)	90 cm
FA410005	INOX NOTCHED SHAFT Ø 6mm (125cm)	100 cm
FA410006	INOX NOTCHED SHAFT Ø 6mm (130cm)	110 cm
FA400002	PARALLEL BAND Ø 16mm (16cm)	60 cm
FA400003	PARALLEL BAND Ø 16mm (18.5cm)	75 cm
FA400005	PARALLEL BAND Ø 16mm (22cm)	90 cm
FA400006	PARALLEL BAND Ø 16mm (25.5cm)	100 cm
FA400007	PARALLEL BAND Ø 16mm (27.5cm)	110 cm





TECHNICAL FEATURES

 Anti-corrosion aluminum barrel with a shaft guide
 Lightweight angled handle to increase shot's precision
 Hydrodynamic closed muzzle
 Dovetail notch for reel assembling

NOTCHED SHAFT Ø 6.0 MM

ULTRA COMPACT CLOSED MUZZLE QUICKLOAD MINI SPEARHEAD



Ø 16 MM PARALLEL BANDS WITH METAL WISHBONE

RUGGED AND REINFORCED BARREL WITH SHAFT GUIDE



SPECIAL HANDLE ANGLE TO INCREASE THE SHOT'S PRECISION





35 cm 35 cm 45 cm 50 cm 75 cm 90 cm

Apache is Cressi's entry level speargun and can also be handily used as a second gun. This gun is an excellent choice when fishing in holes, around rocks, shallows and where the target is in close proximity. The Apache incorporates a closed muzzle, which helps with ease of loading and improved accuracy. The sealed barrel is anodized for enhanced corrosion resistance, while the ergonomic molded handle permits easier maneuverability and quick muzzle pointing. The power band is fitted with a standard stainless wishbone and the gun includes the widely preferred Tahitian style flopper shaft.

ACK

SPARE PARTS

CODE	PRODUCT	GUN L
FA350535	STEEL NOTCHED THREADED SHAFT Ø 7.0 mm (65 cm)	35 (
FA350545	STEEL NOTCHED THREADED SHAFT Ø 7.0 mm (75 cm)	45
FA350560	STEEL NOTCHED THREADED SHAFT Ø 7.0 mm (90cm)	60
FA350575	STEEL NOTCHED THREADED SHAFT Ø 7.0 mm (105 cm)	75 (
FA350590	STEEL NOTCHED THREADED SHAFT Ø 7.0 mm (115 cm)	90
FA340019	CIRCULAR BAND Ø 13 mm (24 cm) GUN 35	35 (
FA340020	CIRCULAR BAND Ø 13 mm (31 cm) GUN 45	45 (
FA340021	CIRCULAR BAND Ø 13 mm (34 cm) GUN 60	60
FA340022	CIRCULAR BAND Ø 13 mm (39 cm) GUN 75	75
FA340023	CIRCULAR BAND Ø 13 mm (44 cm) GUN 90	90
FA390002	INOX SPEAR HEAD MONO-FLOPPER Ø 6.5mm THREAD	
FA350020	JOINTED WISHBONE TYPE A	








CRESSI


TECHNICAL FEATURES

- Ergonomic molded handle for easier maneuverability
- Durable anodized heavy duty sealed aluminum barrel
- Closed muzzle for improved
- accuracy and ease of loading

 Advanced Tahitian-style flopper
- shaft for superior penetration
 Replaceable band and wishbone
- assembly is user friendly

SPECIAL HANDLE ANGLE TO INCREASE THE SHOT'S PRECISION





SLING GUN SHAFTS



NEW 2022 CODE SIZE CASE PACK FA406120 120 cm FA406130 130 cm FA406140 140 cm FA406150 150 cm FA406160 160 cm

SIZE CASE PACK

SIZE CASE PACK

NEW 2022

NEW 2022

CODE

FA404902 90 cm

FA404903 105 cm FA404904 120 cm FA404905 130 cm

FA404906 140 cm FA404907 150 cm

FA407090 90 cm FA407105 105 cm

FA407120 120 cm

FA407130 130 cm

CODE

17-4 PH SHAFT FINNED Ø 6.5 mm

BOTTOM FLOPPER



17-4 PH SHAFT FINNED Ø 6 mm



INOX FINNED Ø 7 mm

TOP FLOPPER



CODE	SIZE	CASE PACK
FA405103	115 cm	6
FA405104	130 cm	6
FA405105	140 cm	6
FA405106	150 cm	6
FA405107	160 cm	6

STAINLESS STEEL NOTCHED Ø 6.5 mm

TOP FLOPPER



CODE	SIZE	CASE PACK
FA410501	75 cm	6
FA410502	90 cm	6
FA410503	105 cm	6
FA410504	115 cm	6
FA410505	125 cm	6
FA410506	130 cm	6
FA410507	140 cm	6
FA410508	150 cm	6

MADE IN ITALY

SLING GUN SHAFTS

17-4 PH SHAFT NOTCHED Ø 6.5 mm



FA FA

INOX FINNED THREADED Ø 7 mm



CODE	SIZE	CASE PACK
FA405203	115 cm	6
FA405204	130 cm	6
FA405205	140 cm	6
FA405206	150 cm	6
FA405207	160 cm	6

STEEL NOTCHED THREADED SHAFT Ø 7 mm

Ø 6 MM THREAD			
	0	-	
CODE	SIZE	CASE PACK	
FA350535	65 cm	6	
FA350545	75 cm	6	
54350560	00	6	

FASSUSSS	65 CI II	D
FA350545	75 cm	6
FA350560	90 cm	6
FA350575	105 cm	6
FA350590	115 cm	6

		CC	NVERSIC	ON CHAI	RT						
Inches	>	Millimete	rs	:	Mul	ltiply B	y 25.4				
Inches	>	Centimet	ers	:	Mul	ltiply B	y 2.54				
Feet	>	Meters		:	Mul	ltiply B	y 0.304	48			
Pounds	>	Grams		:	Mul	ltiply B	y 454				
in 15/64	" 9/32"	5/16"	15/32"	1/2"	9/	/16"	5/8"	3/4"			
mm 6	7	8	12	13	14	•	16	19			
4 17.71 2	1.65 23.	62 27.55	29.52	33.46	35.43	37.40	39.37	41.33	43.30	45.27	47.24
										-	

		CC	ONVERSIO	ON CHAI	RT						
Inches	>	Millimete	rs	:	Mul	tiply B	y 25.4				
Inches	>	Centimet	ers	:	Mul	tiply B	y 2.54				
Feet	>	Meters		:	Mul	tiply B	y 0.304	48			
Pound	5 >	Grams		:	Mul	tiply B	y 454				
in 15	/64" 9/32	2" 5/16"	15/32"	' 1/2"	9/	16"	5/8"	3/4"			
mm 6	7	8	12	13	14		16	19			
in 13.77 15.74 17.71	21.65 2	3.62 27.55	29.52	33.46	35.43	37.40	39.37	41.33	43.30	45.27	47.24
cm 35 40 45	55 6	0 70	75	85	90	95	100	105	110	115	120



CODE	SIZE	CASE PACK
FA410002	90 cm	6
FA410003	105 cm	6
FA410004	115 cm	6
FA410005	125 cm	6
FA410006	130 cm	6
FA410007	140 cm	6
FA410008	150 cm	6



CRESSI





The Slip Tip has a Flopper and a Retainer. Designed with a Tahitian Style Point. It is made of stainless steel 17-4 PH H900 heat treatment.

PRODUCT

THREAD: Ø 0.23 IN / 6 MM TOTAL LENGTH: 113.0 IN / 329 MM

USX021100 SLIP TIP 6 mm + FLOPPER - THREAD - 17-4 PH + CABLE 2 mm

TRICUT TIP W/ FLOPPER



PACK

TECHNICAL FEATURES

- Three cutting edges hand
- sharpened tip with a robust flopper, ideal for big prey. Made of stainless steel 17-4
- PH H900 heat treatment. Sandblasting finishing. Thread: Ø 8 mm | 0.31 in
- Total length: 88 mm | 3.46 in

CODE PRODUCT USX021105

TRICUT TIP w/ FLOPPER 9 mm (5/16") - 17-4PH 6 mm THREAD

INOX SPEAR HEAD MONO-FLOPPER

SITE



CODE PRODUCT FA390002 INOX SPEAR HEAD MONO-FLOPPER ø 6.5mm THREAD



RUBBER BAND TUBING 50 FT





DESCRIPTION: Reinforced internal tube, bigger density (shore 45°) to maximize the resistance to pressure of the ball over the internal walls of the rubber

DESCRIPTION: Reinforced internal tube, bigger density (shore $45^{\underline{o}}$) to maximize the resistance to pressure of the ball over the internal walls of the rubber.

CODE	COLOR	SIZE	STYLE	CASE PACK
FB1516142	Blue	50 ft 15 m	Ø 14mm - ØID 1.6	1
FB1516145	Black	50 ft 15 m	Ø 14mm - ØID 1.6	1
FB1516148	Red	50 ft 15 m	Ø 14mm - ØID 1.6	1
FB1516162	Blue	50 ft 15 m	Ø 16mm - ØID 1.6	1
FB1516165	Black	50 ft 15 m	Ø 16mm - ØID 1.6	1
FB1516168	Red	50 ft 15 m	Ø 16mm - ØID 1.6	1
FB1532142	Blue	50 ft 15 m	Ø 14mm - ØID 3.2	1
FB1532145	Black	50 ft 15 m	Ø 14mm - ØID 3.2	1
FB1532148	Red	50 ft 15 m	Ø 14mm - ØID 3.2	1
FB1532162	Blue	50 ft 15 m	Ø 16mm - ØID 3.2	1
FB1532165	Black	50 ft 15 m	Ø 16mm - ØID 3.2	1
FB1532168	Red	50 ft 15 m	Ø 16mm - ØID 3.2	1
FB1532169	Green	50 ft 15 m	Ø 16mm - ØID 1.6	1
FB1532182	Blue	50 ft 15 m	Ø 18mm - ØID 3.2	1
FB1532185	Black	50 ft 15 m	Ø 18mm - ØID 3.2	1
FB1532188	Red	50 ft 15 m	Ø 18mm - ØID 3.2	1

CIRCULAR BAND w / LW Ø 16 mm | Ø 16 MM



CODE	COLOR	SIZE	STYLE
FA400524	Blue	57 cm	Ø 16 mm - ØID 3.2
FA400525	Blue	63 cm	Ø 16 mm - ØID 3.2
FA400526	Blue	69.5 cm	Ø 16 mm - ØID 3.2
FA400527	Blue	77 cm	Ø 16 mm - ØID 3.2
FA400528	Blue	81 cm	Ø 16 mm - ØID 3.2
FA400562	Lime	39 cm	Ø 16 mm - ØID 3.2
FA400563	Lime	48 cm	Ø 16 mm - ØID 3.2
FA400564	Lime	57 cm	Ø 16 mm - ØID 3.2
FA400565	Lime	63 cm	Ø 16 mm - ØID 3.2
FA400566	Lime	69 cm	Ø 16 mm - ØID 3.2

NORLD Championship

CIRCULAR RUBBER BAND |Ø 18 MM |Ø 16 MM





DESCRIPTION: Designed to use with Finned Shaft. Stainless steel spheres 7 mm maximum diameter; (bottleneck with lock out 2mm in diameter). This design ensures the lock without forcing the knot too much and limiting the internal pressure on the rubber.



Reinforced internal tube, bigger density (shore 45°) to

maximize the resistance to pressure of the ball over the

DESCRIPTION:

internal walls of the rubber.



CODE	SIZE	STYLE	CASE PACK
FA400113	48 cm	Ø 18 mm	1
FA400114	57 cm	Ø 18 mm	1
FA400115	63 cm	Ø 18 mm	1
FA400116	69.5 cm	Ø 18 mm	1
FA400153	47 cm	Ø 16 mm	1
FA400154	58 cm	Ø 16 mm	1
FA400155	63 cm	Ø 16 mm	1
FA400156	69 cm	Ø 16 mm	1
FA400157	75 cm	Ø 16 mm	11

CRESSI

ELASTIC BANDS

SPEARFISHING /

CIRCULAR BAND | Ø 16 MM | Ø 13 MM

BAND: Ø 5/8 in / 16 mm THREAD: Ø 15/32 in / 12 mm BAND: Ø 1/2 in / 13 mm THREAD: Ø 15/32 in / 12 mm



CODE SIZE STYLE CASE PACK FA400302 34 cm Ø 16 mm FA400303 45 cm Ø 16 mm FA400304 50 cm Ø 16 mm FA400305 55 cm Ø 16 mm FA340019 26 cm Ø 13 mm FA340020 31 cm Ø 13 mm FA340021 34 cm Ø 13 mm FA340022 39 cm Ø 13 mm FA340023 44 cm Ø 13 mm

DESCRIPTION:

The rubber. in black color. is made from 100% natural latex by gravity extrusion. to maintain constant the diameter and so the mechanical properties of the band. The diameter of the band is 13mm. The diameter of the thread is 12mm

CIRCULAR BAND w / LW Ø 14 mm

| Ø 14 MM



CODE	COLOR	SIZE	STYLE
FA400483	Red	48 cm	Ø 14 mm - ØID 3.2
FA400484	Red	57 cm	Ø 14 mm - ØID 3.2
FA400485	Red	63 cm	Ø 14 mm - ØID 3.2
FA400486	Red	69 cm	Ø 14 mm - ØID 3.2
FA400487	Red	77 cm	Ø 14 mm - ØID 3.2

PARALLEL COMPETITION ELASTIC

I Ø 16 MM



BAND: Ø 5/8 in / 16 mm THREAD: Ø 15/32 in / 12 mm

FA400001 Ø 16 mm 14 cm FA400002 16 cm Ø 16 mm FA400003 18.5 cm Ø 16 mm FA400004 20 cm Ø 16 mm FA400005 22 cm Ø 16 mm **FA400006** 22.5 cm Ø 16 mm 27.5 cm Ø 16 mm FA400007

SIZE

STYLE CASE PACK

DESCRIPTION

CODE

The rubber. in black color. is made from 100% natural latex by gravity extrusion. to maintain constant the diameter and so the mechanical properties of the band



These reel models are constructed from a single piece of metal which is worked by a high precision lathe. There are no welds to ensure excellent performance and long life. The frame and the central pin are in AISI 316 steel. The drilling on the frame itself allows it to be used also on arbalete spearguns of different brands. The special clutch

provides an excellent closing torque. The and cleaning. All sizes are equipped with a balance of the speargun.





DESCRIPTION: 65 ft - 20 m with line Ø 1.5 mm CHEROKEE (ANY MODEL) · MOICANO · COMANCHE RAIL · YUMA FAST · KIOWA · SIOUX · PACIFICO

CODE FA359020



REEL





- . Out Line
- Adjusting Knob Drag

Reels are an essential accessories for spearfishing big fish. Prevents fish and gun loss. It's constructed from non-corrosive, durable and impact resistant plastic. The dovetail sleigh hook system to the gun

is placed so that the use of the different line-releasing devices is guaranteed, including the mechanical one activated by the trigger.

DESCRIPTION: 130 ft - 40 m with line Ø 1.5 mm DOVETAIL MOUNTING SYSTEM CHEROKEE OCEAN - COMANCHE 2.0 - YUMA - MOHICANO



REELS

1

SPEARFISHING



TECHNICAL FEATURES

- Ideal for shooting big fish
- Prevents loss of the speargun
- Smooth multi-adjustable cluctch style drag system
- Ergonomic easily accessible star adjusting knob

assembly system allows easy maintenance rewinder ring and size R50 is also equipped with an anti-blocking roller. The models R30 and R50 are equipped with a lightened drum in order to weigh as little as possible on the



DESCRIPTION: 100 ft - 30 m with line Ø 1.5 mm



DESCRIPTION: 160 ft - 50 m with line Ø 1.5 mm



HIGH TENACITY LINE

TECHNICAL FEATURES

Durable-and-Effective Smooth Multi-Adjustable Clutch Style Drag System Clutch Style Drag System, Adjustable when Paying-

Ergonomic Easily Accessible Star Vertical Mount Design for Minimal

Material: Non-Corrosive, Durable and Impact Resistant Plastic Dimension: 10.9 x 15 x 9.4 centimeters



DESCRIPTION: Diameter: 2.5 mm Length: 200 mt



SPEARFISHING / ACCESSORIES

WISHBONE STANDARD

CODE FA350022






DESCRIPTION: Diameter: 1.80 mm Length: 5 m | 16.4 ft 2 sleeves included

CODE FA354524

SHOCK CORD W/ Dyneema



CODE FA354603





DESCRIPTION: Diameter: 1.60 mm Length: 5 m | 16.4 ft 2 sleeves included

CODE FA354522

SHOCK CORD W/ **SNAP**





CODE FA354604



COMPETITION NYLON

CODE FA390008

JOINTED WISHBONE TYPE - A 3 PRONGS SPEAR HEAD

COMPETITION NYLON THREAD 160



THREAD 140

DESCRIPTION: Diameter: 1.40 mm Length: 5 m | 16.4 ft 2 sleeves included

CODE FA354525

SHOCK CORD W/ PIGTAIL SWIVEL



CODE FA354605

DRY GUN BAG



A beautiful bag for carrying the spearguns. It features an adjustable shoulder strap and a reinforced handle. It has YKK zip closing long 52.5 in | 133 cm. Inside there is a small pocket with velcro closure. On the top, you can roll and close firmly thanks to the adjustable buckles. Thanks to the special coating the bag is waterproof and will protect the equipment inside. It is long approximately 70 in (179 cm), enough for carrying long spearguns or other equipment. It is an ideal bag for the spearfishing man that want to protect and easily transport his gear.

CODE CASE PACK UA926200

NIKITA



Your speargun is a tool you use to bring home food. Like any tool, it needs to be cared for so it will perform to its best ability when needed. The Nikita Gun Bag for Pneumatic Spear Guns will give your speargun the protection it needs when in storage, being

transported, and keeps it out of the elements until needed to and from the dive site. Made from durable sewn fabric, drawstring closure equipped with barrel lock secures the gun in the bag when traveling or in storage.

CODE	SIZE	CASE PACK
JA926500	75 cm 29.5 in	5
JA926600	120 cm 47.2 in	5



DDE	SIZE	CASE PACK
4926500	75 cm 29.5 in	5
4926600	120 cm 47.2 in	5

TECHNICAL FEATURES

- 840 Denier Nylon with
- waterproof coating YKK zip closing long 133 cm | 52.5 in
- **Dimensions:** 179 70 x 12 x 7.9 in **is:** 179 x 30.5 x 20 cm | Reinforced side handle and
- shoulder strap





TECHNICAL FEATURES

- Bag for carry and protect the Pneumatic guns Allows easy and safe

- transportation of gear Drawstring closure equipped
- with barrel lock
- Durable sewn fabric construction. **Two sizes available:** 75 cm | 29.5 in and 120 cm | 47.25 in





is an extremely fast and precise shooting

action. such as had never been realised on a

pneumatic speargun. The grip handle set at

It is soft and white coloured to facilitate

locating the gun on

the seafloor.

a special angle facilitates aiming and control.

This speargun features a special offset -hermetically sealed muzzle- enabling the shaft to be loaded without flooding the interior of the barrel. In this manner, the piston does not have to expel the water from the interior and can apply the entire power of the gun onto the shaft. The result

CODE	SIZE	CASE PACK
FS407000	70 cm	6
FS408800	88 cm	6
FS409910	110 cm	6

ACCESSORIES

CODE	PRODUCT
FA390001	MINI SPEAR HEAD
FA390004	MACH SPEAR HEAD 2-FLOPPER
FA390032	PRESSURE GAUGE for SAETTA
FZ370073	HAND PUMP for SAETTA SAETTA P.R. SAETTA PRO
FA354523	SHAFT REFLOATER for PNEUMATIC GUNS

SPARE PARTS

CODE	PRODUCT	GUN LENGTH
FA372000	SHAFT 174PH Ø 7.5mm (77cm)	35 cm
FA373000	SHAFT 174PH Ø 7.5mm (95cm)	45 cm
FA376000	SHAFT 174PH Ø 7.5mm (117cm)	60 cm





110

TECHNICAL FEATURES • Pneu-vacuum system: air-filled barrel • Internal Ø 13 mm barrel • Hermetically sealed muzzle • Power reducer • Safety lock • Ergonomic handle • Handle eyelet for cord connection • Tahitian-style shaft Ø 7.5 mm made of 17-4 PH stainless steel	
Ø 7.5 MM SHAFT WITH TOP FLOPPER	
Ø 13 MM INTERNAL OFFSET BARREL	
SLIDING PISTON AND TRIGGER HOOK	
WITH POWER REDUCER	
Ita pro 78	
SEAL MUZZLE OFFSET BARREL	

THE LEGENDARY CRESSI HANDLE. THE ANGLE BETWEEN BARREL AND HANDLE DETERMINES THE WINNING ERGONOMICS OF CRESSI PNEUMATIC GUNS



SAETTA I OUALITY & POWER

The Saetta black is the ultimate in pneumatic spearfishing. An upgraded model of the world-renowned Cressi Sl series. The Saetta offers unmatched power, comfort and accuracy. A few design tweaks have been able to maximize shot power with high precision and speed. Among the upgrades of the extremely reliably SL series is a new muzzle with incorporated holes to aid in water drainage and a new, soft, angled white handle that also aids in locating the speargun underwater. The Saetta still boasts some of the same successful features of its

on the bottom of the grip butt for shaft The Cressi Saetta is the new standard in case of close targets.

CRESSI -





CODE	SIZE	STYLE	CASE PACK
FR384000	40 cm	No Power Reducer	6
FR385500	55 cm	No Power Reducer	6
FR387000	70 cm	No Power Reducer	6





CODE	SIZE	STYLE	CASE PACK
FS385500	55 cm	With Power Reducer	6
FS387000	70 cm	With Power Reducer	6
FS388800	88 cm	With Power Reducer	6
FS389910	110 cm	With Power Reducer	6

ACCESSORIES

CODE	PRODUCT
FA390001	MINI SPEAR HEAD
FA390004	MACH SPEAR HEAD 2-FLOPPER
FA390032	PRESSURE GAUGE for SAETTA
FZ370073	HAND PUMP for SAETTA/SAETTA P.R./SAETTA PRO
FA354523	SHAFT REFLOATER for PNEUMATIC GUNS

SPARE PARTS

CODE	PRODUCT	GUN LENGTH
FA360036	STAINLESS STEEL THREADED SHAFT Ø 8.0mm (36.5cm)	40 cm
FA361036	STAINLESS STEEL THREADED SHAFT Ø 8.0mm (55cm)	55 cm
FA362036	STAINLESS STEEL THREADED SHAFT Ø 8.0mm (68.5cm)	70 cm
FA363036	STAINLESS STEEL THREADED SHAFT Ø 8.0mm (87.5cm)	90 cm
FA365036	STAINLESS STEEL THREADED SHAFT Ø 8.0mm (99.5cm)	95 cm
FA366036	STAINLESS STEEL THREADED SHAFT Ø 8.0mm (109.5cm)	110 cm







TECHNICAL FEATURES

- Internal Ø 13 mm barrel
- Power reducer version available Safety lock
- Ergonomic handle
- Handle eyelet for cord connection Threaded shaft Ø 8.0 mm



predecessors. For one, an anatomical high grip butt that enables the gun to be held in line with the arm. A strong line hook situated loading . Also a safety catch that frees the line: releasing the device, when the trigger is pulled, and lastly, an Ø 8 mm threaded shaft. pneumatic spearguns. The Saetta is available also with the version with the Power Reducer, a lever that reduces the power of the half, in







Ø 8.0 MM THREADED SHAFT

Ø 13 MM INTERNAL OFFSET BARREL







THE LEGENDARY CRESSI HANDLE. THE ANGLE BETWEEN BARREL AND HANDLE DETERMINES THE WINNING ERGONOMICS OF CRESSI PNEUMATIC GUNS







The SL Star range of pneumatic spear guns has been in production for many years now. and they have won worldwide fame for their excellence in terms of robustness. reliability. precision and powerful shooting. The various models correspond to the equivalent models in the SL series. without power reducer.


Constantly updated over the years. the SL Star spear guns are ultra light. easy to use. and fire quickly. They come with anatomical

40 cm	6
55 cm	6
70 cm	6
	55 cm

CODE	PRODUCT
FA390001	MINI SPEAR HEAD
FA390004	MACH SPEAR HEAD 2-FLOPPER
FA390020	PRESSURE GAUGE for SL/SL STAR
FA320060	HAND PUMP for SL SL STAR
FA354523	SHAFT REFLOATER for PNEUMATIC GUNS

SPARE PARTS

CODE	PRODUCT	GUN LENGTH
FA360036	STAINLESS STEEL THREADED SHAFT Ø 8.0mm (36.5cm)	35 cm
FA361036	STAINLESS STEEL THREADED SHAFT Ø 8.0mm (55cm)	45 cm
FA362036	STAINLESS STEEL THREADED SHAFT Ø 8.0mm (68.5cm)	60 cm






PNEUMATIC GUN SHAFTS

17-4 PH SHAFT Ø 7.5 mm

PR80 SHAFT Ø 8.0 mm

NEW 2022





These shafts offer exceptional durability due to the special steel construction

DESCRIPTION: For Cressi pneumatic spearguns, threaded to fit any Cressi threaded spear tip.

E	GUN LENGTH
72000	35 cm
73000	45 cm
76000	60 cm

GUN FNGTH ODF FA360036 40 cm FA361036 55 cm FA362036 70 cm FA363036 90 cm FA366036 110 cm

SPEARHEADS

| FOR PNEUMATIC SPEARGUNS

MINI SPEAR HEAD

* Stainless steel construction

* Dual flopper design

* Ø 6 mm internal thread

DESCRIPTION

The Mini Spear Head is a dual flopper. Conical point. Threaded spear tip. Made with corrosion The Mach Spear Head is a dual flopper. Conical point. Threaded spear tip. The Stainless resistant Stainless Steel. The dual flopper setup tucks neatly against the relieved tip for the Steel dual flopper setup fold against the tip for the ultimate in penetration. Yet provides ultimate in penetration. Yet provides dual floppers for the ultimate in fish holding power. Threaded to fit Pneumatic shafts and threaded Euro shafts. dual floppers for the ultimate in fish holding power. Threaded to fit Pneumatic shafts and threaded Euro shafts.

CODE	PRODUCT
FA390001	MINI SPEAR HEAD
FA390008	3 PRONGS SPEAR HEAD







INOX SHAFT Ø 8.0 mm

Ø 6 MM THREAD

DESCRIPTION

Tempered steel shaft for Cressi pneumatic spearguns. Threaded to fit any Cressi threaded spear tip.

CODE	GUN LENGTH
FA360030	40 cm
FA360031	55 cm
FA360032	70 cm
FA360033	100 cm
FA360035	110 cm

MACH SPEAR HEAD

- * Stainless steel construction
- * Dual flopper design
- * Ø 6 mm internal thread



DESCRIPTION

CODE	PRODUCT
FA390004	MACH SPEAR HEAD 2-FLOPPER



SHAFT LOADER





SPEARGUN OIL 100 ml

CODE FA390022



PRESSURE GAUGE MADE IN ITALY




CODE FA390020



CODE FA320060









 							G	UN DETAILS								SHAFT DETAILS	i								POWER BA	ND DETAILS		
 RUBBE	R SPEARGUN	OVERALL LENGTH cm - in		TH BA	ARREL) mm	SHOT RANGE m - ft	READ TO US	Y SHOCK ABSORBE INCLUDED	R MUZ	ZLE TYPE	LINE LOOP	SHAFT CODE	MATERIAL	Ø mn	LENGT cm	H FLOPPER TYPE	TAB N°	TAB TYPE	REST POINT TYP	COMPATIBLE SHAFTS Ø RANGE mm	COMPATIBLE SHAFTS LENGTHS RANGE cm	BAND CODE	N°	ТҮРЕ	MATERIAL	Ø mn	LENGTH n mm	WISHBONE
	CHEROKEE POWER 90				28		NO	YES	2X CIRCULA	R BAND MUZZLE	2	FA406120	17-4 PH STAINLESS STEEL	7	120	BOTTOM FLOPPER	2 LA	ARGE SHARKFIN	YES PIN POINT	FROM 6 TO 7	120/130	FA400524	2X CI	IRCULAR	DIPPED NATURAL L	ATEX 16	57	DYNEEMA® SK78
of the local division of the local divisione	CHEROKEE POWER 100	138 54.3	104	40.9	28	6.9 22.7	NO	YES	2X CIRCULA	R BAND MUZZLE	2	FA406130	17-4 PH STAINLESS STEEL	7	130	BOTTOM FLOPPER	2 LA	ARGE SHARKFIN	YES PIN POINT	FROM 6 TO 7	130/145	FA400525	2X CI	IRCULAR DIPF	PED NATURAL RUBB	ER LATEX 16	63	DYNEEMA® SK78
10	CHEROKEE POWER 110	148 58.2	114	44.8	28	7.4 24.3	NO	YES	2X CIRCULA	R BAND MUZZLE	2	FA406140	17-4 PH STAINLESS STEEL	7	140	BOTTOM FLOPPER	2 LA	ARGE SHARKFIN	YES PIN POINT	FROM 6 TO 7	140/155	FA400526	2X CI	IRCULAR DIPF	PED NATURAL RUBB	ER LATEX 16	69.5	DYNEEMA® SK78
S.	CHEROKEE POWER 120	158 62.2	124	48.8	28	7.8 25.8	NO NO	YES	2X CIRCULA	R BAND MUZZLE	2	FA406150	17-4 PH STAINLESS STEEL	7	150	BOTTOM FLOPPER	2 LA	ARGE SHARKFIN	YES PIN POINT	FROM 6 TO 7	150/165	FA400527	2X CI	IRCULAR DIPF	PED NATURAL RUBB	ER LATEX 16	77	DYNEEMA® SK78
	CHEROKEE POWER 130	168 66.1	134	52.7	28	8.3 27.4	NO	YES	2X CIRCULA	R BAND MUZZLE	2	FA406160	17-4 PH STAINLESS STEEL	7	160	BOTTOM FLOPPER	2 LA	ARGE SHARKFIN	YES PIN POINT	FROM 6 TO 7	160/175	FA400528	2X CI	IRCULAR DIPF	PED NATURAL RUBB	ER LATEX 16	83	DYNEEMA® SK78
_	CHEROKEE FAST 75	113 44.4	79	31.1	28	5.5 18.1	NO	YES	2X CIRCULA	R BAND MUZZLE	1	FA404903	17-4 PH STAINLESS STEEL	6,5	105	BOTTOM FLOPPER	2 N	AINI SHARKFIN	NO PIN POINT	FROM 6 TO 7	105/120	FA400483	2X CI	IRCULAR DIPF	PED NATURAL RUBB	ER LATEX 14	48	DYNEEMA® SK78
 Constant of the	CHEROKEE FAST 90	128 50.3	94	37.0	28	6.2 20.3	NO	YES	2X CIRCULA	R BAND MUZZLE	1	FA404904	17-4 PH STAINLESS STEEL	6,5	120	BOTTOM FLOPPER	2 N	MINI SHARKFIN	YES PIN POINT	FROM 6 TO 7	120/135	FA400484	2X CI	IRCULAR DIPF	PED NATURAL RUBB	ER LATEX 14	57	DYNEEMA® SK78
~	CHEROKEE FAST 100	138 54.3	104	40.9	28	6.6 21.8	NO	YES	2X CIRCULA	R BAND MUZZLE	1	FA404905	17-4 PH STAINLESS STEEL	6,5	130	BOTTOM FLOPPER	2 N	AINI SHARKFIN	YES PIN POINT	FROM 6 TO 7	130/145	FA400485	2X CI	IRCULAR DIPF	PED NATURAL RUBB	ER LATEX 14	63	DYNEEMA® SK78
4	CHEROKEE FAST 110	148 58.2	114	44.8	28	7.1 23.3	NO	YES	2X CIRCULA	R BAND MUZZLE	1	FA404906	17-4 PH STAINLESS STEEL	6,5	140	BOTTOM FLOPPER	2 N	AINI SHARKFIN	YES PIN POINT	FROM 6 TO 7	140/155	FA400486	2X CI	IRCULAR DIPF	PED NATURAL RUBB	ER LATEX 14	69.5	DYNEEMA® SK78
	CHEROKEE FAST 120	158 62.2	124	48.8	28	7.5 24.9	NO	YES	2X CIRCULA	R BAND MUZZLE	1	FA404907	17-4 PH STAINLESS STEEL	6,5	150	BOTTOM FLOPPER	2 N	AINI SHARKFIN	YES PIN POINT	FROM 6 TO 7	150/165	FA400487	2X CI	IRCULAR DIPF	PED NATURAL RUBB	ER LATEX 14	77	DYNEEMA® SK78
 -	CHEROKEE EXO 60	98 38.5	64	25.1	28	4.5 14.9	NO	YES	2X CIRCULA	R BAND MUZZLE	1	FA404902	17-4 PH STAINLESS STEEL	6,5	90	BOTTOM FLOPPER	2 N	AINI SHARKFIN	NO PIN POINT	FROM 6 TO 7	90/105	FA400562	1X CI	IRCULAR DIPF	PED NATURAL RUBB	ER LATEX 16	39	DYNEEMA® SK78
The second second	CHEROKEE EXO 75	113 44.4	79	31.1	28	5.2 17.0	NO	YES	2X CIRCULA	R BAND MUZZLE	1	FA404903	17-4 PH STAINLESS STEEL	6,5	105	BOTTOM FLOPPER	2 N	AINI SHARKFIN	NO PIN POINT	FROM 6 TO 7	105/120	FA400563	1X CI	IRCULAR DIPP	PED NATURAL RUBBI	ER LATEX 16	48	DYNEEMA® SK78
 1 million	CHEROKEE EXO 90	128 50.3	94	37.0	28	5.8 19.1	NO	YES	2X CIRCULA	R BAND MUZZLE	1	FA404904	17-4 PH STAINLESS STEEL	6,5	120	BOTTOM FLOPPER	2 N	AINI SHARKFIN	YES PIN POINT	FROM 6 TO 7	120/135	FA400564	1X CI	IRCULAR DIPF	PED NATURAL RUBB	ER LATEX 16	57	DYNEEMA® SK78
S.	CHEROKEE EXO 100	138 54.3	104	40.9	28	6.2 20.6	NO	YES	2X CIRCULA	R BAND MUZZLE	1	FA404905	17-4 PH STAINLESS STEEL	6,5	130	BOTTOM FLOPPER	2 N	MINI SHARKFIN	YES PIN POINT	FROM 6 TO 7	130/145	FA400565	1X CI	IRCULAR DIPF	PED NATURAL RUBB	ER LATEX 16	63	DYNEEMA® SK78
 	CHEROKEE EXO 110	148 58.2	114	44.8	28	6.7 22.0	NO	YES	2X CIRCULA	R BAND MUZZLE	1	FA404906	17-4 PH STAINLESS STEEL	6,5	140	BOTTOM FLOPPER	2 N	MINI SHARKFIN	YES PIN POINT	FROM 6 TO 7	140/155	FA400566	1X CI	IRCULAR DIPF	PED NATURAL RUBB	ER LATEX 16	69.5	DYNEEMA® SK78
-	COMANCHE RAIL 60	102 40.1	60	23.6	28	4.3 14.1	YES	NO	1X PARALLEL + 1X C	IRCULAR BAND MUZZ	ZLE 1	FA410002	17-4 PH STAINLESS STEEL	6	90	TOP FLOPPER	2 51	MOOTH NOTCH	NO PIN POINT	FROM 6 TO 7	90-105	FA400002	1X PA	ARALLEL	SYNTHETIC	16	16	JOINTED-WISH- BONE
	COMANCHE RAIL 75	127 50.0	75	29.5	28	5.3 17.4	YES	NO	1X PARALLEL + 1X C	IRCULAR BAND MUZZ	ZLE 1	FA410004	17-4 PH STAINLESS STEEL	6	115	TOP FLOPPER	2 51	MOOTH NOTCH	NO PIN POINT	FROM 6 TO 7	105-120	FA400003	1X PA	ARALLEL	SYNTHETIC	16	18,5	JOINTED-WISH- BONE
	COMANCHE RAIL 90	142 55.9				5.9 19.4		NO	1X PARALLEL + 1X C			FA410006	17-4 PH STAINLESS STEEL		130				YES PIN POINT		120-135		1X PA		SYNTHETIC	16		JOINTED-WISH- BONE JOINTED-WISH-
-		152 59.8				6.3 20.7			1X PARALLEL + 1X C			FA410007	17-4 PH STAINLESS STEEL	6	140				YES PIN POINT		130-145		1X PA		SYNTHETIC		25.5	JOINTED-WISH-
	COMANCHE RAIL 110	162 63,7			28	6.7 22.0			1X PARALLEL + 1X C		ZLE I	FA410008	17-4 PH STAINLESS STEEL	6	150				YES PIN POINT		140-155		1X PA		SYNTHETIC	16		BONE
 and the second s	YUMA FAST 60	102 40.1		25.1	26	4.3 14.1		YES		R BAND MUZZLE	1	FA407090	17-4 PH STAINLESS STEEL	6	90	BOTTOM FLOPPER		AINI SHARKFIN	NO PIN POINT		90-95				PED NATURAL RUBB			DYNEEMA® SK78
100	YUMA FAST 75	117 46.0		31.1	26	4.9 16.1		YES		R BAND MUZZLE	1	FA407105	17-4 PH STAINLESS STEEL	6					NO PIN POINT		105-110				PED NATURAL RUBB			DYNEEMA® SK78
	YUMA FAST 90	132 51.9			26	5.5 18.1		YES		R BAND MUZZLE	1	FA407120	17-4 PH STAINLESS STEEL	6	120	BOTTOM FLOPPER					120-125				PED NATURAL RUBB			DYNEEMA® SK78
	YUMA FAST 100 APACHE 35	142 55.9 67 26.3				5.9 19.4 3.0 10.1		YES NO		R BAND MUZZLE	1	FA407130 FA350535	17-4 PH STAINLESS STEEL PR80 GALVANIZED SPRING	7	130 65	BOTTOM FLOPPER THREAD SPEAR FLOPPER			VES PIN POINT		- 130-135		1X CI		SYNTHETIC	ER LATEX 14		DYNEEMA® SK78 STANDARD-WISH- BONE
-	APACHE 45	77 30.3	40	15.7	28	3.4 11.3	NO	NO	1X CIRCULAI	R BAND MUZZLE	1	FA350545	PR80 GALVANIZED SPRING	7	75	THREAD SPEAR FLOPPER	2 9	5HARP NOTCH	NO PIN POINT	FROM 6 TO 7	-	FA340020	1X CI	IRCULAR	SYNTHETIC	13	31	STANDARD-WISH- BONE
P	APACHE 60	87 34.2	55	21.6	28	3.8 12.6	NO	NO	1X CIRCULA	R BAND MUZZLE	1	FA350560	PR80 GALVANIZED SPRING	7	85	THREAD SPEAR FLOPPER	2 9	5HARP NOTCH	NO PIN POINT	FROM 6 TO 7	-	FA340021	1X CII	IRCULAR	SYNTHETIC	13	34	STANDARD-WISH- BONE
	APACHE 75	102 40.1	70	27.5	28	4.4 14.5	NO	NO	1X CIRCULA	R BAND MUZZLE	1	FA350575	PR80 GALVANIZED SPRING	7	100	THREAD SPEAR FLOPPER	2 9	5HARP NOTCH	NO PIN POINT	FROM 6 TO 7	-	FA340022	1X CI	IRCULAR	SYNTHETIC	13	39	STANDARD-WISH- BONE
	APACHE 90	117 46.0	85	33.4	28	4.9 16.3	NO	NO	1X CIRCULAI	R BAND MUZZLE	1	FA350590	PR80 GALVANIZED SPRING	7	115	THREAD SPEAR FLOPPER	2 9	5HARP NOTCH	NO PIN POINT	FROM 6 TO 7	-	FA340023	1X CI	RCULAR	SYNTHETIC	13	44	STANDARD-WISH- BONE

						GUN DET	TAILS			EASIER LO PRESS		STANDAR SU		HARDER I				SH/	AFT DETAILS		
	PNEUM	ATIC SPEARGUN	READY TO USE SET	HOCK ABSORBER INCLUDED		RANGE - ft	TOTAL LENGTH GUN + SPEAR cm	BARREL DIAMETER	LINE LOOP	BAR	PSI	BAR	PSI	BAR	PSI	MATERIAL	DIAMETER mm	LENGTH cm	FLOPPER TYPE	POINT TYPE	INCLUDED SHAFT SKU
		GAETTA PRO W/REDU- CER 70	YES	YES	4,3	14,3	100	13	2	14	203	16	232	22	319	17-4 PH STAINLESS STEEL	7,5	77,0	TOP FLOPPER	PIN POINT	FA372000
		GAETTA PRO W/REDU- CER 88	YES	YES	5,2	17,0	118	13	2	14	203	16	232	22	319	17-4 PH STAINLESS STEEL	7,5	95,0	TOP FLOPPER	PIN POINT	FA373000
	-	GAETTA PRO W/REDU- CER 110	YES	YES	6,2	20,3	140	13	2	14	203	16	232	22	319	17-4 PH STAINLESS STEEL	7.5	117,0	TOP FLOPPER	PIN POINT	FA376000
100		SAETTA 40	NO	NO	2,4	7,9	70	13	2	16	232	18	261	24	348	PR80 GALVANIZED SPRING	8,0	36,5 (+10)	THREAD SPEAR FLOPPER	PIN POINT	FA360036
0	1	SAETTA 55	NO	NO	3,0	9,8	85	13	2	16	232	18	261	24	348	PR80 GALVANIZED SPRING	8,0	55,0 (+10)	THREAD SPEAR FLOPPER	PIN POINT	FA361036
	:	SAETTA 70	NO	NO	3,4	11,4	100	13	2	16	232	18	261	24	348	PR80 GALVANIZED SPRING	8,0	68,5 (+10)	THREAD SPEAR FLOPPER	PIN POINT	FA362036
	:	5AETTA W/REDUCER 55	NO	NO	3,0	9,8	85	13	2	16	232	18	261	24	348	PR80 GALVANIZED SPRING	8,0	55,0 (+10)	THREAD SPEAR FLOPPER	PIN POINT	FA361036
	-	SAETTA W/REDUCER 70	NO	NO	3,4	11,4	100	13	2	16	232	18	261	24	348	PR80 GALVANIZED SPRING	8,0	68.5 (+10)	THREAD SPEAR FLOPPER	PIN POINT	FA362036
1		5AETTA W/REDUCER 88	NO	NO	4,1	13,5	118	13	2	16	232	18	261	24	348	PR80 GALVANIZED SPRING	8,0	87.5 (+10)	THREAD SPEAR FLOPPER	PIN POINT	FA363036
<u> </u>	-	SAETTA W/REDUCER 110	NO	NO	4,8	15,9	140	13	2	16	232	18	261	24	348	PR80 GALVANIZED SPRING	8,0	109,5 (+10)	THREAD SPEAR FLOPPER	PIN POINT	FA366036
	1	5L STAR 40	NO	NO	2,2	7,3	70	13	2	16	232	18	261	24	348	PR80 GALVANIZED SPRING	8,0	36.5 (+10)	THREAD SPEAR FLOPPER	PIN POINT	FA360036
	1	5L STAR 55	NO	NO	2,7	9,0	85	13	2	16	232	18	261	24	348	PR80 GALVANIZED SPRING	8,0	55,0 (+10)	THREAD SPEAR FLOPPER	PIN POINT	FA361036
	1	5L STAR 70	NO	NO	3,1	10,4	100	13	2	16	232	18	261	24	348	PR80 GALVANIZED SPRING	8,0	68,5 (+10)	THREAD SPEAR FLOPPER	PIN POINT	FA362036

SH	AF	ТD	ET	A	LS



\smile	
LENGTH 92.5 cm 36 in	30.5 cm 12 in

J Ĩ

The FG1 is the ultimate pole spear made in fiberglass to ensure lightness and speed while underwater. Ideal for traveling and perfect for small to medium size fish. The top ends with a male fitting of 6 mm and two spanner flats that allow tightening using a wrench. It features an elastic rubber band made of OD latex tube with a cord inside installed to the hole. A Paralyzer Tip, composed of 3 tiny barb prongs is included.




TECHNICAL FEATURES

· Pole spear made in fiberglass for ensure lightness and speed while underwater.


- The bottom end is rounded with a hole for the rubber sling.
- The top ends with a male fitting of 6 mm and two spanner flats that allows tightening using a wrench.
- The rubber sling is made using a Ø 10 mm OD latex tube with cord inside, installed to the hole.
- Paralyzer tip composed of 3 tiny barb prongs, 25 cm | 10 in long, is included.







The FG3 is the ultimate pole spear made in fiberglass to ensure lightness and speed while underwater. Ideal for traveling and perfect for small to medium size fish. The top ends with a male fitting and two spanner flats that allow tightening using a wrench. It's composed of 3 pieces that can be assembled as desired. The threaded tip can accommodate different paralyzed tips.







The Aluminum pole spear is the perfect solution for traveling hunters. Threaded lightweight sections break down to fit in a typical dive bag and can be quickly assembled once at the dive site. Included is a 3-prongs "Lionfish Cluster" tip and high-quality power band. Other tips are available as accessories, not included. The 3 pieces modular design gives the possibility to choose different assembling for the spearfisherman needs.

CODE	SIZE	STYLE	CASE PACK
USX040000	6.5 ft	3 pcs	5



SPEARS POLE 1 SPEARFISHING

TECHNICAL FEATURES

- Thick-walled aluminum
- construction for durability Threaded joints join quickly
- and securely 3-prong lionfish paralyzer tip included



		CRESSI
	CONCERNING	O NAME SAME
8		alarah .
		a summer



LENGTH 19 7/8 in (50.5 CM)

OVERALL FULL LENGTH 6.5 ft (200 cm)

POLE SPEARS ACCESSORIES

3 BARBLESS PRONGS PARALYZER TIP

5 BARB PRONGS PARALYZER TIP



DESCRIPTION: 3 BARBLESS PRONGS Total length: 14 in - 35.5 cm TIp Ø: 5/8 in - 16 mm Thread Ø: 15/64 in - 6 mm





DESCRIPTION:

CODE

Rubber length: 29 1/8 in - 74 cm Cord length: 8 5/8 in - 22 cm Total length: 37 6/8 in - 96 cm

SIZE

FZ390007 75 cm Ø 9 mm FZ390008 115 cm Ø 9 mm

STYLE

Rubber Ø: 3/8 in - 0.9 mm

DESCRIPTION: 5 BARBLESS PRONGS Total length: 6 in - 15.2 cm TIp Ø: 5/8 in - 16 mm Thread Ø: 15/64 in - 6 mm




TIP ADAPTOR 11 MM



DESCRIPTION: Inside Ø: 11 mm Outer Ø: 6 mm





POLE SPEAR POWER BAND



WHITE COLOR ADJUSTABLE TEMPERATURE ELASTIC STRAP EXCELLENT SWITCH WITH LED LIGHT PREMIUM NARROWED ERGONOMICS 3 POSITIONS TECHNOLOGY MATERIALS LIGHT BEAM NEW 2022 LUMIA

I ULTRA LED DIVE LAMP

Torch with a highly asymmetric design boasts excellent ergonomics and a highly tactile perception of its geometric characteristics. Thanks to this particular design, the switch position is immediately found without needing to use your eyesight. The porthole and body are coated with thermoplastic rubber to extend shelf life and reduce noises from impact when used for fishing. These ergonomic features are a big advantage over aluminium torches with a circular section which do not give feedback on the position of the grip and, in some cases, even require the use of two hands

to turn it on. The switch has three positions: Off, On Unstable with Automatic Return, On. The "On Unstable" position is particularly useful in fishing because it allows flashing by one simple press. The strap with slider spring allows adjustment according to the user's needs, but being elastic can be pulled out in case of emergency. Power is supplied by four AA batteries, either alkaline or rechargeable. The electronics ensure a constant level of brightness even when the batteries are rechargeable and/or not fully charged. Batteries included.







BLACK/BLACK

BLACK/GREY

CODE	COLOR	CASE PACK
SJ550150	Black/Black	10
SJ550170	Black/Grey	10





TECHNICAL FEATURES

- Luminous Flux: 300 Lumens Color Temperature: 6500 °K
- CRI>75
- Burn Time: 3.5 h
- Viewing Angle: 6° Illuminance: 30000 Lux
- Impact Resistance: 1,5 m
- Ingress Protection Code: PX-8 75m

NEW WHITE COLOR TEMPERATURE

The LED has a white color temperature similar to sunlight for maximum return of the colors in the underwater environment. The light beam of the LED is narrowed into a spot light beam of about 6° by means of a lens made of ultra-transparent material protected by the polycarbonate optical porthole.

ACTIVE ELECTRONICS

Power is supplied by four AA batteries, either alkaline or rechargeable. The power supply has an electronic management system that eliminates the gap between the different electrical potentials of different types of batteries and ensures an efficiency of 30% higherthan the commonly used systems. The active electronics of the flashlight guarantee constant light, even when the battery charge decreases. When the charge drops below the safety threshold value, the lighting level will reduce to warn the user that the batteries are depleted.

Length	168 mm - 6.61 in
Head diameter	47 mm - 1.85 in
Weight	130 g - 4.58 oz (without batteries)

LUMIA +

HIGH RANGE COLOR SPECTRUM



STANDARD LIGHT LIMITED RANGE COLOR SPECTRUM





GEISHING INNES



STAINLESS STEEL



This legendary product has been around for years and years and has now become a sought-after collector's item. It is considerably heavy and large, perfect for a work tool, which this knife is designed to be. The large blade is forged from special steel, with a smooth edge on one side and partly serrated on the other.

 CODE
 CASE PACK

 RC556000
 10

Blade length	17,8 cm - 7.0 in
Total length	30 cm - 11.8 in
Blade width	32 mm - 1.25 in
Blade thickness	5,5 mm - 0.22 in
Knife-only weight	450 g - 15.9 oz
Weight with sheath	600 g - 21.2 oz


SPARE PARTS

 CODE
 PRODUCT

 RZ550003
 SHEATH W/ STRAPS for ORCA

 RZ551007
 HOLDER for TOTEM/ORCA

 RZ550018
 STRAPS for KNIVES (PAIR)





PACKAGING

SPEARFISHING / KNIVES



MADE IN ITALY



Knife having large dimensions that make it particularly effective during use. Perfect as a work tool or for particularly intensive use. Made of AISI 420 tempered steel and black coating.


RC556500 10	
Blade length	17,8 cm - 7.0 in
Total length	30,0 cm - 11.8 in
Blade width	29,7 mm - 1.1 in
Blade thickness	5,2 mm - 0.2 in
Knife-only weight	271 g - 9.6 oz
Weight with sheath	429 g - 15.1 oz

SPARE PARTS

CODE CASE PACK

RZ550015

R2550015





Medium-sized stiletto knife designed for underwater fishing. Manageable, high blade penetration and durability with a secure grip. The blade extends through the interior of the handle and, at the end of the handle, has a small pommel. Tempered AISI 304 steel with Black Coating. The duration of these features is guaranteed not by the sharpness itself, but by the quality of the material that guarantees the durability of the blade. Rhomboidal cross section for greater resistance to flexing and breaking. Double-edged blade with one smooth-edged side and the other serrated. Comfortable handle with rubbery polymer coating.

CODE CASE PACK RC559300 10

Blade length	12,7 cm - 5 in
Total length	24,7 cm - 9.7 in
Blade width	17 mm - 0.67 in
Blade thicknesses	3-5 mm - 0.1-0.2 in
Knife-only weight	130 g - 4.6 oz
Weight with sheath	200 g - 7.1 oz

SPARE PARTS

CODE PRODUCT RZ550016 SHEATH for FINISHER KNIFE RZ550018 STRAPS for KNIVES (PAIR)







304 JAPANESE


The Borg is a modern, large knife with a futuristic design and a strong, tempered blade. One side of the stainless steel blade is straight-edged, the other one is serrated right along the blade; they are both very sharp and effective for line cutting. The handle has an ergonomic design to ensure a secure grip even while wearing gloves. It is separated from the blade by a small techno-polymer thumb tab. The knife comes with a sheath that features a locking mechanism to allow one-hand release.


CODE	STYLE	CASE PACK
RC559100	Pointed Tip	10

Blade length	14,0 cm - 5.5 in
Total length	26,5 cm - 10.4 in
Blade width	25 mm - 1 in
Blade thicknesses	5 mm - 0.19 in
Knife-only weight	230 g - 8.1 oz
Weight with sheath	330 g - 11.6 oz

SPARE PARTS

CODEPRODUCTRZ550013SHEATH for BORG KNIFE







PACKAGING



BORG



The Borg is a modern, large knife with a futuristic design and a strong, tempered blade. One side of the stainless steel blade is straight-edged, the other one is serrated right along the blade; they are both very sharp and effective for line cutting. The handle has an ergonomic design to ensure a secure grip even while wearing gloves. It is separated from the blade by a small techno-polymer thumb tab. The knife comes with a sheath that features a locking mechanism to allow one-hand release.

CODE	STYLE	CASE PACK
RC559150	Blunt Tip	10


Blade length	13,0 cm - 5.0 in
Total length	25,5 cm - 10.0 in
Blade width	25 mm - 1 in
Blade thicknesses	5 mm - 0.19 in
Knife-only weight	230 g - 8.1 oz
Weight with sheath	330 g - 11.6 oz

SPARE PARTS

 CODE
 PRODUCT

 RZ550013
 SHEATH for BORG KNIFE

 RZ550018
 STRAPS for KNIVES (PAIR)





PACKAGING

SPEARFISHING / KNIVES






Norge is a modern, compact knife with a futuristic design and a strong tempered blade. The anatomical, non-slip handle is made from soft grip material. It is separated from the blade by a small technopolymer thumb tab. The blade is made from special tempered stainless steel, with a smooth edge on one side and partly serrated on the other. This side of the blade has a line cutter at the handle end. The black technopolymer sheath comes with loops to attach it to leg or at the waist.

CODE	CASE PACK
RC553010	10

Blade length	11,7 cm - 4.6 in
Total length	22,8 cm - 9.0 in
Blade width	25 mm - 1 in
Blade thicknesses	4,5 mm - 0.18 in
Knife-only weight	140 g - 4.9 oz
Weight with sheath	250 g - 8.8 oz

SPARE PARTS

CODE	PRODUCT
RZ550005	SHEATH W/ STRAPS for NORGE





PACKAGING

KAI | STAINLESS STEEL W 1.4060 + COATING



MADE IN ITALY

Italian-made professional, multipurpose diver's knife, with blade and handle in w 1.14116 martensitic stainless steel, hardness HRC 55/56, for an extremely sharp and honed blade. The Idroglider Gold Black surface treatment increases resistance to corrosion in marine environments. It has a V-shaped cross section blade and is equipped with a saw, a line cutter, a bottle opener, a flat screwdriver and a loop for the leash. Available in two sizes, 23 cm and the 11 cm compact version, with a 1000 D ballistic nylon sheath.


CODE CASE PACK RC559510 10

Blade length	10 cm - 3.9 in
Total length	23 cm - 9 in
Blade width	30 mm - 1.2 in
Blade thickness	4 mm - 0.15 in
Knife-only weight	140 g - 4.9 oz
Weight with sheath	180 g - 6.3 oz

SPARE PARTS

CODE PRODUCT

RZ559500 SHEATH NYLON for KAI







Italian-made professional, multipurpose diver's knife, with blade and handle in w 1.14116 martensitic stainless steel, hardness HRC 55/56, for an extremely sharp and honed blade. The Idroglider Gold Black surface treatment increases resistance to corrosion in marine environments. It has a V-shaped cross section blade and is equipped with a saw, a line cutter, a bottle opener, a flat screwdriver and a loop for the leash. Available in two sizes, 23 cm and the 11 cm compact version, with a 1000 D ballistic nylon sheath.

CODE	CASE PACK
RC559500	10


c

Blade length	4,5 cm - 1.77 in
Total length	11 cm - 4.33 in
Blade width	30 mm - 1.2 in
Blade thicknesses	4 mm - 0.15 in
Knife-only weight	65 g - 2.3 oz
Weight with sheath	90 g - 3.2 oz

SPARE PARTS

CODE PRODUCT

RZ559510 SHEATH NYLON for KAI MINI





Predator the evolution of the Killer model, designed to be the perfect finishing knife, very handy and anatomical. Its dimensions make it particularly suitable to be stored as a spare knife, or for divers who like to gear up in a practical and effective way.

CODE CASE PACK RC554500 10

Blade length	8,6 cm - 3.4 in
Total length	18,3 cm - 7.2 in
Blade width	17 mm - 0.67 in
Blade thicknesses	3-5 mm - 0.1-0.2 in
Knife-only weight	109 g - 3.8 oz
Weight with sheath	228 g - 8.0 oz

SPARE PARTS

RZ550017 SHEATH for PREDATOR KNIFE RZ550018 STRAPS for KNIVES (PAIR)





KNIVES

SPEARFISHING /





A small knife that's been around for years now, highly appreciated because it is easy to handle and the blade penetrates really well. This is forged from a single piece of stainless steel, and is blocked at the grip by a screw knob situated at the end of the grip. One side of the blade has a smooth cutting edge, the other is partly serrated. The anatomical technopolymer grip ends at the blade with a thumb tab. The sheath is made from plastic and has a traditional elastic band to hold on the knife and loops to attach the knife to your leg or onto your belt.

CODE	CASE PACK
RC554000	10

Blade length	8,6 cm - 3.4 in
Total length	18 cm - 7.1 in
Blade width	25,2 mm - 1 in
Blade thicknesses	3-5 mm - 0.12-0.2 in
Knife-only weight	120 g - 4.2 oz
Weight with sheath	200 g - 7.1 oz



SPEARFISHING / KNIVES



An inexpensive, average-size knife with an excellent quality-price ratio. One side of the stainless steel blade is straight-edged, the other one is serrated right along the blade; they are both very sharp and effective for line cutting. The anatomic grip is made from technopolymers and has a series of moulds for the fingers, ending with a thumb protection tab at the blade end. The plastic sheath holds the knife firmly with a traditional elastic band and has loops to attach it to the leg or strap.

CODE CASE PACK RC550000 10

Blade length	12,4 cm - 4.9 in
Total length	23,2 cm - 9.1 in
Blade width	32 mm - 1.25 in
Blade thickness	3 mm - 0.12 in
Knife-only weight	120 g - 4.2 oz
Weight with sheath	210 g - 7.4 oz

SPARE PARTS

328

 CODE
 PRODUCT

 RZ550004
 SHEATH W/ STRAPS for SUPERTOTEM

 RZ550018
 STRAPS for KNIVES (PAIR)











The Grip Titanium is a small-sized knife with a titanium blade that lasts longer and is easy to use. It's rust-resistant and features a high-precision sharpened tip. One side is an extrarigid serrated blade for sawing; the other side is a skillfully crafted straight blade. It features an ergonomic non-slip handle grip and a hole to add a lanyard (not included).


CODE CASE PACK RC559420 5

1009420

Blade length	7,4 cm - 2.9 in
Total length	17,4 cm - 6.8 in
Knife-only weight	35,4 g - 1.2 oz
Weight with sheath	80,7 g - 2.8 oz

SPARE PARTS

CODE PRODUCT
RZ550022 SHEATH FOR
GRIP TITANIUM



PACKAGING





The Grip Spear is a small-sized knife with a tapered blade that makes it ideal for spearfishing. The blade is made of stainless steel. It features a high-precision dagger point tip. One side is an extra-rigid serrated blade for sawing, the other side is a skillfully crafted straight blade. It features an ergonomic non-slip handle grip and a hole to add a lanyard (not included). The knife comes with a sheath that can be attached to the BCD shoulder strap.


CODE CASE PACK

RC559400 5

Blade length	8,1 cm - 3.1 in				
Total length	17,4 cm - 6.8 in				
Knife-only weight	49 g - 1.7 oz				
Weight with sheath	85 g - 3.0 oz				

SPARE PARTS

CODEPRODUCTRZ550021SHEATH FOR GRIP SPEAR





|| BUYER'S GUIDE 2022

KNIVES

SPEARFISHING /








The Grip Spear Black is a small-sized knife with a special blade with two edges; ideal for any dives. The blade is made with the Japanese 420 Stainless Steel: strong and rust resistant. It features a high precision Dagger point tip. One side is an extra rigid serrated blade for sawing, the other side is a skillfully crafted straight blade. It features an ergonomic non-slip handle grip and a hole to add a lanyard (not included). The knife comes with a sheath that can be attached at the BCD shoulder strap. It has a Lock Mechanism that secures the knife. With 2 rubber straps (included) you can fix the sheath at your leg or at you arm.

CODE	CASE PACK
RC559430	5

Blade length	7,6 cm - 3.0 in	
Total length	17,4 cm - 6.8 in	
Knife-only weight	51 g - 1.8 oz	
Weight with sheath	88 g - 3.1 oz	

SPARE PARTS

CODE	PRODUCT
RZ550021	SHEATH FOR GRIP SPEAR



PACKAGING





Skorpion is a modern knife of last generation design and of medium dimensions, with a resistant tempered blade of tempered AISI 304 steel, with a smooth edge and a serrated edge with a wire cutter incorporated. The handle is anatomically shaped and made of "soft grip" material for a secure grip. It is separated from the blade by an integrated handguard made of technopolymer. Includes a pot in the same material as the leaf. The cover is made of black technopolymer and has straps for fixing to the thigh or belt. The knife comes with a sheath that features a locking mechanism to allow one-hand release. The sheath comes with two, standard issue straps to attach it to your leg.

CODE STYLE RC559000 Steel Blade XRC569050 Black Blade

Blade length	11 cm - 4.3 in
Total length	23,2 cm - 9.1 in
Blade width	25,5 mm - 1 in
Blade thickness	5 mm - 0.18 in
Knife-only weight	200 g - 7.1 oz
Weight with sheath	280 g - 9.9 oz

SPARE PARTS

CODE PRODUCT RZ550014 SHEATH for SKORPION KNIFE RZ550018 STRAPS for KNIVES (PAIR)

.....










Versatile knife featuring a blade made from stainless steel specifically made for the marine environment. Sheath with locking mechanism to allow one-hand release. The knife comes with two, standard issue straps to attach it to your leg.

CASE PACK RC555000

11,8 cm - 4.6 in
23,5 cm - 9.2 in
25,2 mm - 1 in
5 mm - 0.19 in
147 g - 5.2 oz
217 g - 7.6 oz



PACKAGING

KNIVES SPARE PARTS

CODE	PRODUCT
RZ550003	SHEATH W/ STRAPS for ORCA
RZ550004	SHEATH W/ STRAPS for SUPERTOTEM
RZ550010	SHEATH for LAMA ARA KNIFE
RZ550012	SHEATH for LIMA KNIFE
RZ550013	SHEATH for BORG KNIFE
RZ550014	SHEATH for SKORPION KNIFE
RZ550015	SHEATH for GIANT KNIFE
RZ550016	SHEATH for FINISHER KNIFE
RZ550017	SHEATH for PREDATOR KNIFE
RZ550018	STRAPS for KNIVES (PAIR)
RZ550019	SHEATH FOR ALLIGATOR
RZ550020	SHEATH FOR GRIP BLUNT
RZ550021	SHEATH FOR GRIP SPEAR
RZ550022	SHEATH FOR GRIP TITANIUM
RZ551007	HOLDER for TOTEM/ORCA
RZ559500	SHEATH NYLON for KAI
RZ559510	SHEATH NYLON for KAI MINI

KNIVES COMPARISON CHART

-

	PRODUCT	BLADE LENGTH	TOTAL LENGTH	BLADE WIDTH	BLADE THICKNESS	KNIFE-ONLY WEIGHT	WEIGHT WITH SHEATH
	ORCA	17,8 cm 7.0 in	30 cm 11.82 in	32 mm 1.25 in	5,5 mm 0.22 in	450 g 15.9 oz	600 g 21.2 oz
	GIANT	17,8 cm 7.0 in	30,0 cm 11.8 in	29,7 mm 1.1 in	5,2 mm 0.2 in	271 g 9.6 oz	429 g 15.1 oz
	FINISHER	12,7 cm 5.0 in	24,7 cm 9.7 in	17 mm 0.67 in	3-5 mm 0.1-0.2 in	130 g 4.6 oz	200 g 7.1 oz
	BORG POINTED TIP	14,0 cm 5.5 in	26,5 cm 10.4 in	25 mm 1 in	5 mm 0.19 in	230 g 8.1 oz	330 g 11.6 oz
	BORG BLUNT TIP	13,0 cm 5.0 in	25,5 cm 5.0 in	25 mm 1 in	5 mm 0.19 in	230 g 8.1 oz	330 g 11.6 oz
NEW 2022	NORGE	11,7 cm 4.6 in	22,8 cm 9.0 in	25 mm 1 in	4,5 mm 0.18 in	140 g 4.9 oz	250 g 8.8 oz
	KAI	10 cm 3.9 in	23 cm 9 in	30 mm 1.2 in	4 mm 0.15 in	140 g 4.9 oz	180 g 6.3 oz
	KAI MINI	4,5 cm 1.77 in	11 cm 4.33 in	30 mm 1.2 in	4 mm 0.15 in	65 g 2.3 oz	90 g 3.2 oz
NEW 2022	PREDATOR	8,6 cm 3.4 in	18,3 cm 7.2 in	17 mm 0.67 in	3-5 mm 0.1-0.2 in	109 g 3.8 oz	228 g 8.0 oz
	KILLER	8,6 cm 3.4 in	18 cm 7.1 in	25.2 mm 1 in	3-5 mm 0.1-0.2 in	120 g 4.2 oz	200 g 7.1 oz
NEW 2022	SUPERTOTEM	12,4 cm 4.9 in	23,2 cm 9.1 in	32 mm 1.25 in	3 mm 0.12 in	120 g 4.2 oz	210 g 7.4 oz
	GRIP POINT TIP	8,1 cm 3.1 in	17,4 cm 6.8 in	n/a	n/a	49 g 1.7 oz	85 g 3.0 oz
	SKORPION	11 cm 4.3 in	23,2 cm 9.1 in	25.5 mm 1 in	5 mm 0.18 in	200 g 7.1 oz	280 g 9.9 oz
	VIGO	11,8 cm 4.6 in	23,5 cm 9.2 in	25.2 mm 1 in	5 mm 0.19 in	147 g 5.2 oz	217 g 7.6 oz

RAND SU



FULL FACE MASK



CODE VAEDUKE

CODE

VAESNOR

SNORKEL





CRESSI

Code Vaemask

FLAT | ACRYLIC SLATWALL DISPLAY



CODE VAEFLAT

WRIST COMPUTER DISPLAY



WRIST COMPUTER DISPLAY



CODE VAEUMWC

VAEUMWD

VAEUATT

REGULATOR DISPLAY

| METAL SLATWALL DISPLAY

CONSOLE DISPLAY



Code Vaeumwr



HOOK FOR WETSUITS







SLATWALL METAL FACEOUT







BLUE FLAG

	6	SRE!	SSS center Diving, Snorkeling & More!	
	70 x 4	5 cm 27.6 x 17.7 in		30 x 20 cm 11.8 x 7.9 in
CODE VABANBO5	COLOR Blue	SIZE 70 x 45 cm 27.6 x 17.7 in		


VABANB05	Blue	70 x 45 cm 27.6 x 17.7 in
VABANB06	Blue	30 x 20 cm 11.8 x 7.9 in

DIVE CENTER FLAG

CRESS Dive center		
100 x 70 cm 39.4 x 27.6 in	70 x 45 cm 27.6 x 17.7 in	30 x 20 cm 11.8 x 7.9 in

CODE	COLOR	SIZE
VABANB11	White	100 x 70 cm 39.4 x 27.6 in
VABANB15	White	70 x 45 cm 27.6 x 17.7 in
VABANB16	White	30 x 20 cm 11.8 x 7.9 in
VABANB16	White	30 x 20 cm 11.8 x 7.9 in

FEATHER



STICKERS CRESSI SINCE 1946





STICKER Back adhesive side

CODE VPADE5210 VPADE5010 VPADE5110



CODE VPADE5012

336 // BUYER'S GUIDE 2022

FLAGS -BRAND SUPPORT







STICKER Back adhesive side

Small 30 x 30,5 cm 11.8 x 12 inch Basic

15 x 15,3 cm 5.9 x 6 inch

CODE VPADE5211 VPADE5011



STICKER Back adhesive side

Size

48 x 21,1 cm 18.9 x 8.3 inch



MASK

| OPTICAL LENSES

Please also refer to the Cressi Spare Parts Catalog for further information and Technical Details

MASK

| OPTICAL LENSES

Please also refer to the Cressi Spare Parts Catalog for further information and Technical Details

CODE	PRODUCT
DI240010	Optical Lens -1.0 For Focus Mask
DI240015	Optical Lens -1.5 For Focus Mask
DI240020	Optical Lens -2.0 For Focus Mask
DI240025	Optical Lens -2.5 For Focus Mask
DI240030	Optical Lens -3.0 For Focus Mask
DI240035	Optical Lens -3.5 For Focus Mask
DI240040	Optical Lens -4.0 For Focus Mask
DI240045	Optical Lens -4.5 For Focus Mask
DI240050	Optical Lens -5.0 For Focus Mask
DI240055	Optical Lens -5.5 For Focus Mask
DI240060	Optical Lens -6.0 For Focus Mask
DI240065	Optical Lens -6.5 For Focus Mask
DI240070	Optical Lens -7.0 For Focus Mask
DI240075	Optical Lens -7.5 For Focus Mask
DI240080	Optical Lens -8.0 For Focus Mask

CODE PRODUCT DI336010 Optical Lens - 1.0 (Right) For Big Eyes E DI336015 Optical Lens - 1.5 (Right) For Big Eyes Ev DI336020 Optical Lens - 2.0 (Right) For Big Eyes E DI336025 Optical Lens - 2.5 (Right) For Big Eyes E DI336030 Optical Lens - 3.0 (Right) For Big Eyes Ev DI336035 Optical Lens - 3.5 (Right) For Big Eyes Ev DI336040 Optical Lens - 4.0 (Right) For Big Eyes E DI336045 Optical Lens - 4.5 (Right) For Big Eyes E DI336050 Optical Lens - 5.0 (Right) For Big Eyes Ev DI336055 Optical Lens - 5.5 (Right) For Big Eyes E DI336060 Optical Lens - 6.0 (Right) For Big Eyes Ev DI336110 Optical Lens - 1.0 (Left) For Big Eyes Evo DI336115 Optical Lens - 1.5 (Left) For Big Eyes Eve DI336120 Optical Lens - 2.0 (Left) For Big Eyes Eve DI336125 Optical Lens - 2.5 (Left) For Big Eyes Eve DI336130 Optical Lens - 3.0 (Left) For Big Eyes Eve DI336135 Optical Lens - 3.5 (Left) For Big Eyes Eve DI336140 Optical Lens - 4.0 (Left) For Big Eyes Eve DI336145 Optical Lens - 4.5 (Left) For Big Eyes Eve DI336150 Optical Lens - 5.0 (Left) For Big Eyes Eve DI336155 Optical Lens - 5.5 (Left) For Big Eyes Eve DI336160 Optical Lens - 6.0 (Left) For Big Eyes Eve DI260010 Optical Lens -1.0 (Right) For Big Eyes Mar DI260015 Optical Lens -1.5 (Right) For Big Eyes Ma DI260020 Optical Lens -2.0 (Right) For Big Eyes Ma DI260025 Optical Lens -2.5 (Right) For Big Eyes Ma DI260030 Optical Lens -3.0 (Right) For Big Eyes Ma DI260035 Optical Lens -3.5 (Right) For Big Eyes Ma DI260040 Optical Lens -4.0 (Right) For Big Eyes Ma DI260045 Optical Lens -4.5 (Right) For Big Eyes Ma DI260050 Optical Lens -5.0 (Right) For Big Eyes Ma DI260055 Optical Lens -5.5 (Right) For Big Eyes M DI260060 Optical Lens -6.0 (Right) For Big Eyes Ma DI260110 Optical Lens -1.0 (Left) For Big Eyes Mas DI260115 Optical Lens -1.5 (Left) For Big Eyes Mas DI260120 Optical Lens -2.0 (Left) For Big Eyes Mas DI260125 Optical Lens -2.5 (Left) For Big Eyes Mas DI260130 Optical Lens -3.0 (Left) For Big Eyes Mas DI260135 Optical Lens -3.5 (Left) For Big Eyes Mas DI260140 Optical Lens -4.0 (Left) For Big Eyes Mar DI260145 Optical Lens -4.5 (Left) For Big Eyes Mas DI260150 Optical Lens -5.0 (Left) For Big Eyes Mat DI260155 Optical Lens -5.5 (Left) For Big Eyes Ma DI260160 Optical Lens -6.0 (Left) For Big Eyes Mas

» The Optical Lens are sold individually. The Focus lenses can be mounted both for left and right.

volution Mask
volution Mask
Evolution Mask
Evolution Mask
Evolution Mask
Evolution Mask
Evolution Mask
Volution Mask
Evolution Mask
Evolution Mask
Evolution Mask
olution Mask
olution Mask
olution Mask
olution Mask
olution Mask
olution Mask
olution Mask
volution Mask
volution Mask
volution Mask
volution Mask
ask
ask
lask
sk
sk
isk
isk
ask

<

DIMENSION CHART

BAGS DIMENSION CHART

	DIMENSION (LENGTH-WIDTH-HE	IGHT)	VOLUME		WEIGHT	
	CENTIMETER	INCH	LITER	CU FT	KG	LB
JUMBO	50 x 35 x 80 h	19 3/4 x 13 3/4 x 31 1/2	140	4.90	4.5 kg	9 lb 15 oz
MOBY 5	40 x 28 x 76 h	15 1/2 x 11 x 30 h	115	4.06	3.9 kg	8 lb 10 oz
MOBY 5 HYDRO	40 x 28 x 76 h	15 1/2 x 11 x 30 h	115	4.06	5.1 kg	11 lb 4 oz
GORILLA PRO XL	95 x 34 x 42 h	37 x 13 x 16 h	135	4.77	1.5 kg	3 lb 5 oz
TUNA	95 x 40 x 41 h	37 1/2 x 15 3/4 x 16 1/8 h	120	4.23	3.5 kg	7 lb 11 oz
GORGONA	ø 38 x 96 h	ø 15 x 37 3/8 h	107	3.78	750 g	1 lb 10 oz
ROATAN	ø 39.5 - 72 h	15 ø - 28 h	90	3.18	1.2 kg	2 lb 10 oz
UTILA	ø 38.5 - 70 h	15 ø - 27 h	85	3.00	1.1 kg	2 lb 7 oz
CRETE	ø 37 x 60 h	ø 14 5/8 x 23 5/8 h	64.5	2.28	580 g	1 lb 4 oz
PIPER	35.5 x 23 x 56 h	14 x 9 x 22 h	49	1.73	2.9 kg	6 lb 6 oz
DRY GARA BACKCASE PACK	39.5 x 23.5 x 66 h	15 x 9 x 26 h	60	2.12	1.12 kg	2 lb 7.5 oz
PIOVRA	30 x 30 x 102 h	11 3/4 x 11 3/4 x 40 1/8 h	70	2.47	1.5 kg	3 lb 5 oz
PIOVRA XL	30 x 30 x 130 h	11 3/4 x 11 3/4 x 44 h	85	3.00	1.6 kg	3 lb 8 oz
OCTOPUS	Ø 23 x 54 h	Ø 9 x 21 1/2 h	30	1.06	660 g	1 lb 7 oz
DRY BAG 20 L	Ø 23 x 43 h	Ø 9 x 17 h	20	0.71	480 g	16.9 oz
DRY BAG 15 L	Ø 23 x 34 h	Ø 9 x 13 1/2 h	15	0.53	350 g	12.3 oz
DRY BAG 10 L	Ø 19 x 36 h	Ø 7 1/2 x 14 1/8 h	10	0.35	320 g	11.3 oz
DRY BAG 5 L	Ø 19 x 28 h	Ø 7 1/2 x 11 h	5	0.18	255 g	9 oz

MEN'S LONG WETSUITS DIMENSION CHART




SIZE	WE	GHT	A - He	EIGHT	B - Cl	HEST	C - W	/AIST	D -	HIP
US/EU	KG	LB	СМ	IN	СМ	IN	СМ	IN	СМ	IN
XS: 36/46	50-58	110-128	156-165	61-65	70-75	28-30	59-65	23-26	72-77	28-30
S: 38/48	60-68	132-150	164-173	65-68	78-83	31-33	65-71	25-28	78-83	31-33
M: 40/50	70-78	154-172	169-178	67-70	86-91	34-36	71-77	28-30	84-89	33-35
L: 42/52	80-88	176-194	174-183	69-72	94-99	37-39	77-83	30-33	90-95	35/37
XL: 44/54	90-98	198-216	179-188	71-74	102-107	40-42	83-89	33-35	96-101	38-40
2XL: 46/56	100-108	220-238	184-193	72-76	110-115	43-45	89-95	35-37	102-107	40-42
3XL: 48/58	105-115	231-254	191-198	75-78	118-123	46-48	95-101	37-40	108-113	43-45

WOMEN'S LONG WETSUITS DIMENSION CHART



SIZE	WEI	GHT	A - He	EIGHT	B - Cl	HEST	C - W	/AIST	D -	HIP
US/EU	KG	LB	СМ	IN	СМ	IN	СМ	IN	СМ	IN
XS: 8/42	47-52	104-115	160-165	63-65	77-82	30-32	56-61	22-24	83-87	32-34
S: 10/44	53-58	117-128	165-170	65-67	82-87	32-34	60-65	24-26	87-91	34-36
M: 12/46	59-64	130-141	170-175	67-69	87-92	34-36	64-69	25-27	91-95	36-37
L: 14/48	64-70	141-154	175-180	69-71	92-97	36-38	68-73	27-29	95-99	37-39
XL: 16/50	70-80	154-176	180-185	71-73	97-102	38-40	72-77	28-30	99-103	39-41
2XL: 18/52	80-90	176-198	185-190	73-75	102-107	40-42	76-81	30-32	103-107	40.5-42

~



PALM CIRCUMFERENCE: Measured at area shown (use soft measuring tape)

HAND LENGTH:

Measure from the wrist crease to the tip of the middle finger

RUNS SMALL	FIT SIZE	RUNS	EA	m
	SIZ	E CHART		
SIZE	PALM CIRCUMFEREN	CE	HAND LENGT	н
S	7.5 - 8 in (19 cm- 20.3 cm)		7 - 7.5 in (17.7 cm -19 cm	ı)
м	8 - 8.5 in (20.3 cm - 21.5 cm)		7.5 - 8 in (19 cm - 20.5 cn	n)
L	8.5 - 9 in (21.5 cm - 22.8 cm)		8 - 8.5 in (20.5 cm - 21.5 ci	m)
XL	9 - 9.5 in (22.9 cm - 24.1 cm)		8.5 - 9 in (21.5 cm - 22.8 ci	m)
2XL	9.5 - 10 in (24.1 cm - 25.4 cm)		9 - 9.5 in (22.9 cm - 24.1 cr	m)

CRESSI'S SIZE CHART IS TO BE USED AS A REFERENCE ONLY

BALEARI




Use a ruler to measure the heel to toe length and the chart to determine your shoe size.

MINORCA




Use a ruler to measure the heel to toe length and the chart to determine your shoe size.

ANTI-SLIP NEOPRENE SOCKS



Use a ruler to measure the heel to toe length and the chart to determine your shoe size.

HIGH STRETCH GLOVES



PALM CIRCUMFERENCE:
Measured at area shown
(use soft measuring tape)


s

HAND LENGTH: Measure from the wrist crease to the tip of the middle finger

			DE
RUNS	FIT SIZE	RUNS LARGE	
	SIZ	ZE CHART	
SIZE	PALM CIRCUMFEREN	ICE	HAND LENGTH
S	7.5 - 8 in (19 cm- 20.3 cm)		
м	8 - 8.5 in (20.3 cm - 21.5 cm)		7.5 - 8 in (19 cm - 20.5 cm)
L	8.5 - 9 in (21.5 cm - 22.8 cm)		8 - 8.5 in (20.5 cm - 21.5 cm)
XL	9.5 - 10.5 in (24 cm - 26 cm)		

(24 cm - 26 cm) CRESSI'S SIZE CHART IS TO BE USED AS A REFERENCE ONLY

HOODS



WOMEN'S SIZE CHART			MEN'S SIZE CHART		
SIZE	F HEAD CIRCUMFERENCE	G HEAD LENGTH	SIZE	F HEAD CIRCUMFERENCE	G HEAD LENGTH
xs	19.7 - 21.3 in (50-54 cm)	17.7 - 18.1 in (45-46 cm)	S	20.9 - 22 in (53-56 cm)	17.7 - 18.1 in (45-46 cm)
s/M	21.7 - 22.8 in (55-58 cm)	18.1 - 18.5 in (46-47 cm)	M/L	22 - 23.6 in (56-60 cm)	18.1 - 18.5 in (46-47 cm)
L/XL	23.2 - 24.4 in (59-62 cm)	18.5 - 18.9 in (47-48 cm)	XL/2X- L/3XL	23.6 - 25.2 in (60-64 cm)	18.9 - 19.7 in (48-50 cm)

PRODUC

SIZE

5

6

7 8

9

10

11

12

HEEL-Lengt

DIMENSION CHART



T DIMENSION CHART	SIZE CONVERSION CHART				
A HEEL-TOE LENGTH	EU FOOT SIZE	US MEN'S FOOT SIZE	US WOMEN'S FOOT SIZE		
(23 cm)	36/37	5	6		
(24 cm)	38/39	6.5	7.5		
(25 cm)	39/40	7.5	8.5		
(26 cm)	41/42	9	10		
(27 cm)	42/43	10	11		
(28 cm)	44/45	11	12		
(29 cm)	45/46	12	13		
(30 cm)	47/48	13.5	14.5		



PRODUCT DIMENSION		SIZE CONVERSION CHART				
EEL-TOE NGTH CM	HEEL-TOE LENGTH CM	EU FOOT SIZE	US MEN'S FOOT SIZE	US WOMEN'S FOOT SIZE		
22.9	9	36	5	6		
23.7	9 1/3	37	6	7		
24.6	9 2/3	38.5	7	8		
25.4	10	39.5	8	9		
26.2	10 1/3	41	9	10		
27.1	10 2/3	42	10	11		
27.9	11	43.5	11	12		
28.8	11 1/3	44.5	12	13		
29.6	11 2/3	46	13	14		
30.5	12	47	14	14+		




SIZE CONVERSION CHART							
SIZE	EU FOOT SIZE	US MEN'S FOOT SIZE	US WOMEN'S FOOT SIZE				
S	36 / 38	5 / 6.5	6 / 7.5				
м	39 / 40	7/8	8 / 9				
L	41 / 43	9 / 10.5	10 / 11.5				
XL	44 / 46	11 / 12.5	12 / 13.5				

* NOT AVAILABLE IN SIZE XL

<

DIMENSION CHART

PALMA ST / 3MM WITH GRIP




RUNS SMALL FIT SIZE RUNS LARGE

PRODUCT DIMENSION CHART			SIZE CONVERSION CHART		
SIZE HEEL-TOE HEEL-TOE LENGTH CM LENGTH IN		EU FOOT SIZE	US MEN'S FOOT SIZE	US WOMEN'S FOOT SIZE	
XS/S	22.9 / 23.7	9 / 9 1/3	36	5/6	6/7
S/M	23.7 / 25.4	9 1/3 / 10	37	7/8	8/9
M/L	25.4 / 27.1	10 1/3 / 10 2/3	38.5	9 / 10	10 / 11
L/XL	27.1 / 28.8	11 / 11 1/3	39.5	11 / 12	12 / 13
XL/2XL	28.8 / 30.5	11 2/3 / 12	41	13	14

Use a ruler to measure the heel to toe length and the chart to determine your shoe size.

PALMA LT





Use a ruler to measure the heel to toe length and the chart to determine your shoe size.



PRODUCT DIMENSION CHART			SIZE CONVERSION CHART		
SIZE	HEEL-TOE LENGTH CM	HEEL-TOE LENGTH IN	EU FOOT SIZE	US MEN'S FOOT SIZE	US WOMEN'S FOOT SIZE
XS/S	22.9 / 23.7	9 / 9 1/3	36	5/6	6/7
S/M	23.7 / 25.4	9 1/3 / 10	37	7/8	8/9
M/L	25.4 / 27.1	10 1/3 / 10 2/3	38.5	9 / 10	10 / 11
L/XL	27.1 / 28.8	11 / 11 1/3	39.5	11 / 12	12 / 13
XL/2XL	28.8 / 30.5	11 2/3 / 12	41	13	14

Art Direction: Jenifer Chavez Editorial Design: Daniela López Covers Design: Carolina Villalba Lifestyle images by Cressi Ambassadors

© Cressi Sub S.p.A. All rights reserved. Reproduction. scanning. transmittal or storage. by any means of the images in this catalog, whole or in part, is prohibited without the prior written permission of Cressi Sub S.p.a

